



US00D876621S

(12) **United States Design Patent** (10) **Patent No.:** **US D876,621 S**  
**Olson et al.** (45) **Date of Patent:** **\*\* Feb. 25, 2020**

(54) **EXTERNAL CATHETER STABILIZER**  
(71) Applicant: **Sarah L. Olson**, Hugo, MN (US)  
(72) Inventors: **Sarah L. Olson**, Hugo, MN (US); **Carl B. Kieranen**, Toivola, MI (US); **John R. Mack**, Mahotomedi, MN (US); **Jason P. Mack**, Houghton, MI (US)  
(73) Assignee: **Sarah L. Olson**, Hugo, MN (US)  
(\*\*) Term: **15 Years**

D342,134 S \* 12/1993 Mongeon ..... D24/127  
5,267,969 A 12/1993 Hirsch et al.  
5,318,581 A \* 6/1994 Sunmo ..... A61B 17/32093  
606/167  
D349,765 S \* 8/1994 Russo ..... D24/128  
5,352,211 A 10/1994 Merskelly  
D363,778 S \* 10/1995 Cane ..... D24/129  
D364,457 S \* 11/1995 Mongeon ..... D24/127  
5,685,859 A 11/1997 Kornerup  
5,690,616 A 11/1997 Mogg  
5,916,200 A 6/1999 Eppley et al.  
D462,443 S \* 9/2002 Webb ..... D24/133  
(Continued)

(21) Appl. No.: **29/614,409**  
(22) Filed: **Aug. 18, 2017**  
(51) **LOC (12) Cl.** ..... **24-02**  
(52) **U.S. Cl.**  
USPC ..... **D24/128**  
(58) **Field of Classification Search**  
USPC ..... D24/127-131, 112-114, 133, 186;  
606/181, 185; 604/264, 523-528, 272,  
604/187, 158, 164.01-164.11, 181, 184,  
604/227; 600/101, 139, 143;  
128/200.24, 207.14, 207.15  
CPC .. A61M 25/065; A61M 5/42; A61M 25/0612;  
A61M 25/00; A61M 39/00; A61M 27/00;  
A61M 25/0043; A61M 25/0067; A61M  
25/0097; A61F 2/958  
See application file for complete search history.

FOREIGN PATENT DOCUMENTS

JP 649656 1/1989  
WO 2016141291 9/2016

Primary Examiner — David G Muller  
(74) Attorney, Agent, or Firm — Honigman LLP

(57) **CLAIM**


The ornamental design for an external catheter stabilizer, as shown and described.

**DESCRIPTION**

FIG. 1 is an upper perspective view of an external catheter stabilizer in accordance with the present invention;  
FIG. 2 is a lower perspective view of the external catheter stabilizer of FIG. 1;  
FIG. 3 is a top plan view of the external catheter stabilizer of FIG. 1;  
FIG. 4 is a side view of the external catheter stabilizer of FIG. 1, with the opposite side view being the same;  
FIG. 5 is an end view of the external catheter stabilizer of FIG. 1;  
FIG. 6 is another end view of the external catheter stabilizer of FIG. 1; and,  
FIG. 7 is a bottom plan view of the external catheter stabilizer of FIG. 1.

**1 Claim, 2 Drawing Sheets**

(56) **References Cited**  
U.S. PATENT DOCUMENTS  
3,444,861 A 5/1969 Schulte  
4,050,461 A 9/1977 Ruby  
4,435,174 A 3/1984 Redmond et al.  
D287,166 S \* 12/1986 Lipsky ..... D24/112  
4,645,492 A 2/1987 Weeks  
5,052,411 A 10/1991 Schoolman  
D337,383 S \* 7/1993 Smith ..... D24/112  
D339,864 S \* 9/1993 Stern ..... D24/129



(56)

**References Cited**

U.S. PATENT DOCUMENTS

7,985,205	B2	7/2011	Adams	
8,308,740	B2	11/2012	Tolley et al.	
8,740,876	B2	6/2014	Aguirre et al.	
8,900,195	B2	12/2014	Delegge et al.	
8,936,025	B2 *	1/2015	Flagler .....	A61M 16/0434 128/207.14
D757,935	S *	5/2016	Solingen .....	D24/133
D811,604	S *	2/2018	Hashimoto .....	D24/186
D814,026	S *	3/2018	Darras .....	D24/130
2009/0157000	A1	6/2009	Waller	
2012/0046515	A1	2/2012	Woo et al.	
2014/0018778	A1	1/2014	Lopera et al.	
2014/0364880	A1	12/2014	Farnan et al.	
2016/0074285	A1	3/2016	Thomas	
2016/0296725	A1	10/2016	Calco	

\* cited by examiner




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7