



US00D876818S

(12) **United States Design Patent** (10) **Patent No.:** **US D876,818 S**
Lieberman et al. (45) **Date of Patent:** **** Mar. 3, 2020**

(54) **CASE FOR A VIBRATING ELECTROMECHANICAL DEVICE FOR FEMALE STIMULATION**
(71) Applicant: **Mating Components, LLC**, Brooklyn, NY (US)
(72) Inventors: **Janet Lieberman**, Brooklyn, NY (US); **Alexandra Fine**, Brooklyn, NY (US); **David Block**, Brooklyn, NY (US); **Amanda Couto**, Pembroke Pines, FL (US); **Tiffany Wyche**, Brooklyn, NY (US)
(**) Term: **15 Years**

(21) Appl. No.: **29/619,930**
(22) Filed: **Oct. 3, 2017**
(51) **LOC (12) Cl.** **03-01**
(52) **U.S. Cl.**
USPC **D3/203.1**
(58) **Field of Classification Search**
USPC D3/201, 273, 280, 302, 203.1; D9/504, D9/519, 529, 537, 549, 414, 424, 426, D9/428; D28/78, 82, 88; D24/215
CPC B65D 1/00; B65D 1/02; B65D 1/0223; B65D 23/00; B65D 2501/00; B65D 2501/0009; B65D 81/00
See application file for complete search history.

(56) **References Cited**
U.S. PATENT DOCUMENTS
D333,784 S * 3/1993 Goodman D3/302
D465,733 S * 11/2002 Hill D9/519
D564,900 S * 3/2008 Green D9/504
D588,916 S * 3/2009 DeMarco D9/504
D610,009 S * 2/2010 Prufer D9/504
D612,245 S * 3/2010 Canamasas Puigbo D9/519
D621,261 S * 8/2010 DeMarco D9/504

D627,650 S * 11/2010 Yeung D28/9
D655,079 S * 3/2012 Patenaude D3/203.1
D664,853 S * 8/2012 Kipry D28/73
D681,278 S * 4/2013 Schlatter D28/82
D707,561 S * 6/2014 You D9/454
D731,180 S * 6/2015 Neuhaus D3/273
D788,586 S * 6/2017 Molinari D9/504
D800,060 S * 10/2017 Solland D13/108
D803,060 S * 11/2017 Marina D9/504
D811,901 S * 3/2018 Dardashty D9/715
D818,648 S * 5/2018 Cleij D28/85
D826,718 S * 8/2018 The D9/519
D841,472 S * 2/2019 Staab D9/529
D842,110 S * 3/2019 Marina D9/504
D842,111 S * 3/2019 Delia D9/504
D846,264 S * 4/2019 Wu D3/201
D851,913 S * 6/2019 Yu D3/201
D855,467 S * 8/2019 McCay D9/504


(Continued)

Primary Examiner — Steven J Czyz
(74) *Attorney, Agent, or Firm* — Stoyanov Law PLLC; Roy Chan

(57) **CLAIM**
The ornamental design for a case for a vibrating electromechanical device for female stimulation, as shown and described.

DESCRIPTION
FIG. 1 is a top, left and front perspective view of a case for a vibrating electromechanical device for female stimulation showing our new design;
FIG. 2 is a back elevational view thereof;
FIG. 3 is a front elevational view thereof
FIG. 4 is a top plan view thereof;
FIG. 5 is a bottom plan view thereof; and,
FIG. 6 is an exploded top and front perspective view thereof.
The broken lines depict portions of the article that form no part of the claimed design.

1 Claim, 5 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D858,289 S * 9/2019 Talsania D9/516
D858,891 S * 9/2019 Teller D28/85

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6