



US00D876851S

(12) **United States Design Patent** (10) **Patent No.:** **US D876,851 S**
Buffery (45) **Date of Patent:** **** Mar. 3, 2020**

(54) **VEHICLE SEAT**

(71) Applicant: **Jaguar Land Rover Limited**, Whitley, Coventry (GB)

(72) Inventor: **Martin Buffery**, Coventry (GB)

(73) Assignee: **Jaguar Land Rover Limited**, Whitley, Coventry (GB)

(**) Term: **15 Years**

(21) Appl. No.: **29/693,630**

(22) Filed: **Jun. 4, 2019**

Related U.S. Application Data

(62) Division of application No. 29/670,878, filed on Nov. 20, 2018, now Pat. No. Des. 854,844, which is a division of application No. 29/603,621, filed on May 11, 2017, now Pat. No. Des. 837,549.

(30) **Foreign Application Priority Data**

Nov. 11, 2016 (EM) 003458975-0001
Nov. 11, 2016 (EM) 003458975-0002
Nov. 11, 2016 (EM) 003458975-0003

(51) **LOC (12) Cl.** **06-01**

(52) **U.S. Cl.**
USPC **D6/356**

(58) **Field of Classification Search**

USPC D6/356, 335-338, 357, 360, 367, 716.4, D6/716.1, 349; D12/400, 345, 190, 195
CPC . B60N 2/00; B60N 2/01; B60N 2/012; B60N 2/02; B60N 2/0292; B60N 2/24; B60N 2/32; B60N 2/34; B60N 2/38; B60N 2/42
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D365,216	S	*	12/1995	Smith	D6/356
D387,914	S	*	12/1997	Beermann	D6/356
7,708,343	B2	*	5/2010	Kayumi	B60N 2/99 297/284.9
8,474,911	B2	*	7/2013	Parker	B60N 2/12 297/311
8,556,222	B2	*	10/2013	Yamada	B60N 2/0705 248/429
D723,821	S	*	3/2015	Kondou	D6/356
D723,824	S	*	3/2015	Persson	D6/356
D771,398	S	*	11/2016	Buffery	D6/356
9,604,549	B2	*	3/2017	Makiguchi	B60N 2/02
D799,225	S	*	10/2017	Callum	D6/356
D801,065	S	*	10/2017	Willis	D6/356
D804,206	S	*	12/2017	Varga	D6/356
D804,838	S	*	12/2017	Blomme	D6/356
D805,312	S	*	12/2017	Varga	D6/356
D805,313	S	*	12/2017	Varga	D6/356

(Continued)

Primary Examiner — Deanna L Pratt

(74) *Attorney, Agent, or Firm* — Wood Herron & Evans LLP

(57) **CLAIM**

The ornamental design for a vehicle seat, as shown and described.

DESCRIPTION

FIG. 1 is a front left perspective view of a vehicle seat according to the present invention.

FIG. 2 is a front right perspective view of the vehicle seat shown in FIG. 1.

FIG. 3 is a rear left perspective view thereof.

FIG. 4 is a rear right perspective view thereof.

FIG. 5 is a front view thereof.

FIG. 6 is a rear view thereof.

FIG. 7 is a left side view thereof.

FIG. 8 is a right side view thereof; and,

FIG. 9 is a top view thereof.

1 Claim, 9 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D808,185	S *	1/2018	Kondo	D6/356
9,919,620	B2 *	3/2018	Supernavage	B60N 2/065
D822,397	S *	7/2018	Waterhouse	D6/356
D824,184	S *	7/2018	Willis	D6/356
D829,457	S *	10/2018	Iida	D6/356
D837,546	S *	1/2019	Perry	D6/356
D837,549	S *	1/2019	Buffery	D6/356
D839,012	S *	1/2019	Hodder	D6/356
D839,013	S *	1/2019	Ray	D6/356
10,189,373	B2 *	1/2019	Thomas	B60N 2/3011
D841,351	S *	2/2019	Bekas	D6/356
D843,746	S *	3/2019	Bekas	D6/356
D846,902	S *	4/2019	Tomasson	D6/356
D846,907	S *	4/2019	Morgan	D6/367
D847,523	S *	5/2019	Tomasson	D6/356
D847,524	S *	5/2019	Tomasson	D6/356
D854,843	S *	7/2019	Perry	D6/356
D854,844	S *	7/2019	Buffery	D6/356
2008/0088170	A1 *	4/2008	Kim	B60R 22/00 297/468
2015/0246624	A1 *	9/2015	Furuta	B29C 65/7829 297/344.15

* cited by examiner



FIG. 1



FIG. 2



FIG. 3



FIG. 4



FIG. 5



FIG. 6



FIG. 7



FIG. 8



FIG. 9