



US00D876904S

(12) **United States Design Patent**
Schneider

(10) **Patent No.:** **US D876,904 S**
(45) **Date of Patent:** **** Mar. 3, 2020**

- (54) **VACUUM-INSULATED COOLER INSERT WITH LID**
- (71) Applicant: **Joseph Scott Schneider**, Ocean City, MD (US)
- (72) Inventor: **Joseph Scott Schneider**, Ocean City, MD (US)
- (**) Term: **15 Years**
- (21) Appl. No.: **29/649,598**
- (22) Filed: **May 31, 2018**
- (51) **LOC (12) Cl.** **07-01**
- (52) **U.S. Cl.**
USPC **D7/608; D7/603**
- (58) **Field of Classification Search**
USPC **D7/603-608, 612-615, 538-542; D9/500, 503-504**

(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

- 3,743,130 A * 7/1973 Jorgensen B65D 25/02 383/38
- 4,951,482 A * 8/1990 Gilbert A01N 1/02 62/306

(Continued)

Primary Examiner — Terry A Wallace

(74) *Attorney, Agent, or Firm* — Miles & Stockbridge P.C.

(57) **CLAIM**

I claim the ornamental design for a vacuum-insulated cooler insert with lid, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a vacuum-insulated cooler insert according to a first embodiment of the present disclosure.

FIG. 2 is second perspective view of the vacuum-insulated cooler insert according to the first embodiment of the present disclosure.

FIG. 3 is a third perspective view of the vacuum-insulated cooler insert according to the first embodiment of the present disclosure.

FIG. 4 is a front-side view of the vacuum-insulated cooler insert according to the first embodiment of the present disclosure.

FIG. 5 is a rear-side view of the vacuum-insulated cooler insert according to the first embodiment of the present disclosure.

FIG. 6 is a left-side view of the vacuum-insulated cooler insert according to the first embodiment of the present disclosure.

FIG. 7 is a right-side view of the vacuum-insulated cooler insert according to the first embodiment of the present disclosure.

FIG. 8 is a top plan view of the vacuum-insulated cooler insert according to the first embodiment of the present disclosure.

FIG. 9 is a bottom plan view of the vacuum-insulated cooler insert according to the first embodiment of the present disclosure.

FIG. 10 is a perspective view of a lid for the vacuum-insulated cooler insert according to the first embodiment of the present disclosure.

FIG. 11 is second perspective view of the lid for the vacuum-insulated cooler insert according to the first embodiment of the present disclosure.

FIG. 12 is a top plan view of the lid for the vacuum-insulated cooler insert according to the first embodiment of the present disclosure.

FIG. 13 is a bottom plan view of the lid for the vacuum-insulated cooler insert according to the first embodiment of the present disclosure.

FIG. 14 is a front-side view of the lid for the vacuum-insulated cooler insert according to the first embodiment of the present disclosure.

FIG. 15 is a rear-side view of the lid for the vacuum-insulated cooler insert according to the first embodiment of the present disclosure.

FIG. 16 is a left-side view of the lid for the vacuum-insulated cooler insert according to the first embodiment of the present disclosure.

(Continued)




FIG. 17 is a right-side view of the lid for the vacuum-insulated cooler insert according to the first embodiment of the present disclosure.

FIG. 18 is a perspective view of the lid assembled to the vacuum-insulated cooler insert according to the first embodiment of the present disclosure.

FIG. 19 is a top plan view of the lid assembled to the vacuum-insulated cooler insert according to the first embodiment of the present disclosure; and,

FIG. 20 is a side view of the lid assembled to the vacuum-insulated cooler insert according to the first embodiment of the present disclosure.

The broken lines are for illustrative purposes only and form no part of the claimed design. The cooler insert and lid are shown separately, FIGS. 1-17, for clarity of illustration.

1 Claim, 18 Drawing Sheets

(58) **Field of Classification Search**

CPC A47G 19/22; A47G 19/2222; A47G 19/2205; A47G 19/2266; A47J 41/02;

B65D 47/066; B65D 1/02; B65D 25/14; B65D 25/02; B65D 81/3865; B65D 81/3867; B65D 81/3869; B65D 81/3872; B65D 81/3816; B65D 81/3834; B65D 81/3874; B65D 81/3876; B65D 81/3879; B65D 81/2881; B65D 81/3883; B65D 81/3886; B65D 81/3888; A45F 3/16; A45F 3/20; B67F 7/06; B67D 1/0004; A45C 11/20; F25D 3/08; F25D 3/14; A01N 1/02

See application file for complete search history.

(56)

References Cited

U.S. PATENT DOCUMENTS

5,277,328	A *	1/1994	Tocco	A45C 11/20
				206/315.3
6,065,303	A *	5/2000	Harris	F25D 3/08
				62/457.4
D453,893	S *	2/2002	Mount	D7/608
D584,109	S *	1/2009	Krog	D7/313

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20