

US00D877058S

(12)

United States Design Patent

Parr

(10) Patent No.:

US D877,058 S

(45) Date of Patent:

** Mar. 3, 2020

(54) TIRE SIDEWALL

(71) Applicant: **Bridgestone Americas Tire Operations, LLC**, Nashville, TN (US)

(72) Inventor: **Richard S. Parr**, Canton, OH (US)

(73) Assignee: **Bridgestone Americas Tire Operations, LLC**, Nashville, TN (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/656,359**

(22) Filed: **Jul. 12, 2018**

(51) LOC (12) Cl. **12-15**

(52) U.S. Cl. **D12/604**

(58) Field of Classification Search

USPC D12/604, 605

CPC B60C 13/00; B60C 1/00

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D385,834 S * 11/1997 Ratliff, Jr. D12/605

D450,275 S 11/2001 Moses

D479,190 S * 9/2003 Maxwell D12/605

D492,648 S 7/2004 Maxwell et al.

D506,435 S 6/2005 Maxwell et al.

D517,003 S 3/2006 Shondel

D540,250 S * 4/2007 Shondel D12/605

D542,220 S * 5/2007 Shondel D12/605

D543,497 S 5/2007 Maxwell et al.

D552,535 S 10/2007 Smith

D552,536 S 10/2007 Shondel

D557,202 S * 12/2007 Shondel D12/605

D558,138 S * 12/2007 Shondel D12/605

D563,310 S 3/2008 Shondel

D567,169 S 4/2008 Maxwell et al.

7,409,975 B2 8/2008 Wallet

D581,352 S 11/2008 Harvey

D581,354 S 11/2008 Harvey

D583,313 S 12/2008 Harvey

D585,017 S * 1/2009 Shondel D12/605

D588,532 S * 3/2009 Shondel D12/605

D592,591 S * 5/2009 Kuwano D12/605

D608,273 S 1/2010 Scheifele et al.

D608,274 S * 1/2010 Takahashi D12/605

D629,745 S * 12/2010 Shondel D12/605

D638,784 S 5/2011 Scheifele

D647,044 S 10/2011 Takemoto

D650,323 S 12/2011 Morito et al.

D678,832 S * 3/2013 Fontaine D12/605

D680,490 S * 4/2013 Iwabuchi D12/605

D711,816 S * 8/2014 Iwabuchi D12/605

D726,645 S * 4/2015 Scheifele D12/605

D730,819 S 6/2015 Scheifele

D740,747 S * 10/2015 Sato D12/605

D750,553 S * 3/2016 Scheifele D12/605

(Continued)

Primary Examiner — Michelle E. Wilson

Assistant Examiner — Clese Moore, Jr.

(74) Attorney, Agent, or Firm — Shaun J. Fox

(57) **CLAIM**

The ornamental design for a tire sidewall, as shown and described.

DESCRIPTION

FIG. 1 is a side elevational view of a tire sidewall showing my new design;


FIG. 2 is a cross-sectional view taken along 2-2 of FIG. 1, showing my design in a first environmental of use;

FIG. 3 is cross-sectional view taken along 3-3 of FIG. 1, showing my design in a second environmental of use; and,

FIG. 4 is cross-sectional view taken along 4-4 of FIG. 1, showing my design in a third environmental of use.

In the drawings, the broken lines depict environmental subject matter only and form no part of the claimed design.

1 Claim, 4 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D777,656	S	*	1/2017	Maxwell		D12/605
D782,407	S	*	3/2017	Nagase		D12/605
D792,843	S	*	7/2017	Taniguchi		D12/605
D798,805	S	*	10/2017	Schultz		D12/605
D801,263	S	*	10/2017	Sato		D12/605
D817,860	S	*	5/2018	Maxwell		D12/605
2015/0314653	A1		11/2015	Iwabuchi		

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4