



US00D877077S

(12) **United States Design Patent**
Miller et al.

(10) **Patent No.:** **US D877,077 S**
(45) **Date of Patent:** **** Mar. 3, 2020**

(54) BATTERY SEPARATOR	3,947,537 A *	3/1976	Buntin	H01M 2/14 264/137
(71) Applicant: Daramic, LLC , Charlotte, NC (US)	4,000,352 A *	12/1976	Hollenbeck	H01M 2/18 429/147
(72) Inventors: Eric H. Miller , Philpot, KY (US); M. Neal Golovin , Owensboro, KY (US); Ahila Krishnamoorthy , Jalahalli Bangalore (IN); James P. Perry , Utica, KY (US); J. Kevin Whear , Utica, KY (US)	4,142,334 A 4,237,558 A D311,896 S D311,898 S * 5,558,952 A *	3/1979 12/1980 11/1990 11/1990 9/1996	Kirsch et al. Mackenroth, III et al. Mori Luzader	D13/119 H01M 2/18 429/139 H01M 2/18 429/136
(73) Assignee: Daramic, LLC , Charlotte, NC (US)	5,716,734 A *	2/1998	Nakano	H01M 2/18 429/136
(**) Term: 15 Years	5,716,735 A 5,949,637 A D456,533 S D462,936 S D462,938 S *	2/1998 9/1999 4/2002 9/2002 9/2002	Muffoletto et al. Iwaida et al. Moller, Jr. Maxwell Revak	D13/119 H01M 2/18 428/167
(21) Appl. No.: 29/681,301	7,425,387 B2 *	9/2008	Bohnstedt	H01M 2/18 428/167
(22) Filed: Feb. 25, 2019	D609,884 S D615,927 S	2/2010 5/2010	Cho Kuriki	

Related U.S. Application Data

- (62) Division of application No. 29/580,376, filed on Oct. 7, 2016, now Pat. No. Des. 847,746.
- (51) **LOC (12) Cl.** **13-02**
- (52) **U.S. Cl.**
USPC **D13/119**
- (58) **Field of Classification Search**
USPC D13/103, 104, 110, 107, 119, 120, 156;
429/175, 151
CPC H01R 13/641; H01M 2/1027; H01M 2/1022; H01M 2/1072; H01M 2/105; H01M 2/1077; H01M 2/18; H01M 2/14; H01M 2/1686; Y10T 428/2457
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D10,962 S	12/1878	Webb	
3,375,136 A	3/1968	Biggar	
3,917,772 A *	11/1975	Hollenbeck	B29C 43/222 264/41

Primary Examiner — Derrick E Holland
Assistant Examiner — Jennifer O King
 (74) *Attorney, Agent, or Firm* — Hammer & Associates, P.C.


(57) **CLAIM**

The ornamental design for a battery separator, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a battery separator showing our new design;
 FIG. 2 is a front view thereof;
 FIG. 3 is a rear view thereof;
 FIG. 4 is a top side view thereof;
 FIG. 5 is a bottom side view thereof;
 FIG. 6 is a right view thereof; and,
 FIG. 7 is a left view thereof.

1 Claim, 5 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

8,530,081	B2	9/2013	Hayashida et al.	
D696,029	S	12/2013	Seyler	
D725,916	S	4/2015	Haverfield et al.	
D732,826	S	6/2015	Greene et al.	
D758,728	S	6/2016	Young et al.	
D763,192	S	8/2016	Tyler et al.	
9,796,337	B2	10/2017	Helmuth et al.	
9,812,693	B2	11/2017	DeKeuster et al.	
10,276,850	B2 *	4/2019	Whear	H01M 2/18
D847,746	S *	5/2019	Miller	D13/119
2003/0224245	A1 *	12/2003	Miller	H01M 2/14 429/143
2006/0110662	A1	5/2006	Konishiike et al.	
2006/0141350	A1 *	6/2006	Dreyer	H01M 2/14 429/143
2006/0216594	A1	9/2006	You et al.	
2011/0052105	A1	3/2011	Wilcoxon et al.	
2012/0025420	A1	2/2012	Utashiro et al.	
2012/0070714	A1 *	3/2012	Chambers	C08L 89/00 429/145
2014/0057154	A1 *	2/2014	Timmons	H01M 2/1633 429/143
2015/0228935	A1	8/2015	Seong	
2017/0279089	A1	9/2017	Nishino	

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4



FIG. 5




FIG. 6




FIG. 7