



US00D877090S

(12) **United States Design Patent**  
**Lu et al.**

(10) **Patent No.:** **US D877,090 S**  
(45) **Date of Patent:** **\*\* Mar. 3, 2020**

(54) **KEY DEVICE**

(71) Applicant: **Feitian Technologies Co., Ltd.**, Beijing (CN)

(72) Inventors: **Zhou Lu**, Beijing (CN); **Huazhang Yu**, Beijing (CN)

(73) Assignee: **Feitian Technologies Co., Ltd.**, Beijing (CN)

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/662,508**

(22) Filed: **Sep. 6, 2018**

(51) **LOC (12) Cl.** ..... **14-03**

(52) **U.S. Cl.**  
USPC ..... **D13/168**

(58) **Field of Classification Search**  
USPC ..... 13/168; D10/104.1, 106.1; D3/207, 208; D8/347  
CPC ... B60R 2225/00; B60R 25/00; B60R 25/104; H01H 9/02; H01H 9/0214; H01H 9/0235; G07C 9/00944; G05B 1/01; E05B 19/0082; E05B 319/04; Y10T 70/8676  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D495,585 S *	9/2004	Osada	.....	D8/347
D511,750 S *	11/2005	Badarello	.....	D13/168
D550,168 S *	9/2007	Chang	.....	D13/168
D561,703 S *	2/2008	Shimokawa	.....	D13/168
D571,305 S *	6/2008	Thursfield	.....	D13/168
7,463,134 B1 *	12/2008	Stilley	.....	A45C 11/18 340/5.61
D667,382 S *	9/2012	Cosentino	.....	D13/168
D708,132 S *	7/2014	Wen	.....	D13/108
9,284,755 B2 *	3/2016	Rowe	.....	E05B 81/72
D790,484 S *	6/2017	Bristol	.....	D13/168
D792,359 S *	7/2017	Nakagawa	.....	D13/168

D836,568 S *	12/2018	Miller	.....	D13/168
D855,575 S *	8/2019	Paesen	.....	D13/168
2004/0099430 A1 *	5/2004	Scudder	.....	G07C 9/00944 174/564
2008/0129448 A1 *	6/2008	Reichling	.....	G08C 17/02 340/5.72
2010/0060467 A1 *	3/2010	Kofford	.....	G08B 21/18 340/636.15
2010/0238640 A1 *	9/2010	Yang	.....	H04M 1/236 361/811
2013/0241694 A1 *	9/2013	Sharma	.....	G08C 17/02 340/5.64

\* cited by examiner

*Primary Examiner* — Selina Sikder

(74) *Attorney, Agent, or Firm* — Hammer & Associates, P.C.


(57) **CLAIM**

The ornamental design for a key device, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of one embodiment of an key device showing the new design;  
 FIG. 2 is another perspective view of the embodiment from FIG. 1;  
 FIG. 3 is a first side elevational view of the embodiment from FIG. 1;  
 FIG. 4 is a second side elevational view of the embodiment from FIG. 1;  
 FIG. 5 is a third side elevational view of the embodiment from FIG. 1;  
 FIG. 6 is a fourth side elevational view of the embodiment from FIG. 1;  
 FIG. 7 is a top plan view of the embodiment from FIG. 1; and,  
 FIG. 8 is a bottom plan view of the embodiment from FIG. 1.

**1 Claim, 8 Drawing Sheets**






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6






Fig. 7






Fig. 8