



US00D877388S

(12) **United States Design Patent**
Xie et al.

(10) **Patent No.:** **US D877,388 S**
(45) **Date of Patent:** **** Mar. 3, 2020**

(54) **HIGH BAY LIGHT**
(71) Applicant: **Shenzhen Ruizi Light Electricity Technology Co., Ltd., Shenzhen (CN)**
(72) Inventors: **Changbo Xie, Shenzhen (CN); Hui Huang, Shenzhen (CN); Jingwen Wang, Shenzhen (CN); Shunqing Liu, Shenzhen (CN); Yugang Shen, Shenzhen (CN)**
(73) Assignee: **SHENZHEN RUIZI LIGHT ELECTRICITY TECHNOLOGY CO LTD, Shenzhen (CN)**

D542,963 S * 5/2007 Zucker D26/121
D566,861 S * 4/2008 Takada D26/1
D607,143 S * 12/2009 Sugishita D26/121
D632,819 S * 2/2011 Kong D26/71
D640,822 S * 6/2011 Wildner D26/89
D643,961 S * 8/2011 Mancini D26/83
D645,184 S * 9/2011 Zhan D26/63
D675,370 S * 1/2013 Lin D26/120
D683,493 S * 5/2013 Villamizar D26/124
D689,234 S * 9/2013 Zhang D26/72
D715,482 S * 10/2014 Kuo D26/138
9,228,715 B2 * 1/2016 Wong F21V 7/0083
D749,242 S * 2/2016 Hwang D26/2
9,441,798 B2 * 9/2016 Chen F21V 5/007
D773,109 S * 11/2016 Hu D26/118
D774,687 S * 12/2016 Dennis D26/122
D774,688 S * 12/2016 Dennis D26/122
D781,494 S * 3/2017 Barkhurst D26/120
D790,758 S * 6/2017 Deyaf D26/124

(**) Term: **15 Years**

(21) Appl. No.: **29/633,557**

(22) Filed: **Jan. 15, 2018**

(30) **Foreign Application Priority Data**

Oct. 26, 2017 (CN) 2017 2 1411034

(51) **LOC (12) Cl.** **26-03**

(52) **U.S. Cl.**
USPC **D26/72; D26/124**

(58) **Field of Classification Search**
USPC D26/24, 72, 80-83, 85-88, 120-124, 2
CPC F21S 8/03; F21S 8/04; F21S 8/06; F21S
8/061; F21S 8/063; F21S 8/081; F21S
8/085; F21S 8/086; F21V 5/007; F21V
5/07; F21V 7/0083; F21V 7/041
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D539,944 S * 4/2007 Egawa D26/24
D539,945 S * 4/2007 Egawa D26/24

(Continued)

Primary Examiner — Cathron C Brooks

(74) *Attorney, Agent, or Firm* — Hemisphere Law, PLLC;
Zhigang Ma


(57) **CLAIM**

The ornamental design for a high bay light, as shown.

DESCRIPTION

FIG. 1 is a top perspective view of a high bay light showing our new ornamental design;
FIG. 2 is a bottom perspective view of the high bay light, according to first embodiment;
FIG. 3 is a front elevational view of the high bay light;
FIG. 4 is a rear elevational view of the high bay light;
FIG. 5 is a left side elevational view of the high bay light;
FIG. 6 is a right side elevational view of the high bay light;
FIG. 7 is a top plan view of the high bay light;
FIG. 8 is a bottom plan view of the high bay light; and,
FIG. 9 is an enlarged view of part of the high bay light.

1 Claim, 9 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

10,125,953 B2 * 11/2018 Quadri F21V 14/02
D861,233 S * 9/2019 Jurik D26/124
2009/0303711 A1 * 12/2009 Remus et al. F21S 8/06
2011/0063836 A1 * 3/2011 Salm F21V 5/007
362/235
2015/0362147 A1 * 12/2015 Schouboe F21V 5/007
362/237
2016/0102839 A1 * 4/2016 Barkhurst F21S 2/005
362/247
2017/0122533 A1 * 5/2017 Wang F21V 5/007
2018/0220508 A1 * 8/2018 Pilat et al. H05B 33/0863

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4



FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9