



US00D877787S

(12) **United States Design Patent**
Kinoshita et al.

(10) **Patent No.:** **US D877,787 S**
(45) **Date of Patent:** **** Mar. 10, 2020**

(54) **INDUSTRIAL ROBOT**

(71) Applicant: **KABUSHIKI KAISHA YASKAWA DENKI**, Kitakyushu-shi (JP)

(72) Inventors: **Yusuke Kinoshita**, Fukuoka (JP);
Kyoko Sotobayashi, Fukuoka (JP);
Masato Ito, Fukuoka (JP); **Kengo Nagamitsu**, Fukuoka (JP)

(73) Assignee: **KABUSHIKI KAISHA YASKAWA DENKI**, Kitakyushu-shi (JP)

(**) Term: **15 Years**

(21) Appl. No.: **29/652,027**

(22) Filed: **Apr. 30, 2019**

(30) **Foreign Application Priority Data**

Jan. 16, 2019 (JP) 2019-000698

(51) **LOC (12) Cl.** **15-99**

(52) **U.S. Cl.**
USPC **D15/199**

(58) **Field of Classification Search**
USPC D15/199; D21/578-583, 621, 622
CPC B25J 15/10; B25J 15/086; B25J 15/0009;
Y10S 901/38; Y10S 901/39
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D267,883 S *	2/1983	Susnjara	D15/122
D279,572 S *	7/1985	Yasuoka	D15/122
D293,449 S *	12/1987	Kaufmann	D15/122
D296,790 S *	7/1988	Tsuburaya	D15/122
D300,935 S *	5/1989	Maddock	D15/122
D307,282 S *	4/1990	Suica	D15/199
D334,581 S *	4/1993	Yoshikawa	D15/199
D344,279 S *	2/1994	Koyama	D15/199

D344,280 S *	2/1994	Koyama	D15/199
D410,477 S *	6/1999	Nihei	D15/199
D616,909 S *	6/2010	Long	D15/199
7,810,765 B2 *	10/2010	Burlot	B25J 19/0025 248/75
D629,030 S *	12/2010	Long	D15/199
D636,004 S *	4/2011	Nakagiri	D15/199
D636,419 S *	4/2011	Nakagiri	D15/199
D636,803 S *	4/2011	Nakagiri	D15/199
D638,455 S *	5/2011	Long	D15/199
D650,820 S *	12/2011	Long	D15/199
D651,627 S *	1/2012	Long	D15/199
D670,319 S *	11/2012	Liu	D15/199
8,434,387 B2 *	5/2013	Nakagiri	B25J 9/104 74/490.01
8,537,346 B2 *	9/2013	Nakagiri	B25J 9/1692 356/139.07
D704,757 S *	5/2014	Nagai	D15/144
D713,436 S *	9/2014	Liu	D15/199

(Continued)

Primary Examiner — Patricia A Palasik

(74) *Attorney, Agent, or Firm* — Oblon, McClelland, Maier & Neustadt, L.L.P.

(57) **CLAIM**

The ornamental design for an industrial robot, as shown and described.

DESCRIPTION

FIG. 1 is a front view of an industrial robot of the present invention.

FIG. 2 is a rear view thereof.

FIG. 3 is a top plan view thereof.

FIG. 4 is a bottom view thereof.

FIG. 5 is a right side view thereof.


FIG. 6 is a left side view thereof.

FIG. 7 is a front perspective view thereof; and,

FIG. 8 is a rear perspective view thereof.

Broken lines showing portions of the industrial robot form no part of the claimed design.

1 Claim, 8 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

2005/0092122 A1* 5/2005 Markert B25J 19/0075
74/490.01
2005/0126327 A1* 6/2005 Markert B25J 19/0054
74/490.02
2008/0271561 A1* 11/2008 Ohara B23K 9/133
74/490.01

* cited by examiner




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig.8