



US00D878052S

(12) **United States Design Patent** (10) **Patent No.:** **US D878,052 S**
Hyma et al. (45) **Date of Patent:** **** Mar. 17, 2020**

(54) **SOCKET HOLDER**

(71) Applicant: **MILWAUKEE ELECTRIC TOOL CORPORATION**, Brookfield, WI (US)

(72) Inventors: **Steven W. Hyma**, Milwaukee, WI (US); **Jacob A. Krabbe**, Milwaukee, WI (US); **Jacob M. Stadler**, Wauwatosa, WI (US); **Smith C. Theiler**, Plymouth, WI (US)

(73) Assignee: **Milwaukee Electric Tool Corporation**, Brookfield, WI (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/614,672**

(22) Filed: **Aug. 22, 2017**

(51) **LOC (12) Cl.** **03-01**

(52) **U.S. Cl.**
USPC **D3/313**

(58) **Field of Classification Search**

USPC D3/201, 226, 228, 245, 246, 269,
D3/283–284, 303–304, 308, 313, 315,
D3/319, 328; D6/515, 567, 574, 675,
D6/682, 682.1; D8/14, 71, 85
CPC B25H 3/003; B25H 3/006; B25H 3/06
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,405,377 A * 10/1968 Pierce B25B 13/56
206/378
D256,425 S * 8/1980 Hayes 206/378
D436,513 S 1/2001 Yamakawa
6,598,498 B1 7/2003 Pigford et al.
D506,908 S 7/2005 Hsien
D544,322 S 6/2007 Horobec
7,424,953 B2 * 9/2008 McCarty B25H 3/06
206/372

D588,880 S * 3/2009 Chou D7/701
D596,758 S * 7/2009 Constable D24/230
D618,969 S * 7/2010 Di Bitonto D7/637
D632,651 S * 2/2011 Foreman D13/119
D645,779 S * 9/2011 Bradley D11/152
D661,902 S * 6/2012 Italiano D3/313
D666,419 S * 9/2012 Riedesel D3/313
8,607,670 B2 12/2013 Stawarski
D709,744 S 7/2014 Kluhsman, Jr.
D714,062 S * 9/2014 Chen D3/313
8,955,698 B2 * 2/2015 Hsieh B25H 3/04
206/378
D747,103 S * 1/2016 Amash D3/313
D753,767 S * 4/2016 Blette D19/104

(Continued)

Primary Examiner — Kelley A Donnelly

(74) *Attorney, Agent, or Firm* — Michael Best & Friedrich LLP

(57) **CLAIM**


We claim the ornamental design for a socket holder, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a socket holder embodying the invention;
FIG. 2 is a first side view of the socket holder of FIG. 1;
FIG. 3 is a second side view of the socket holder of FIG. 1;
FIG. 4 is a first end view of the socket holder of FIG. 1;
FIG. 5 is a second end view of the socket holder of FIG. 1;
FIG. 6 is a top view of the socket holder of FIG. 1; and,
FIG. 7 is a bottom view of the socket holder of FIG. 1.

The elements of the socket holder shown in broken lines are included for the purpose of illustrating environment and form no part of the claimed design. The elements of the socket holder shown in broken lines having unequal length segments illustrate the boundary of the claimed design and form no part of the claimed design.

1 Claim, 7 Drawing Sheets



(56) **References Cited**

U.S. PATENT DOCUMENTS

D755,028 S	5/2016	Yu	
D789,217 S *	6/2017	Antons	D9/737
D792,178 S	7/2017	Lee et al.	
D816,163 S *	4/2018	Franklin	D19/104
D837,624 S *	1/2019	Tang	D8/71
D839,030 S *	1/2019	Diorio	D6/677.5
2013/0193030 A1 *	8/2013	Kroupa	B65D 21/0204 206/534
2015/0034572 A1 *	2/2015	Kao	B25H 3/04 211/13.1
2015/0060308 A1 *	3/2015	Abbott	B44D 3/02 206/1.8

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7