



US00D878207S

(12) **United States Design Patent** (10) **Patent No.:** **US D878,207 S**  
**Natersky et al.** (45) **Date of Patent:** **\*\* Mar. 17, 2020**

(54) **SPRAYING DEVICE FOR BOTTLES**

(56) **References Cited**

(71) Applicant: **Obrist Closures Switzerland GmbH**,  
Reinach (DE)

(72) Inventors: **Klaus Natersky**, Grenderich (DE);  
**Christian Wilhelms**, Blankenrath (DE);  
**Christoph Hoffmann**, Zell (DE)

(73) Assignee: **Obrist Closures Switzerland GmbH**,  
Reinach (CH)

U.S. PATENT DOCUMENTS

D236,880 S \* 9/1975 Sway ..... D9/450  
4,191,313 A 3/1980 Blake et al.  
4,204,614 A 5/1980 Reeve  
5,228,602 A 7/1993 Maas et al.  
5,730,335 A 3/1998 Maas et al.

(Continued)

FOREIGN PATENT DOCUMENTS

EP 0061233 A1 9/1982  
EP 0798050 A1 10/1997

(Continued)

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/634,747**

(22) Filed: **Jan. 24, 2018**

OTHER PUBLICATIONS

(30) **Foreign Application Priority Data**

MX OA dtd Nov. 4, 2015.

(Continued)

Jul. 24, 2017 (EM) ..... 004117265

(51) **LOC (12) Cl.** ..... **09-07**

(52) **U.S. Cl.**  
USPC ..... **D9/448**

(58) **Field of Classification Search**  
USPC ..... D9/414, 416, 425, 434, 435, 436, 438,  
D9/439, 440, 442, 443, 446-450,  
D9/452-457, 499, 503-505, 682, 685,  
D9/686; D7/387, 391, 392, 392.1, 393,  
D7/394, 396.1-396.4, 401.1, 503-505,  
D7/509-511, 538, 900; D3/201, 202,  
D3/203.2, 318; D28/91, 91.1  
CPC .. A61J 1/00; A61J 1/1412; B65D 1/00; B65D  
1/02; B65D 1/10; B65D 1/46; B65D  
2585/56; B65D 2585/545; B65D 41/00;  
B65D 41/38; B65D 41/56; B65D 41/62;  
B65D 47/00; B65D 47/06; B65D 47/08;  
B65D 2543/00046; B65D 2543/00092;  
B65D 2543/00296; B65D 5/46; B65D  
2251/00

*Primary Examiner* — Michael A. Pratt  
*Assistant Examiner* — Wendy L Arminio  
(74) *Attorney, Agent, or Firm* — Banner & Witcoff, Ltd.

(57) **CLAIM**


The ornamental design for a spraying device for bottles, as shown and described.

**DESCRIPTION**

FIG. 1 is a top, front, right perspective view of a spraying device for bottles showing our new design; and, FIG. 2 is a top, front, right perspective view of a spraying device for bottles showing our new design in an alternate configuration. The broken lines in the drawings depict environment and form no part of the claimed design.

See application file for complete search history.

**1 Claim, 2 Drawing Sheets**



(56)

References Cited

U.S. PATENT DOCUMENTS

5,884,820 A 3/1999 Thanisch et al.  
 6,036,057 A 3/2000 Poutiatine  
 6,364,172 B1 4/2002 Maas et al.  
 D480,634 S \* 10/2003 Caroen ..... D9/414  
 D548,585 S \* 8/2007 Okabe ..... D9/420  
 7,614,572 B2 \* 11/2009 Yamaguchi ..... B05B 9/0866  
 239/320  
 D605,059 S \* 12/2009 Cooper ..... D9/730  
 7,798,424 B2 \* 9/2010 Lin ..... A61L 9/14  
 222/129  
 D660,150 S \* 5/2012 Fournet ..... D9/443  
 D694,615 S \* 12/2013 Mombelli ..... D9/414  
 D726,536 S \* 4/2015 Gerhards ..... D9/448  
 D738,212 S \* 9/2015 Gerhards ..... D9/448  
 D798,965 S \* 10/2017 Weisman ..... D21/473  
 10,183,308 B2 \* 1/2019 Choi ..... B05B 15/70  
 2002/0011501 A1 1/2002 Main  
 2004/0251316 A1 12/2004 Stark  
 2007/0102458 A1 5/2007 Valley  
 2013/0341362 A1 \* 12/2013 Hoffmann ..... B05B 1/12  
 222/383.1

FOREIGN PATENT DOCUMENTS

EP 1974826 A1 10/2008  
 JP 08252508 A 1/1996  
 JP 11104022 A 4/1999  
 WO 9638374 A1 12/1996  
 WO 9726086 A2 7/1997  
 WO 0033970 A1 6/2000

OTHER PUBLICATIONS

US OA dtd May 4, 2017; final.  
 US OA dtd Oct. 6, 2017; non-final.  
 US OA dtd Nov. 30, 2016; non-final.  
 US OA dtd Feb. 11, 2015; quayle.  
 Tackett, et al. pp. 1-58, 2008, "Positive Displacement Reciprocating Pump Fundamentals-Power and Direct Acting Types," Proceedings of the Twenty-fourth International Pump Users Symposium.

\* cited by examiner




FIG. 1




FIG. 2