



US00D878251S

(12) **United States Design Patent**
Reilly

(10) **Patent No.:** **US D878,251 S**
(45) **Date of Patent:** **** Mar. 17, 2020**

- (54) **AXLE REPOSITIONING BLOCK**
- (71) Applicant: **Narellan Truck Wheel Align Pty Ltd,**
Narellan New South Wales (AU)
- (72) Inventor: **Bruce J Reilly,** Narellan (AU)
- (73) Assignee: **Narellan Truck Wheel Align Pty Ltd,**
Narellan (AU)
- (**) Term: **15 Years**
- (21) Appl. No.: **29/653,415**
- (22) Filed: **Jun. 14, 2018**
- (51) **LOC (12) Cl.** **12-16**
- (52) **U.S. Cl.**
USPC **D12/160**
- (58) **Field of Classification Search**
USPC **D12/159-160**

(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

- 1,351,306 A * 8/1920 Smith B60G 11/02
267/244
- 2,678,819 A * 5/1954 Douglass B60G 11/113
267/52

(Continued)

Primary Examiner — Michael A. Pratt
(74) *Attorney, Agent, or Firm* — Seed IP Law Group LLP

(57) **CLAIM**

The ornamental design for an axle repositioning block, as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of an axle repositioning block showing one embodiment of my new design.
FIG. 2 is a bottom perspective view thereof.
FIG. 3 is a top view thereof.

FIG. 4 is a bottom view thereof.
FIG. 5 is a front view thereof.
FIG. 6 is a side view thereof.
FIG. 7 is a top perspective view of an axle repositioning block showing another embodiment of my new design.
FIG. 8 is a bottom perspective view thereof.
FIG. 9 is a top view thereof.
FIG. 10 is a bottom view thereof.
FIG. 11 is a front view thereof.
FIG. 12 is a side view thereof.
FIG. 13 is a top perspective view of an axle repositioning block showing another embodiment of my new design.
FIG. 14 is a bottom perspective view thereof.
FIG. 15 is a top view thereof.
FIG. 16 is a bottom view thereof.
FIG. 17 is a front view thereof.
FIG. 18 is a side view thereof.
FIG. 19 is a top perspective exploded view thereof.
FIG. 20 is a top perspective view of an axle repositioning block showing another embodiment of my new design.
FIG. 21 is a bottom perspective view thereof.
FIG. 22 is a top view thereof.
FIG. 23 is a bottom view thereof.
FIG. 24 is a front view thereof.
FIG. 25 is a side view thereof.
FIG. 26 is a top perspective exploded view thereof.
FIG. 27 is a top perspective view of an axle repositioning block showing another embodiment of my new design.
FIG. 28 is a bottom perspective view thereof.
FIG. 29 is a top view thereof.
FIG. 30 is a bottom view thereof.
FIG. 31 is a front view thereof.
FIG. 32 is a side view thereof.
FIG. 33 is a top perspective exploded view thereof.
FIG. 34 is a top perspective view of an axle repositioning block showing another embodiment of my new design.
FIG. 35 is a bottom perspective view thereof.
FIG. 36 is a top view thereof.
FIG. 37 is a bottom view thereof.
FIG. 38 is a front view thereof.
FIG. 39 is a side view thereof.
FIG. 40 is a top perspective exploded view thereof.

(Continued)




FIG. 41 is a top perspective view of an axle repositioning block showing another embodiment of my new design.
 FIG. 42 is a bottom perspective view thereof.
 FIG. 43 is a top view thereof.
 FIG. 44 is a bottom view thereof.
 FIG. 45 is a front view thereof.
 FIG. 46 is a side view thereof.
 FIG. 47 is a top perspective exploded view thereof.
 FIG. 48 is a top perspective view of an axle repositioning block showing another embodiment of my new design.
 FIG. 49 is a bottom perspective view thereof.
 FIG. 50 is a top view thereof.
 FIG. 51 is a bottom view thereof.
 FIG. 52 is a front view thereof.
 FIG. 53 is a side view thereof.
 FIG. 54 is a top perspective exploded view thereof.
 FIG. 55 is a top perspective view of an axle repositioning block showing another embodiment of my new design.
 FIG. 56 is a bottom perspective view thereof.
 FIG. 57 is a top view thereof.
 FIG. 58 is a bottom view thereof.
 FIG. 59 is a front view thereof.
 FIG. 60 is a side view thereof.
 FIG. 61 is a top perspective exploded view thereof.
 FIG. 62 is a top perspective view of an axle repositioning block showing another embodiment of my new design.
 FIG. 63 is a bottom perspective view thereof.
 FIG. 64 is a top view thereof.
 FIG. 65 is a bottom view thereof.
 FIG. 66 is a front view thereof.
 FIG. 67 is a side view thereof; and,
 FIG. 68 is a top perspective exploded view thereof.
 The broken lines in the drawings illustrate portions of the axle repositioning block which form no part of the claimed design. Some embodiments of the design have a thickness of indefinite dimension as illustrated by the break lines in the drawings shown as dash-dot broken lines. The appearance of

any portion of the axle repositioning block between the break lines in such embodiments forms no part of the claimed design. Further, while the accompanying drawings include broken lines that form no part of the claimed design, the broken lines provide written description of prospective embodiments with aspects that are claimed when one or more of the broken lines are amended to solid lines. Similarly, while the solid lines in the drawings form part of the claimed design, the solid lines provide written description of prospective embodiments with aspects that are not claimed when one or more of the solid lines are amended to broken lines.

1 Claim, 34 Drawing Sheets

(58) **Field of Classification Search**
 CPC B60G 11/113; B60G 2204/121
 See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,814,410	A *	6/1974	Fukui	B60G 9/003 267/47
3,970,166	A *	7/1976	Sheppard	B60G 11/113 180/400
4,067,151	A *	1/1978	Drakulic	A47H 1/14 248/262
4,262,930	A *	4/1981	Milne	B60G 9/003 280/124.175
2009/0212510	A1 *	8/2009	Hoppert	B60G 7/001 280/5.514
2009/0256328	A1 *	10/2009	Dudding	B60G 11/113 280/124.175
2013/0049319	A1 *	2/2013	Ryshavy	B60G 11/10 280/124.175

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20




FIG. 21




FIG. 22




FIG. 23




FIG. 24




FIG. 25




FIG. 26




FIG. 27




FIG. 28




FIG. 29




FIG. 30




FIG. 31




FIG. 32




FIG. 33




FIG. 34




FIG. 35




FIG. 36




FIG. 37




FIG. 38




FIG. 39




FIG. 40




FIG. 41




FIG. 42




FIG. 43




FIG. 44




FIG. 45




FIG. 46




FIG. 47




FIG. 48




FIG. 49




FIG. 50




FIG. 51




FIG. 52




FIG. 53




FIG. 54




FIG. 55




FIG. 56




FIG. 57




FIG. 58




FIG. 59




FIG. 60




FIG. 61




FIG. 62




FIG. 63




FIG. 64




FIG. 65




FIG. 66




FIG. 67




FIG. 68