

US00D878304S

(12) **United States Design Patent** (10) **Patent No.:** **US D878,304 S**
Joniak et al. (45) **Date of Patent:** **** Mar. 17, 2020**

(54) **CONTACT FOR A CONNECTOR**

(71) Applicant: **Molex, LLC**, Lisle, IL (US)

(72) Inventors: **Jeffrey Alan Joniak**, Homer Glen, IL (US); **Chiuming Lu**, Lisle, IL (US)

(73) Assignee: **Molex, LLC**, Lisle, IL (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/655,192**

(22) Filed: **Jun. 29, 2018**

(51) **LOC (12) Cl.** **13-03**

(52) **U.S. Cl.**
USPC **D13/154**

(58) **Field of Classification Search**
USPC D13/154, 133
CPC H01H 1/385; H01H 1/62
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D55,253 S	5/1920	Eaton	
D181,356 S	11/1957	Hertz	
2,912,668 A	11/1959	Eddy	
2,941,025 A	6/1960	Wayman et al.	
4,072,392 A *	2/1978	McConnell	H01H 1/385 439/851
4,447,108 A	5/1984	Ghigliotti et al.	
D280,935 S	10/1985	Alcorn	
D432,088 S	10/2000	Malak	
D487,252 S	3/2004	Schweitzer	
D516,039 S *	2/2006	Lei	D13/154
D516,521 S *	3/2006	Yao	D13/154
D518,778 S	4/2006	Wardenburg	
D521,455 S *	5/2006	Radza	D13/154
D538,749 S	3/2007	Sengupta et al.	
7,436,278 B2 *	10/2008	Fischer	H01F 38/12 336/92
D606,022 S *	12/2009	Sakamoto	D13/133

7,806,737 B2	10/2010	Mark et al.	
D650,518 S	12/2011	Fletcher et al.	
D685,505 S	7/2013	Yamamoto et al.	
D685,507 S	7/2013	Sun	
D769,193 S	10/2016	Willette	
9,680,268 B1	6/2017	Finona	
D848,377 S *	5/2019	Maroney	D13/154
10,454,196 B2	10/2019	Feng	
D867,298 S *	11/2019	Joniak	D13/146
D867,299 S *	11/2019	Joniak	D13/146
D868,000 S *	11/2019	Joniak	D13/146
D868,001 S *	11/2019	Joniak	D13/146
D868,002 S *	11/2019	Joniak	D13/146
2009/0197482 A1	8/2009	Mark et al.	

(Continued)

FOREIGN PATENT DOCUMENTS

IN	210729-0001	*	6/2009
JP	D1247912		8/2005

(Continued)

Primary Examiner — Bridget L Eland

(74) *Attorney, Agent, or Firm* — Banner & Witcoff, Ltd.


(57) **CLAIM**

The ornamental design for a contact for a connector, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a contact for a connector showing our new design;
FIG. 2 is a front view thereof;
FIG. 3 is a rear view thereof;
FIG. 4 is a right side view thereof;
FIG. 5 is a left side view thereof;
FIG. 6 is a top view thereof; and,
FIG. 7 is a bottom view thereof.
The grey-fill shading is used as an aid to represent surface contour.

1 Claim, 7 Drawing Sheets



(56) **References Cited**

U.S. PATENT DOCUMENTS

2010/0216354	A1	8/2010	Copper et al.	
2010/0216355	A1	8/2010	Copper et al.	
2013/0095689	A1	4/2013	Hayman et al.	
2013/0283669	A1	10/2013	da Rosa et al.	
2013/0286669	A1	10/2013	Moser et al.	
2014/0017960	A1	1/2014	Friedhof et al.	
2014/0227900	A1	8/2014	Zitsch et al.	
2016/0230979	A1	8/2016	Kwon et al.	
2017/0338606	A1	11/2017	Copper et al.	
2018/0138623	A1	5/2018	Feng	
2019/0199031	A1	6/2019	Surana	
2019/0237921	A1	8/2019	Yamanaka	
2019/0267735	A1 *	8/2019	Lu	H01R 12/91
2019/0288466	A1	9/2019	Copper et al.	

FOREIGN PATENT DOCUMENTS

JP	D1474827	7/2013
JP	D1591876	11/2017
TW	D141995	8/2011
TW	D149635	10/2012
TW	D154833	7/2013
TW	D154834	7/2013
TW	D158550	1/2014
TW	D166892	4/2015
TW	D167921	5/2015
TW	D173044	1/2016
TW	D174323	3/2016
TW	D185047	8/2017
TW	D191419	7/2018
WO	2018063928 A1	4/2018
WO	2018093981 A1	5/2018

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7