



US00D878667S

(12) **United States Design Patent**  
**Recker et al.**

(10) **Patent No.:** **US D878,667 S**

(45) **Date of Patent:** **\*\* Mar. 17, 2020**

(54) **PATH LIGHT**

(71) Applicant: **Amazon Technologies, Inc.**, Seattle, WA (US)

(72) Inventors: **Michael V. Recker**, Gaithersburg, MD (US); **David Brett Levine**, Pepper Pike, OH (US); **Ryan David Hruska**, North Royalton, OH (US)

(73) Assignee: **Amazon Technologies, Inc.**, Seattle, WA (US)

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/703,434**

(22) Filed: **Aug. 27, 2019**

**Related U.S. Application Data**

(63) Continuation of application No. 29/659,128, filed on Aug. 6, 2018, now Pat. No. Des. 865,254, which is a continuation of application No. 29/607,373, filed on Jun. 13, 2017, now Pat. No. Des. 828,603.

(51) **LOC (12) Cl.** ..... **26-99**

(52) **U.S. Cl.**  
USPC ..... **D26/135**

(58) **Field of Classification Search**  
USPC ..... D26/67-70, 135  
CPC .... F21S 8/081; F21S 8/083; F21S 9/03; F21S 9/037; F21V 5/045; F21V 5/046; F21V 5/048; F21V 7/041  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

3,321,619 A	5/1967	Dailey
3,721,516 A	3/1973	Reese
4,841,416 A	6/1989	Doss
5,134,550 A	7/1992	Young
D338,080 S	8/1993	Elazari

D427,705 S *	7/2000	Landefeld	.....	D26/67
D438,999 S	3/2001	Bossy		
D495,444 S *	8/2004	Lam	.....	D26/63
D517,718 S *	3/2006	Sanoner	.....	D26/68
7,056,113 B2	6/2006	Bachinski et al.		
D597,697 S	8/2009	Sabemig		
D626,677 S	11/2010	Hackett		
D629,952 S *	12/2010	Sooferian	.....	D26/68
8,201,971 B2	6/2012	Chen		
D676,171 S	2/2013	Boissevain et al.		

(Continued)

**OTHER PUBLICATIONS**

Kichler Lighting Textured Black LED Path Light. Model No. 16131 BKT28. Found at destinationlighting.com, visited Apr. 16, 2018. (Year: 2018) 1 page.

(Continued)

*Primary Examiner* — Clare E Heflin

(74) *Attorney, Agent, or Firm* — Lee & Hayes, P.C.


(57) **CLAIM**

The ornamental design for a path light, as shown and described.

**DESCRIPTION**

FIG. 1 is a front, right, bottom perspective view of a path light;  
FIG. 2 is a back, right perspective view thereof;  
FIG. 3 is a front elevation view thereof;  
FIG. 4 is a back elevation view thereof;  
FIG. 5 is a left side elevation view thereof;  
FIG. 6 is a right side elevation view thereof;  
FIG. 7 is a top plan view thereof; and,  
FIG. 8 is a bottom plan view thereof.  
The dashed broken lines depict portions of the path light that form no part of the claimed design. The dot-dashed broken lines represent boundaries of the claimed path light and form no part of the claimed design.

**1 Claim, 8 Drawing Sheets**



(56)

**References Cited**

U.S. PATENT DOCUMENTS

D677,415	S	3/2013	Chen	
D691,313	S *	10/2013	Beausoleil .....	D26/68
D694,930	S *	12/2013	Meyer .....	D26/67
D739,589	S *	9/2015	Macura .....	D26/67
D752,268	S	3/2016	Paz	
D795,482	S	8/2017	Galipeau et al.	
D800,940	S	10/2017	Guzzini	
D828,603	S *	9/2018	Recker .....	D26/68
D861,221	S *	9/2019	Chen .....	D26/68
D865,254	S *	10/2019	Recker .....	D26/68
2010/0097206	A1 *	4/2010	Jung .....	E01F 15/0461 340/539.1
2017/0284625	A1 *	10/2017	Kigami .....	A01D 34/008
2019/0235218	A1 *	8/2019	Hu .....	F21S 9/03

OTHER PUBLICATIONS


Kichler Lighting Textured Architectural Bronze LED Path Light. Model No. 15804AZT27R. Found at destinationlighting.com, visited Apr. 16, 2018. (Year: 2018). 1 page.

Portfolio 3-Watt Aged Bronze Low Voltage LED Path Light. Model No. 00687. Found at lowes.com, visited Apr. 16, 2018, 1 pages.


Reliance Foundry, "R-7542 Decorative Bollard", retrieved Jul. 3, 2019 <<reliance-foundry.com>>, 1 page.

Reliance Foundry, "R-9811 Solar Light Bollard", retrieved Jul. 3, 2019 <<reliance-foundry.com>>, 1 page.


\* cited by examiner




**FIG. 1**




**FIG. 2**




**FIG. 3**



**FIG. 4**




**FIG. 5**




**FIG. 6**





***FIG. 7***



**FIG. 8**