



US00D878668S

(12) **United States Design Patent** (10) **Patent No.:** **US D878,668 S**
Lindsay et al. (45) **Date of Patent:** **** Mar. 17, 2020**

(54) **BAY LIGHTING FIXTURE**

(71) Applicant: **Ideal Industries Lighting LLC**,
Durham, NC (US)

(72) Inventors: **Robert Mark Lindsay**, Raleigh, NC
(US); **Kurt Wilcox**, Libertyville, IL
(US); **Zongjie Yuan**, Ventura, CA (US);
Rowan Lawson, Raleigh, NC (US)

(73) Assignee: **Ideal Industries Lighting LLC**,
Durham, NC (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/603,034**

(22) Filed: **May 5, 2017**

(51) **LOC (12) Cl.** **26-05**

(52) **U.S. Cl.**
USPC **D26/138**

(58) **Field of Classification Search**
USPC D26/72, 74, 76, 78–83, 85, 86, 88, 90,
D26/93, 111, 113, 118, 119, 120, 121,
D26/122, 138, 139, 140, 141, 142, 152
CPC F21S 2/00; F21S 4/00; F21S 4/003; F21S
4/005; F21S 4/006; F21S 4/007; F21S
4/008; F21S 6/00; F21S 8/00; F21S
8/024; F21S 8/026; F21S 8/031; F21S
8/033; F21S 8/035–037; F21S 8/04; F21S
8/043; F21S 8/063

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

6,390,655 B1 * 5/2002 Haugaard F21S 8/04
362/265
D578,694 S * 10/2008 Zeng D26/67
D623,338 S * 9/2010 Mo D26/119

D651,735 S * 1/2012 Dai D26/72
D679,033 S * 3/2013 Dungan F21V 5/04
D26/2
D679,035 S * 3/2013 Le D26/2
D684,289 S * 6/2013 Goelz D26/74
D688,405 S * 8/2013 Kim D26/72
D690,453 S * 9/2013 Guercio D26/72
D702,867 S * 4/2014 Kim D26/72
D728,849 S * 5/2015 Hamel D26/128
D750,317 S * 2/2016 Lui D26/138
D783,885 S * 4/2017 Kinnune D26/92
D787,738 S * 5/2017 Sonneman D26/138
D796,722 S * 9/2017 Zhu D26/72
D802,197 S * 11/2017 Ding D26/72
D822,890 S * 7/2018 Musser D26/138
D842,528 S * 3/2019 Yu D26/88
D847,399 S * 4/2019 Jenson D26/88
D847,414 S * 4/2019 Danesh F21S 8/026
D26/138

(Continued)

Primary Examiner — Natasha Vujcic

(74) Attorney, Agent, or Firm — Myers Bigel, P.A.


(57) **CLAIM**

The ornamental design for a bay lighting fixture, as shown
and described herein.

DESCRIPTION

FIG. 1 is a top perspective view of a bay lighting fixture
according to the present invention;
FIG. 2 is a bottom perspective view thereof;
FIG. 3 is a left elevation view thereof;
FIG. 4 is a right elevation view thereof;
FIG. 5 is a front elevation view thereof;
FIG. 6 is a rear elevation view thereof;
FIG. 7 is a top plan view thereof; and,
FIG. 8 is a bottom plan view thereof.
The broken lines in the drawings illustrate portions of the
bay lighting fixture which form no part of the claimed
design.

1 Claim, 8 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D847,415 S *	4/2019	Danesh		F21S 8/02
				D26/138
D857,256 S *	8/2019	Li		D26/24
2014/0268730 A1 *	9/2014	Lui		F21V 23/008
				362/227
2014/0268750 A1 *	9/2014	Lui		F21S 8/061
				362/235

* cited by examiner




FIG. 1








FIG. 2












FIG. 7




FIG. 8