



US00D878759S

(12) **United States Design Patent**
Hertaus et al.

(10) **Patent No.:** **US D878,759 S**

(45) **Date of Patent:** **** Mar. 24, 2020**

- (54) **WIRE MESH BOWL**
- (71) Applicant: **Nifty Home Products Inc.**, Madison Lake, MN (US)
- (72) Inventors: **Todd Hertaus**, New Market, MN (US); **Nicholas Teigland**, Mankato, MN (US)
- (73) Assignee: **Nifty Home Products Inc.**, Madison Lake, MN (US)
- (**) Term: **15 Years**
- (21) Appl. No.: **29/638,432**
- (22) Filed: **Feb. 27, 2018**
- (51) **LOC (12) Cl.** **03-01**
- (52) **U.S. Cl.**
USPC **D3/306**
- (58) **Field of Classification Search**
USPC D3/201, 304, 306-309, 314, 315;
D9/429; D7/600, 600.1, 601, 602, 396.1,
D7/397
CPC . B65D 21/0211; B65D 21/0233; A47B 77/14;
A47B 73/002; A47B 81/007
See application file for complete search history.

D697,374 S *	1/2014	Goodman	D7/601
D698,204 S *	1/2014	Goodman	D7/601
D698,205 S *	1/2014	Goodman	D7/601
D702,091 S *	4/2014	Goodman	D7/587
D705,510 S *	5/2014	Pelosi	D32/37
D723,805 S *	3/2015	Habraken	D3/306
D771,442 S *	11/2016	Goodman	D7/602
D775,467 S *	1/2017	Nilsson	D3/306
D777,525 S *	1/2017	Hsu	D7/602
D784,698 S *	4/2017	Goodman	D3/306
D784,700 S *	4/2017	Goodman	D3/306
D784,771 S *	4/2017	Goodman	D23/261
D786,557 S *	5/2017	Goodman	D3/306
D793,087 S *	8/2017	Goodman	D3/306
D794,395 S *	8/2017	Goodman	D7/601
D807,130 S *	1/2018	Popa	D8/1
D816,420 S *	5/2018	Goodman	D7/601
D818,322 S *	5/2018	Goodman	D7/601
D819,333 S *	6/2018	Goodman	D3/306
D823,599 S *	7/2018	Goodman	D3/306
D832,040 S *	10/2018	Lee	D7/400
D848,150 S *	5/2019	Goodman	D3/306
D850,795 S *	6/2019	Goodman	D3/306

* cited by examiner

Primary Examiner — Kelley A Donnelly

(74) *Attorney, Agent, or Firm* — Michael A. Bondi; Moss & Barnett

(57) **CLAIM**

The ornamental design for a wire mesh bowl, as shown and described.

DESCRIPTION


FIG. 1 is a perspective view of the wire mesh bowl; FIG. 2 is a front view of the wire mesh bowl; FIG. 3 is a back view of the wire mesh bowl; FIG. 4 is a first side view of the wire mesh bowl; FIG. 5 is a second side view of the wire mesh bowl; FIG. 6 is a top view of the wire mesh bowl; and, FIG. 7 is a bottom view of the wire mesh bowl.

1 Claim, 5 Drawing Sheets

(56) **References Cited**

U.S. PATENT DOCUMENTS

D339,266 S *	9/1993	Lockett	D7/323
D462,422 S *	9/2002	Conner	D23/261
D567,030 S *	4/2008	Goodman	D3/306
D569,691 S *	5/2008	Goodman	D7/601
D578,762 S *	10/2008	Smith	D6/306
D589,304 S *	3/2009	Goodman	D7/601
D643,247 S *	8/2011	Zemel	D7/409
D646,933 S *	10/2011	Goodman	D7/601
D648,184 S *	11/2011	Goodman	D7/601
D648,983 S *	11/2011	Zemel	D7/409
D659,401 S *	5/2012	Pedersen	D3/306
D697,371 S *	1/2014	Goodman	D3/306






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7