



US00D878853S

(12) **United States Design Patent** (10) **Patent No.:** **US D878,853 S**
Omdahl, II et al. (45) **Date of Patent:** **** Mar. 24, 2020**

(54) **LID WITH CARRY LOOP**
(71) Applicant: **Runway Blue, LLC**, Alpine, UT (US)
(72) Inventors: **John R. Omdahl, II**, Lindon, UT (US);
David O. Meyers, East Layton, UT (US)

D639,661 S 6/2011 Llerena
D639,663 S 6/2011 Llerena
D640,559 S 6/2011 Llerena
D644,065 S 8/2011 Llerena
D667,694 S 9/2012 Meyers et al.
D677,121 S 3/2013 Meyers et al.
(Continued)

(73) Assignee: **Runway Blue, LLC**, Alpine, UT (US)
(**) Term: **15 Years**

(21) Appl. No.: **29/636,511**

(22) Filed: **Feb. 8, 2018**

(51) **LOC (12) Cl.** **07-01**

(52) **U.S. Cl.**
USPC **D7/392.1**; D7/396.2; D9/443; D9/449

(58) **Field of Classification Search**
USPC D7/387, 392.1, 396.2, 393, 394, 397,
D7/398, 213, 900, 507, 523, 532, 510,
D7/511, 529, 533, 536, 534, 524, 537,
D7/514, 515, 522, 412, 376, 309, 317,
D7/305, 665, 300.1, 300.2; D9/435, 436,
D9/443, 442, 444, 449, 450, 437, 447;
D24/197
CPC A47G 19/2205; A47G 19/22; A47J 43/27;
A47J 41/02; A47J 41/0077; A47J
41/0088; A47J 41/028; A47J 31/407;
A47J 31/40; A45F 3/16; B65D 85/804;
B65D 41/04

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

5,827,071 A 10/1998 Sorensen et al.
D418,364 S 1/2000 Demore
6,379,032 B1 4/2002 Sorensen
D510,235 S 10/2005 Sorensen
D532,650 S 11/2006 de Groote
7,441,941 B2 10/2008 Vernon
D626,837 S 11/2010 Meyers et al.
D626,838 S 11/2010 Meyers et al.

OTHER PUBLICATIONS

Office Action issued in U.S. Appl. No. 29/619,840 dated Nov. 29, 2018, 6 pgs.

Primary Examiner — Jae Liang

(74) *Attorney, Agent, or Firm* — Sterne, Kessler, Goldstein & Fox P.L.L.C.


(57) **CLAIM**

The ornamental design for a lid with carry loop, as shown and described.

DESCRIPTION

FIG. 1 is a top front perspective view of a lid with carry loop showing our new design;
FIG. 2 is a top rear perspective view of the lid with carry loop shown in FIG. 1;
FIG. 3 is a front view of the lid with carry loop shown in FIG. 1;
FIG. 4 is a rear view of the lid with carry loop shown in FIG. 1;
FIG. 5 is a left side view of the lid with carry loop shown in FIG. 1;
FIG. 6 is a right side view of the lid with carry loop shown in FIG. 1;
FIG. 7 is a top view of the lid with carry loop shown in FIG. 1; and,
FIG. 8 is a bottom view the lid with carry loop shown in FIGS. 1.
The broken lines are shown for the purpose of illustrating environmental structure and parts of the article that form no part of the claimed design.

1 Claim, 8 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D686,885 S 7/2013 Meyers et al.
 D686,886 S 7/2013 Meyers et al.
 D686,887 S 7/2013 Meyers et al.
 D686,888 S 7/2013 Meyers et al.
 D696,079 S 12/2013 Meyers et al.
 D696,551 S 12/2013 Meyers et al.
 D697,798 S 1/2014 Sorensen et al.
 8,695,830 B2 4/2014 Meyers et al.
 8,833,586 B2 9/2014 Meyers et al.
 8,844,746 B2 9/2014 Meyers et al.
 D721,276 S * 1/2015 Herbst D7/396.2
 8,939,305 B2 1/2015 Meyers et al.
 D727,097 S 4/2015 Sorensen et al.
 D732,339 S 6/2015 Sorensen et al.
 D733,497 S 7/2015 Sorensen et al.
 D739,174 S 9/2015 Elsaden et al.
 9,120,598 B2 9/2015 Meyers et al.
 D745,827 S * 12/2015 Sorensen D7/392.1
 9,216,843 B2 12/2015 Sorensen et al.
 D748,430 S 2/2016 Sorensen et al.
 D748,478 S 2/2016 Sorensen et al.
 D752,382 S 3/2016 Ksiazek et al.
 D758,127 S 6/2016 Zhao
 D760,027 S 6/2016 Meyers et al.
 D760,586 S 7/2016 Seiders et al.
 9,392,893 B2 7/2016 Sorensen et al.
 D762,418 S 8/2016 Sorensen et al.
 D768,491 S * 10/2016 Sorensen D7/392.1
 9,492,024 B2 11/2016 Sorensen et al.
 D778,129 S 2/2017 Sorensen et al.
 D779,872 S 2/2017 Bergstrom
 9,694,953 B2 7/2017 Meyers et al.

D793,154 S * 8/2017 Sorensen D7/392.1
 D795,646 S 8/2017 Sorensen et al.
 D797,497 S 9/2017 Sorensen et al.
 D797,498 S 9/2017 Sorensen et al.
 D797,516 S 9/2017 Meyers et al.
 D799,973 S 10/2017 Sorensen et al.
 9,790,007 B2 10/2017 Sorensen et al.
 D804,903 S * 12/2017 Mason D7/510
 D807,111 S 1/2018 Sorensen et al.
 D814,855 S * 4/2018 Hammer D7/392.1
 D817,084 S * 5/2018 Hammer D7/392.1
 D817,086 S 5/2018 Guthrie
 D818,312 S 5/2018 Burns et al.
 D820,038 S * 6/2018 Sorensen D7/392.1
 D826,631 S 8/2018 Baron et al.
 D830,119 S 10/2018 Sorensen et al.
 2010/0181329 A1 * 7/2010 Davies A47G 19/2266
 220/707
 2014/0069918 A1 3/2014 Meyers et al.
 2014/0263324 A1 * 9/2014 Latham B65D 51/18
 220/259.1
 2014/0360908 A1 12/2014 Sorensen et al.
 2015/0173539 A1 * 6/2015 Mason A47G 19/2272
 220/707
 2015/0201773 A1 * 7/2015 Sorensen A47J 43/27
 220/254.5
 2015/0201774 A1 7/2015 Sorensen et al.
 2015/0201775 A1 7/2015 Sorensen et al.
 2016/0264320 A1 9/2016 Meyers et al.
 2017/0007076 A1 1/2017 Sorensen et al.
 2017/0225850 A1 8/2017 Sorensen et al.
 2018/0170630 A1 6/2018 Ayriss et al.
 2019/0161251 A1 * 5/2019 Fang A47G 19/2266

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8