



US00D879030S

(12) **United States Design Patent**
Dueck et al.

(10) **Patent No.:** **US D879,030 S**
(45) **Date of Patent:** **** Mar. 24, 2020**

(54) **VEHICLE TRACTION DEVICE**

(71) Applicants: **Kelly Dueck**, Steinbach (CA); **Karl William Redekop**, Niverville (CA)

(72) Inventors: **Kelly Dueck**, Steinbach (CA); **Karl William Redekop**, Niverville (CA)

(**) Term: **15 Years**

(21) Appl. No.: **29/629,048**

(22) Filed: **Dec. 11, 2017**

(30) **Foreign Application Priority Data**

Jul. 4, 2017 (CA) 175642

(51) **LOC (12) Cl.** **12-15**

(52) **U.S. Cl.**
USPC **D12/608**

(58) **Field of Classification Search**
USPC D12/608, 604, 203, 217, 221, 400;
D6/586, 592-594

(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,815,435 A * 7/1931 Harding B60B 39/12
238/14
3,878,988 A * 4/1975 Blais B60B 15/00
238/14

(Continued)

Primary Examiner — Michelle E. Wilson

Assistant Examiner — Clese Moore, Jr.

(74) *Attorney, Agent, or Firm* — Ryan W. Dupuis; Ade & Company Inc.; Kyle R. Satterthwaite

(57) **CLAIM**

The ornamental design for a vehicle traction device, as shown and described.

DESCRIPTION

FIG. 1 is an isometric view of the vehicle traction device according to a first embodiment;

FIG. 2 is another isometric view of the vehicle traction device according to the first embodiment of FIG. 1;

FIG. 3 is an end elevational view of the vehicle traction device according to the first embodiment of FIG. 1 in which an opposing end elevational view is identical to the end elevational view shown;

FIG. 4 is a top plan view of the vehicle traction device according to the first embodiment of FIG. 1;

FIG. 5 is a side elevational view of the vehicle traction device according to the first embodiment of FIG. 1 in which an opposing side elevational view is identical to the side elevational view shown;

FIG. 6 is a bottom plan view of the vehicle traction device according to the first embodiment of FIG. 1;

FIG. 7 is an elevational view of the vehicle traction device according to the first embodiment of FIG. 1 shown supported on a wheel of a vehicle in which the wheel is shown in broken line and forms no part of the claimed design;

FIG. 8 is an isometric view of the vehicle traction device according to a second embodiment;

FIG. 9 is another isometric view of the vehicle traction device according to the second embodiment of FIG. 8;

FIG. 10 is an end elevational view of the vehicle traction device according to the second embodiment of FIG. 8 in which an opposing end elevational view is identical to the end elevational view shown;

FIG. 11 is a top plan view of the vehicle traction device according to the second embodiment of FIG. 8;


FIG. 12 is a side elevational view of the vehicle traction device according to the second embodiment of FIG. 8 in which an opposing side elevational view is identical to the side elevational view shown;

FIG. 13 is a bottom plan view of the vehicle traction device according to the second embodiment of FIG. 8; and,

FIG. 14 is an elevational view of the vehicle traction device according to the second embodiment of FIG. 8 shown supported on a wheel of a vehicle in which the wheel is shown in broken line and forms no part of the claimed design.

The broken lines shown illustrate portions of the vehicle traction device that form no part of the claimed design.

1 Claim, 10 Drawing Sheets



(58) **Field of Classification Search**
 CPC B60R 13/01; B60N 3/044; B60N 3/04;
 B60B 39/12; B60C 27/00
 See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D255,560 S * 6/1980 LaPointe D12/608
 4,261,510 A * 4/1981 Andrus B60B 39/12
 238/14
 4,300,722 A * 11/1981 Simmons B60B 39/12
 238/14
 4,361,277 A * 11/1982 Cannady B60B 39/12
 152/228
 4,568,020 A * 2/1986 Gallichan B60B 39/12
 238/14
 D301,222 S * 5/1989 Smith D12/608
 5,100,054 A * 3/1992 Fickett B60B 39/12
 152/208
 D325,896 S * 5/1992 Pfoertner D12/608

D355,807 S * 2/1995 O'Rourke D6/582
 5,439,171 A * 8/1995 Fruend B60B 39/12
 152/208
 5,538,183 A * 7/1996 McGee B60B 39/12
 238/14
 D412,878 S * 8/1999 Svensson D12/203
 6,520,420 B1 * 2/2003 Singh B60B 39/12
 238/14
 7,350,719 B1 * 4/2008 Brenner B60B 39/12
 238/14
 7,404,524 B2 * 7/2008 Mathieu B60C 27/00
 238/14
 D643,806 S * 8/2011 Yeh D12/608
 D649,928 S * 12/2011 Cui D12/400
 D654,428 S * 2/2012 Chiang D12/608
 D669,025 S * 10/2012 Spektor D12/608
 D679,649 S * 4/2013 Merrill D12/608
 8,448,877 B1 * 5/2013 Aubin B60C 27/00
 238/14
 D700,887 S * 3/2014 Minnis D12/608
 D710,790 S * 8/2014 O'Dell D12/608

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14