



US00D879036S

(12) **United States Design Patent**  
**Nagano et al.**

(10) **Patent No.:** **US D879,036 S**  
(45) **Date of Patent:** **\*\* Mar. 24, 2020**

(54) **POWER SUPPLY UNIT**

(71) Applicant: **OMRON Corporation**, Kyoto-shi,  
Kyoto (JP)

(72) Inventors: **Masaaki Nagano**, Kusatsu (JP);  
**Tadahiko Ogawa**, Moriyama (JP);  
**Masahiko Kubo**, Moriyama (JP); **Yuki**  
**Tsuruguchi**, Otsu (JP); **Hiroki Niwa**,  
Moriyama (JP); **Masayuki Ueuchi**,  
Ritto (JP); **Tomonori Watanabe**,  
Kusatsu (JP); **Tomoki Konno**, Kusatsu  
(JP); **Takema Sato**, Kusatsu (JP);  
**Masato Shimizu**, Ritto (JP); **Kei**  
**Okada**, Kusatsu (JP); **Michihiro**  
**Yamamoto**, Yasu (JP)

(73) Assignee: **OMRON Corporation**, Kyoto (JP)

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/625,445**

(22) Filed: **Nov. 9, 2017**

(30) **Foreign Application Priority Data**

Jul. 19, 2017 (JP) ..... 2017-015551

(51) **LOC (12) Cl.** ..... **13-02**

(52) **U.S. Cl.**  
USPC ..... **D13/110**

(58) **Field of Classification Search**

USPC ..... D13/110, 103, 107, 108, 118, 119, 123,  
D13/133, 137.1, 177, 184, 199; D14/240,  
D14/251, 356, 432, 433, 434; 174/53,  
174/54, 59, 61; 307/11, 150, 151;  
320/107, 111, 112, 113, 114, 115;  
361/679.01; 363/142, 146; 439/131,  
439/172, 626, 628, 638

CPC ..... G06F 1/181; G06F 1/188; G06F 1/189;  
H02M 7/00; H02M 7/02; H02M 7/003;  
H02K 5/00; H02K 5/0017; H02K 7/00;  
H02K 7/1427; H02K 7/20918  
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D376,347 S \* 12/1996 Mousa ..... D13/110  
D488,441 S \* 4/2004 Ogawa ..... D13/110  
D553,564 S \* 10/2007 Kuo ..... D13/110  
7,869,191 B2 \* 1/2011 Yang ..... H02J 9/061  
307/66  
D695,697 S \* 12/2013 Saari ..... D13/177  
D705,162 S \* 5/2014 Mueller ..... D13/110

\* cited by examiner

*Primary Examiner* — Derrick E Holland

(74) *Attorney, Agent, or Firm* — Capitol City TechLaw

(57) **CLAIM**

The ornamental design for a power supply unit, as shown  
and described.

**DESCRIPTION**

FIG. 1 is a top, front, and right side perspective view of a  
power supply unit showing our new design;  
FIG. 2 is a bottom, front, and left side perspective view  
thereof;  
FIG. 3 is a front view thereof;  
FIG. 4 is a rear view thereof;  
FIG. 5 is a left side view thereof;  
FIG. 6 is a right side view thereof;  
FIG. 7 is a top view thereof; and,  
FIG. 8 is a bottom view thereof.  
The even broken lines shown in the figures illustrate por-  
tions of the power supply unit that form no part of the  
claimed design. The uneven broken lines shown in the  
figures represent unclaimed boundaries.

**1 Claim, 8 Drawing Sheets**




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7






FIG. 8

