

US00D879078S

(12) **United States Design Patent** (10) **Patent No.:** **US D879,078 S**
Boggs et al. (45) **Date of Patent:** **** Mar. 24, 2020**

(54) **MOBILE DEVICE SIGNAL BOOSTER**

7,091,912 B2 * 8/2006 Iacovella H01Q 1/1207
343/711
D542,283 S * 5/2007 Cislo D14/230
D542,783 S * 5/2007 Cislo D14/230
D544,480 S * 6/2007 Murakami D14/480.5
D546,322 S * 7/2007 Cislo D14/230
D550,218 S * 9/2007 Cislo D14/230
D551,220 S * 9/2007 Noro D14/230
D558,190 S * 12/2007 Cislo D14/230
D558,764 S * 1/2008 Kuo D14/230
D565,534 S * 4/2008 Ingalsbe D14/155

(71) Applicant: **Wilson Electronics, LLC**, St. George, UT (US)

(72) Inventors: **Joshua Boggs**, Aledo, TX (US); **Scot Herbst**, Santa Cruz, CA (US)

(73) Assignee: **Wilson Electronics, LLC**, St. George, UT (US)

(Continued)

(**) Term: **15 Years**

OTHER PUBLICATIONS

(21) Appl. No.: **29/625,667**

“weBoost Drive Sleek 4G: Everything You Need to Know,” weBoost Drive Sleek 4G Cell Phone Booster Outside Antenna pictured therein, YouTube online, post date Sep. 27, 2017, URL: <https://www.youtube.com/watch?v=iUpIk-DmlbE>, retrieved Jun. 19, 2018.*

(22) Filed: **Nov. 10, 2017**

(51) **LOC (12) Cl.** **14-03**

(52) **U.S. Cl.**

USPC **D14/230**; D14/240

(58) **Field of Classification Search**

USPC D14/230–238, 138, 172, 188, 203.1, D14/203.3, 203.6, 204, 216, 221, 238.1, D14/240, 242, 299, 314, 343, 356, 358, D14/496, 509; D13/107, 108; D12/42, D12/43

CPC H01Q 1/007; H01Q 1/084; H01Q 1/12; H01Q 1/22; H01Q 1/38; H01Q 1/42; H01Q 7/00; H01Q 9/40; H01Q 9/285; H01Q 9/065; H01Q 9/44; H01Q 9/265; H01Q 19/10; H01Q 19/106; H01Q 19/12; H01Q 19/13; H01Q 19/15; H01Q 19/30; H01Q 21/28; H01Q 21/06; H01Q 21/062; H01Q 21/293; H01Q 23/00; H01Q 1/32; H01Q 1/3275; G05D 1/02; G05D 1/0234

See application file for complete search history.

Primary Examiner — Jeffrey D Asch

Assistant Examiner — Rebekah A Caruso

(74) *Attorney, Agent, or Firm* — Jones Waldo Holbrook & McDonough, PC; Brent T. Winder

(57) **CLAIM**

The ornamental design for a mobile device signal booster, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of the presently claimed design.

FIG. 2 is a front view of the presently claimed design.

FIG. 3 is a rear view of the presently claimed design.

FIG. 4 is a side view of the presently claimed design.

FIG. 5 is an opposite side view of the presently claimed design.

FIG. 6 is a top view of the presently claimed design; and, FIG. 7 is a bottom view of the presently claimed design.


The broken lines depict portions of the article that form no part of the claimed design.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D179,162 S * 11/1956 Sinko D14/230
D456,351 S * 4/2002 Yoneda D13/108
D461,796 S * 8/2002 Boyer D14/230

1 Claim, 7 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D573,984 S * 7/2008 Ferguson D14/230
D581,403 S * 11/2008 Zwingmann D14/230
D603,375 S * 11/2009 Jeong D14/218
7,639,204 B2 * 12/2009 Chau H01Q 1/362
343/895
D617,319 S * 6/2010 Maffetone D14/230
7,755,551 B2 * 7/2010 Lindackers H01Q 1/3275
343/713
8,248,315 B2 * 8/2012 Lindackers H01Q 1/1207
343/705
D684,563 S * 6/2013 Meek D14/230
D722,964 S * 2/2015 Regole D13/103

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7