



US00D879305S

(12) **United States Design Patent**  
**Gu**

(10) **Patent No.:** **US D879,305 S**

(45) **Date of Patent:** **\*\* Mar. 24, 2020**

(54) **ELECTRODE TAB**

(71) Applicant: **Healer Tech (Beijing) Co., Ltd.**,  
Beijing (CN)

(72) Inventor: **Qun Gu**, Beijing (CN)

(73) Assignee: **HEALER TECH (BEIJING) CO., LTD.**, Beijing (CN)

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/664,328**

(22) Filed: **Sep. 24, 2018**

(30) **Foreign Application Priority Data**

May 16, 2018 (CN) ..... 2018 3 0225352

(51) **LOC (12) Cl.** ..... **24-02**

(52) **U.S. Cl.**  
USPC ..... **D24/187**

(58) **Field of Classification Search**  
USPC ..... D24/107, 168, 186, 187, 189, 200  
CPC ... A61B 5/0404; A61B 5/0416; A61B 5/0422;  
A61B 5/0424; A61B 5/04012; A61B  
5/04082; A61B 5/04085; A61B 5/04087;  
A61N 1/046; A61N 1/0472; A61N 1/0476  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D478,668 S *	8/2003	Epstein	.....	D24/187
D536,673 S *	2/2007	Silber	.....	D24/187
D558,352 S *	12/2007	Sanfilippo	.....	D24/187
D558,882 S *	1/2008	Brady	.....	D24/187
D585,994 S *	2/2009	Mulhauser	.....	D24/133
D691,730 S *	10/2013	Smith	.....	D24/189
D714,461 S *	9/2014	Judson	.....	D24/216
D746,993 S *	1/2016	Lewis, Jr.	.....	D24/187

D746,994 S *	1/2016	Lewis, Jr.	.....	D24/187
D821,587 S *	6/2018	Vosch	.....	D24/187
D821,588 S *	6/2018	Vosch	.....	D24/187
RE47,100 E *	10/2018	Smith	.....	D24/189
D831,830 S *	10/2018	Lemons	.....	D24/168
D857,205 S *	8/2019	Lemons	.....	D24/168

**FOREIGN PATENT DOCUMENTS**

JP 1303128 \* 6/2005

**OTHER PUBLICATIONS**

Experience Real-time EMG with the FlexrGO! Online, published date May 21, 2018. Retrieved on Oct. 4, 2019 from URL: <https://www.youtube.com/watch?v=XMVHPcQSRpQ>.\*

\* cited by examiner

*Primary Examiner* — Susan Bennett Hattan

*Assistant Examiner* — Omeed Agilee

(74) *Attorney, Agent, or Firm* — Dragon Sun Law Firm, PC; Jinggao Li, Esq.


(57) **CLAIM**

The ornamental design for an electrode tab, as shown and described.

**DESCRIPTION**

FIG. 1 is a front perspective view of an electrode tab showing my new design;  
FIG. 2 is a rear perspective view thereof;  
FIG. 3 is a front elevational view thereof;  
FIG. 4 is a rear elevational view thereof;  
FIG. 5 is a right elevational view thereof.  
FIG. 6 is a left elevational view thereof;  
FIG. 7 is a top plan view thereof; and,  
FIG. 8 is a bottom plan view thereof.

**1 Claim, 8 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4



FIG. 5



FIG. 6




FIG. 7






FIG. 8