US00D879367S

(12) United States Design Patent

Walsh et al.

(10) Patent No.: US D879,367 S
(45) Date of Patent: ** Mar. 24, 2020

(54) **EXTRUSION FOR LIGHTING APPARATUS**

(71) Applicants: **Terry Patrick Walsh**, Stoke-on-Trent (GB); **Anthony James Sheldon**, Stoke-on-Trent (GB)

(72) Inventors: **Terry Patrick Walsh**, Stoke-on-Trent (GB); **Anthony James Sheldon**, Stoke-on-Trent (GB)

(**) Term: **15 Years**

(21) Appl. No.: **35/505,860**

(22) Filed: **Apr. 11, 2018**

(80) **Hague Agreement Data**

Int. Filing Date: **Apr. 11, 2018**
Int. Reg. No.: **DM/102000**
Int. Reg. Date: **Apr. 11, 2018**
Int. Reg. Pub. Date: **Oct. 12, 2018**

(30) **Foreign Application Priority Data**

Oct. 13, 2017 (GB) 6020269
Oct. 13, 2017 (GB) 6020270
Dec. 4, 2017 (GB) 6023151
Dec. 4, 2017 (GB) 6023152
Dec. 4, 2017 (GB) 6023153

(51) **LOC (12) Cl.** **26-05**

(52) **U.S. Cl.**
USPC **D26/138**

(58) **Field of Classification Search**
USPC D26/76, 78, 79, 80, 81, 82, 83, 85–90, D26/93, 111, 113, 118, 119, 120, 121, D26/122, 138, 139, 140, 141, 142, 152
CPC F21S 2/00; F21S 4/00; F21S 4/003; F21S 4/005; F21S 4/006; F21S 4/007; F21S 4/008; F21S 6/00; F21S 8/00; F21S 8/024; F21S 8/026; F21S 8/031; F21S 8/033; F21S 8/035–037; F21S 8/04; F21S 8/043; F21S 8/063
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D473,663 S * 4/2003 Chou D25/122
D568,146 S * 5/2008 ter Braak D8/377
(Continued)

FOREIGN PATENT DOCUMENTS

WO 2019097224 A1 5/2019

Primary Examiner — Natasha Vujcic
(74) *Attorney, Agent, or Firm* — Pearne & Gordon LLP

(57) **CLAIM**

The ornamental design for extrusion for lighting apparatus, as shown and described.

DESCRIPTION

Figs. **1.1-1.3** illustrate profile sections of a first embodiment of an extrusion for lighting apparatus, in which:
Fig. **1.1** is a perspective view;
Fig. **1.2** is a further perspective view with elements thereof separated; and
Fig. **1.3** is an end view.
Figs. **2.1-2.4** illustrate profile sections of a second embodiment of an extrusion for lighting apparatus, in which:
Fig. **2.1** is a perspective view;
Fig. **2.2** is a further perspective view with elements thereof separated;
Fig. **2.3** is still a further perspective view; and
Fig. **2.4** is an end view.
Figs. **3.1-3.4** illustrate profile sections of a third embodiment of an extrusion for lighting apparatus, in which:
Fig. **3.1** is a perspective view;
Fig. **3.2** is a further perspective view with elements thereof separated;
Fig. **3.3** is an end view; and
Fig. **3.4** is still a further perspective view.

1 Claim, 11 Drawing Sheets



(56) **References Cited**

U.S. PATENT DOCUMENTS

D621,542	S	*	8/2010	Klus	D26/138
D623,343	S	*	9/2010	Kluš	D26/138
D625,463	S	*	10/2010	Klus	D26/138
D639,098	S	*	6/2011	Bosgoed	D6/580
D641,923	S	*	7/2011	Radchenko	D26/138
D693,052	S	*	11/2013	Klu	D26/138
D698,075	S	*	1/2014	Klus	D26/138
D705,983	S	*	5/2014	Klus	D26/138
D710,535	S	*	8/2014	Edwards	D26/122
D727,559	S	*	4/2015	Chen	D26/122
D747,031	S	*	1/2016	Edwards	D26/138
D806,937	S	*	1/2018	Klus	D26/138
D836,238	S	*	12/2018	Ericson, Jr.	D26/118
D846,183	S	*	4/2019	Bellows	D26/138
D847,405	S	*	4/2019	Guerrieri	F21S 4/24 D26/118
D853,017	S	*	7/2019	Rioux	D26/118

* cited by examiner



Figure 1.1



Figure 1.2



Figure 1.3



Figure 2.1



Figure 2.2



Figure 2.3



Figure 2.4



Figure 3.1



Figure 3.2



Figure 3.3



Figure 3.4