



US00D879587S

(12) **United States Design Patent**
Chen

(10) **Patent No.:** **US D879,587 S**

(45) **Date of Patent:** **** Mar. 31, 2020**

(54) **DOOR LOCK CABLE KIT**

(71) Applicant: **Wen Chen**, Pompano Beach, FL (US)

(72) Inventor: **Wen Chen**, Pompano Beach, FL (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/641,981**

(22) Filed: **Mar. 26, 2018**

(51) **LOC (12) Cl.** **08-07**

(52) **U.S. Cl.**
USPC **D8/330**

(58) **Field of Classification Search**
USPC D8/330, 331, 333, 342, 343; D13/133,
D13/147; D14/433

CPC .. E05B 15/00; E05B 15/0026; E05B 15/0053;
E05B 15/006; E05B 45/005; E05B 79/14;
E05B 79/20; E05C 9/20

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D293,877 S *	1/1988	Fadini	D8/330
D295,721 S *	5/1988	Marshall	D8/333
D307,534 S *	5/1990	Bieganski	D8/51
4,974,889 A *	12/1990	North	E05C 19/003 292/259 R
5,191,314 A *	3/1993	Ackerman	B62H 5/20 340/521
D339,054 S *	9/1993	Saito	D8/333
5,531,489 A *	7/1996	Cetnar	E05B 85/12 292/225
5,568,740 A *	10/1996	Lin	E05B 67/003 70/18
6,026,664 A *	2/2000	Lin	E05B 67/003 70/18
D423,913 S *	5/2000	Dougan, Jr.	D8/356
6,293,599 B1 *	9/2001	Garcia	G09F 3/0364 292/307 R
D512,903 S *	12/2005	Gallien	D8/349

D521,356 S *	5/2006	Littrell	D8/330
D525,110 S *	7/2006	Beard	D8/330
7,216,901 B2 *	5/2007	Miyagawa	F16C 1/107 292/225
D550,624 S *	9/2007	McCann	D13/133
7,431,353 B1 *	10/2008	Huston	E05B 63/0004 292/57
D631,330 S *	1/2011	Richards	D8/356
D638,686 S *	5/2011	Gordon	D8/330
D655,997 S *	3/2012	Merget	D8/331
8,864,193 B2 *	10/2014	Mori	E05B 79/20 292/336.3
9,168,065 B2 *	10/2015	Regala	A61F 2/30
9,476,245 B2 *	10/2016	Hansen	E05F 15/643
9,539,713 B2 *	1/2017	Schafer	B25B 27/28
9,540,851 B2 *	1/2017	Lee	E05B 83/04
D786,046 S *	5/2017	Mack	D8/330

(Continued)

Primary Examiner — Steven J Czyz

(57) **CLAIM**


The ornamental design for a door lock cable kit, as shown and described.

DESCRIPTION

FIG. 1 is a top right perspective view of a door lock cable kit showing my new design;
FIG. 2 is a top left perspective view thereof;
FIG. 3 is a bottom left perspective view thereof;
FIG. 4 is a front view thereof;
FIG. 5 is a back view thereof;
FIG. 6 is a top view thereof;
FIG. 7 is a bottom view thereof;
FIG. 8 is a left view thereof; and,
FIG. 9 is a right view thereof.

The door lock cable kit is shown with a symbolic break in its length. The appearance of any portion of the article between the break lines form no part of the claimed design.

1 Claim, 9 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D786,047 S * 5/2017 Mack D8/330
D795,042 S * 8/2017 Burns D8/333
9,765,811 B2 * 9/2017 Karpman B23P 15/003
9,850,689 B2 * 12/2017 Salamey E05B 79/20
D832,263 S * 10/2018 Chen D14/433
D843,375 S * 3/2019 Claudepierre D14/433
D854,017 S * 7/2019 Claudepierre D14/433
10,358,846 B2 * 7/2019 Hanaki E05B 85/243

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8



FIG. 9