



US00D879587S

(12) **United States Design Patent**
Chen

(10) **Patent No.:** **US D879,587 S**

(45) **Date of Patent:** **** Mar. 31, 2020**

(54) **DOOR LOCK CABLE KIT**

(71) Applicant: **Wen Chen**, Pompano Beach, FL (US)

(72) Inventor: **Wen Chen**, Pompano Beach, FL (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/641,981**

(22) Filed: **Mar. 26, 2018**

(51) **LOC (12) Cl.** **08-07**

(52) **U.S. Cl.**

USPC **D8/330**

(58) **Field of Classification Search**

USPC D8/330, 331, 333, 342, 343; D13/133,
D13/147; D14/433

CPC .. E05B 15/00; E05B 15/0026; E05B 15/0053;
E05B 15/006; E05B 45/005; E05B 79/14;
E05B 79/20; E05C 9/20

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D293,877	S *	1/1988	Fadini	D8/330
D295,721	S *	5/1988	Marshall	D8/333
D307,534	S *	5/1990	Bieganski	D8/51
4,974,889	A *	12/1990	North	E05C 19/003
				292/259 R	
5,191,314	A *	3/1993	Ackerman	B62H 5/20
				340/521	
D339,054	S *	9/1993	Saito	D8/333
5,531,489	A *	7/1996	Cetnar	E05B 85/12
				292/225	
5,568,740	A *	10/1996	Lin	E05B 67/003
				70/18	
6,026,664	A *	2/2000	Lin	E05B 67/003
				70/18	
D423,913	S *	5/2000	Dougan, Jr.	D8/356
6,293,599	B1 *	9/2001	Garcia	G09F 3/0364
				292/307 R	
D512,903	S *	12/2005	Gallien	D8/349

D521,356	S *	5/2006	Littrell	D8/330
D525,110	S *	7/2006	Beard	D8/330
7,216,901	B2 *	5/2007	Miyagawa	F16C 1/107
				292/225	
D550,624	S *	9/2007	McCann	D13/133
7,431,353	B1 *	10/2008	Huston	E05B 63/0004
				292/57	
D631,330	S *	1/2011	Richards	D8/356
D638,686	S *	5/2011	Gordon	D8/330
D655,997	S *	3/2012	Merget	D8/331
8,864,193	B2 *	10/2014	Mori	E05B 79/20
				292/336.3	
9,168,065	B2 *	10/2015	Regala	A61F 2/30
9,476,245	B2 *	10/2016	Hansen	E05F 15/643
9,539,713	B2 *	1/2017	Schafer	B25B 27/28
9,540,851	B2 *	1/2017	Lee	E05B 83/04
D786,046	S *	5/2017	Mack	D8/330

(Continued)

Primary Examiner — Steven J Czyz

(57) **CLAIM**


The ornamental design for a door lock cable kit, as shown and described.

DESCRIPTION

FIG. 1 is a top right perspective view of a door lock cable kit showing my new design;
 FIG. 2 is a top left perspective view thereof;
 FIG. 3 is a bottom perspective view thereof;
 FIG. 4 is a front view thereof;
 FIG. 5 is a back view thereof;
 FIG. 6 is a top view thereof;
 FIG. 7 is a bottom view thereof;
 FIG. 8 is a left view thereof; and,
 FIG. 9 is a right view thereof.

The door lock cable kit is shown with a symbolic break in its length. The appearance of any portion of the article between the break lines form no part of the claimed design.

1 Claim, 9 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D786,047 S * 5/2017 Mack D8/330
D795,042 S * 8/2017 Burns D8/333
9,765,811 B2 * 9/2017 Karpman B23P 15/003
9,850,689 B2 * 12/2017 Salamey E05B 79/20
D832,263 S * 10/2018 Chen D14/433
D843,375 S * 3/2019 Claudepierre D14/433
D854,017 S * 7/2019 Claudepierre D14/433
10,358,846 B2 * 7/2019 Hanaki E05B 85/243

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9