



US00D879610S

(12) **United States Design Patent**
Holka et al.

(10) **Patent No.:** **US D879,610 S**
(45) **Date of Patent:** **** Mar. 31, 2020**

(54) **FASTENER FOR PACKAGING**

3/26; B65D 39/00; B65D 39/0052; B65D
39/0076; B65D 2543/00; B65D
2543/00324; B65D 2543/00444; B65D
2543/00953; B65D 43/00

(71) Applicant: **Å&R Carton Lund Aktiebolag**, Lund
(SE)

See application file for complete search history.

(72) Inventors: **Simon Holka**, Staffanstorp (SE); **Kajsa
Dahlin**, Lund (SE)

(56) **References Cited**

(73) Assignee: **A&R CARTON LUND
AKTIEBOLAG**, Lund (SE)

U.S. PATENT DOCUMENTS

(**) Term: **15 Years**

D461,352 S 8/2002 Pianezza
6,772,904 B1 8/2004 Gilliam et al.
D530,603 S * 10/2006 Lohrman D9/438
D599,655 S 9/2009 Friebe et al.
8,028,851 B2 * 10/2011 Vovan B65D 43/0254
220/266

(21) Appl. No.: **29/698,882**

D694,100 S 11/2013 Schneider et al.
(Continued)

(22) Filed: **Jul. 21, 2019**

Related U.S. Application Data

(62) Division of application No. 29/649,689, filed on May
31, 2018.

Primary Examiner — Wan Laymon

Assistant Examiner — Clint A Samuel

(74) *Attorney, Agent, or Firm* — Tucker Ellis LLP

(30) **Foreign Application Priority Data**

(57) **CLAIM**

Dec. 4, 2017 (EM) 004535458-0001
Dec. 4, 2017 (EM) 004535458-0002
Dec. 4, 2017 (EM) 004535458-0003
Dec. 4, 2017 (EM) 004535458-0004
Dec. 4, 2017 (EM) 004535458-0005
Dec. 4, 2017 (EM) 004535458-0006

The ornamental design for a fastener for packaging, as
shown and described.

(51) **LOC (12) Cl.** **09-07**

(52) **U.S. Cl.**
USPC **D9/438**


DESCRIPTION

(58) **Field of Classification Search**

USPC D9/416, 423, 428, 434, 438, 447, 449,
D9/456, 518; D7/388, 510
CPC B65D 2517/007; B65D 2517/0013; B65D
2517/0014; B65D 2517/0053; B65D
2517/0079; B65D 2517/0095; B65D
2101/00; B65D 2101/0015; B65D
2101/0038; B65D 2101/0046; B65D
2101/0092; B65D 17/4011; B65D
17/4012; B65D 51/22; B65D 3/00; B65D

FIG. 1 is a rear-right-top perspective view of a fastener for
packaging showing our new design;
FIG. 2 is a front-left-bottom perspective view thereof;
FIG. 3 is a top view thereof;
FIG. 4 is a bottom view thereof, front, rear, left side and right
side views thereof being a line;
FIG. 5 is a rear-right-top perspective view thereof with a
release strip shown in a partially separated configuration;
FIG. 6 is a right side view thereof with a release strip shown
in another partially separated configuration;
FIG. 7 is a left side view thereof;
FIG. 8 is a front view thereof; and,
FIG. 9 is a rear view thereof.

1 Claim, 3 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D744,328	S	12/2015	Ramachandran et al.	
D744,826	S	12/2015	Giraud et al.	
D763,681	S	8/2016	Morgan et al.	
D799,318	S *	10/2017	Wei	D9/438
D801,811	S *	11/2017	Wei	D9/438
D801,812	S *	11/2017	Wei	D9/438
D810,564	S *	2/2018	Wei	D9/438
D839,727	S *	2/2019	Wei	D9/438
D840,684	S	2/2019	Luburic	
D846,380	S	4/2019	Giraud et al.	
2004/0238553	A1	12/2004	Lane et al.	
2006/0249474	A1 *	11/2006	Sawyer	B65D 47/0804 215/256
2015/0117797	A1 *	4/2015	Cigallio	B65D 33/34 383/5
2018/0099786	A1 *	4/2018	Abuaita	B31D 1/021
2018/0244438	A1	8/2018	Morichon et al.	
2019/0021531	A1	1/2019	Sims	
2019/0077556	A1	3/2019	Luburic	
2019/0135508	A1	5/2019	Sunning et al.	
2019/0298110	A1 *	10/2019	van Puijenbroek	B65D 51/22

* cited by examiner





FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7



FIG. 8



FIG. 9