



US00D879712S

(12) **United States Design Patent**
Fan

(10) **Patent No.:** **US D879,712 S**
(45) **Date of Patent:** **** Mar. 31, 2020**

- (54) **BATTERY CHARGER**
- (71) Applicant: **SHENZHEN SHIBITUO TECHNOLOGY CO., LTD.**, Shenzhen (CN)
- (72) Inventor: **Meiqi Fan**, Shenzhen (CN)
- (73) Assignee: **SHENZHEN SHIBITUO TECHNOLOGY CO., LTD.**, Shenzhen (CN)
- (**) Term: **15 Years**
- (21) Appl. No.: **29/714,301**
- (22) Filed: **Nov. 22, 2019**
- (51) **LOC (12) Cl.** **13-02**
- (52) **U.S. Cl.**
USPC **D13/108**
- (58) **Field of Classification Search**
USPC D13/103, 107-108, 110, 118, 184, 199,
D13/137.1-137.3, 138.1, 138.2
CPC H02J 7/02; H02J 7/0013; H02J 7/0021;
H02J 7/0022; H02J 7/0026; H02J 7/0027;
H02J 7/0042; H02J 7/0044; H02J 7/0045;
H02J 7/0003; H01M 10/44; H01M
10/441; H01R 13/648; H01R 13/652;
H01R 13/6675
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D595,224 S *	6/2009	Seil	D13/108
D623,136 S *	9/2010	Andre	D13/108
D638,357 S *	5/2011	Sasada	D13/110
D660,796 S *	5/2012	Wen	D13/110
D663,267 S *	7/2012	Kim	D13/110
D673,112 S *	12/2012	Zhang	D13/108
D675,158 S *	1/2013	Smith	D13/110

D680,492 S *	4/2013	Smith	D13/110
D692,825 S *	11/2013	Izen	D13/108
D704,630 S *	5/2014	Liu	D13/108
D705,725 S *	5/2014	Ryu	D13/108
D730,823 S *	6/2015	Leung	D13/108
D731,969 S	6/2015	Ackloo		
D731,970 S *	6/2015	Kamath	D13/110
D734,259 S *	7/2015	Cepress	D13/110
D756,915 S *	5/2016	Yang	D13/108
D756,916 S *	5/2016	Yang	D13/108
D758,965 S	6/2016	Jen		
D790,464 S *	6/2017	He	D13/110
D799,422 S *	10/2017	Chen	D13/108
D834,516 S *	11/2018	Jin	D13/108
D866,471 S *	11/2019	Xu	D13/137.2
D867,287 S *	11/2019	Akana	D13/110
D867,989 S *	11/2019	Akana	D13/110
2014/0308853 A1 *	10/2014	Colahan	H01R 13/6675 439/628
2015/0311656 A1 *	10/2015	Lai	H01R 31/065 439/620.22

(Continued)

Primary Examiner — Rosemary K Tarcza


(57) **CLAIM**

The ornamental design for a battery charger, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a battery charger showing my new design;
 FIG. 2 is another perspective view thereof;
 FIG. 3 is a front elevational view thereof;
 FIG. 4 is a rear elevational view thereof;
 FIG. 5 is a left side elevational view thereof;
 FIG. 6 is a right side elevational view thereof;
 FIG. 7 is a top plan view thereof; and,
 FIG. 8 is a bottom plan view thereof.
 The broken lines in the drawings depict portions of the battery charger that form no part of the claimed design.

1 Claim, 8 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

2019/0081431 A1* 3/2019 Heyman H01R 13/504
2019/0094935 A1* 3/2019 Ng G06F 1/266

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8