



US00D879721S

(12) **United States Design Patent**
Eshelman et al.

(10) **Patent No.:** **US D879,721 S**
(45) **Date of Patent:** **** Mar. 31, 2020**

(54) **ELECTRICAL EXTENSION CORD
RECEPTACLE END**

(71) Applicant: **360 Electrical, LLC**, Salt Lake City,
UT (US)

(72) Inventors: **Brandon Eshelman**, Salt Lake City,
UT (US); **Cameron Bigler**, Lehi, UT
(US); **Adam Boushley**, Midvale, UT
(US)

(73) Assignee: **360 Electrical, L.L.C.**, Salt Lake City,
UT (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/692,904**

(22) Filed: **May 29, 2019**

Related U.S. Application Data

(63) Continuation of application No. 29/670,953, filed on
Nov. 21, 2018, which is a continuation of application
(Continued)

(51) **LOC (12) Cl.** **13-03**

(52) **U.S. Cl.**
USPC **D13/139.7**

(58) **Field of Classification Search**
USPC ... D13/139.1–139.8, 108, 137.1–137.4, 146;
D14/433

(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

D155,472 S 10/1949 BecVar et al.

D325,723 S 4/1992 Gary et al.

(Continued)

FOREIGN PATENT DOCUMENTS

CN 302053975 S 8/2012

CN 302153851 S 10/2012

(Continued)

OTHER PUBLICATIONS

Non Final Office Action dated Mar. 15, 2019 for U.S. Appl. No.
29/670,953 “Electrical Extension Cord Receptacle End” Eshelman,
8 pages.

Primary Examiner — Rhea Shields

(74) *Attorney, Agent, or Firm* — Lee & Hayes, P.C.

(57) **CLAIM**

The ornamental design for an electrical extension cord
receptacle end, substantially as shown and described.

DESCRIPTION

FIG. 1 is a right side elevation view of the electrical
extension cord receptacle end;

FIG. 2 is a top plan view thereof;

FIG. 3 is a left side elevation view thereof;

FIG. 4 is a bottom plan view thereof;

FIG. 5 is a front elevation view thereof;

FIG. 6 is a rear elevation view thereof;

FIG. 7 is a first upper perspective view thereof;

FIG. 8 is a second upper perspective view thereof;

FIG. 9 is a third upper perspective view thereof;

FIG. 10 is a fourth upper perspective view thereof;

FIG. 11 is a first lower perspective view thereof;


FIG. 12 is a second lower perspective view thereof;

FIG. 13 is a third lower perspective view thereof; and,

FIG. 14 is a fourth lower perspective view thereof.

The dashed lines in the drawings are for the purpose of
illustrating portions of the electrical extension cord recep-
tacle end and environmental subject matter that form no part
of the claimed design. The dot-dash lines are for the purpose
of illustrating unclaimed seam lines on a claimed surface of
the device. These seam lines form no part of the claimed
design.

1 Claim, 7 Drawing Sheets



Related U.S. Application Data

No. 29/582,848, filed on Oct. 31, 2016, now Pat. No. Des. 834,520.

(58) **Field of Classification Search**

CPC . H02J 7/0044; H01R 13/652; H01R 13/6666; H01R 13/70

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D405,416 S 2/1999 Byrne
 D435,516 S * 12/2000 Stekelenburg D13/139.8
 D448,730 S * 10/2001 Lee D13/137.4
 6,315,617 B1 * 11/2001 Al-Sabah H01R 13/6666
 439/652
 D459,307 S * 6/2002 Nieto D13/139.8
 D469,064 S * 1/2003 Nieto D13/137.2
 D469,403 S * 1/2003 Nieto D13/137.2
 D472,520 S 4/2003 Genicevitch
 D481,009 S * 10/2003 Stekelenburg D13/137.4
 D482,326 S * 11/2003 Stekelenburg D13/137.4
 D540,257 S 4/2007 Ivanova et al.
 D556,689 S 12/2007 Lee et al.
 D559,783 S 1/2008 Matzdorff et al.
 D566,654 S 4/2008 Ivanova et al.
 D603,049 S 10/2009 Hardy et al.
 7,862,385 B2 * 1/2011 Lee H01R 13/70
 439/652
 D639,742 S 6/2011 Doucet
 D640,199 S * 6/2011 Wilson D13/139.7
 D651,977 S 1/2012 Lee
 D653,215 S * 1/2012 Lam D13/139.8
 D681,548 S 5/2013 Zhang et al.
 D685,328 S * 7/2013 Kirtland D13/137.2
 D696,354 S 12/2013 Barry
 D718,714 S 12/2014 Si

D718,715 S 12/2014 Si
 D736,709 S 8/2015 Byrne et al.
 D736,710 S * 8/2015 Lin D13/137.2
 D739,355 S * 9/2015 D'Aubeterre D13/139.8
 D739,821 S * 9/2015 Byrne D13/139.4
 D741,265 S 10/2015 Lee
 D771,750 S 11/2016 Fjelstad
 D775,589 S * 1/2017 Soffer D13/139.1
 D790,459 S * 6/2017 Eshelman D13/110
 D794,029 S * 8/2017 Lin D14/433
 D796,442 S * 9/2017 Xu D13/139.6
 D801,438 S 10/2017 Fjelstad
 D801,439 S 10/2017 Fjelstad
 D806,175 S 12/2017 Fjelstad
 D817,887 S 5/2018 Yu
 D819,571 S * 6/2018 Eshelman D13/138.2
 D821,328 S 6/2018 Byrne et al.
 D826,162 S * 8/2018 Byrne D13/139.7
 D826,163 S * 8/2018 Xu D13/139.8
 D829,663 S 10/2018 Liu
 D830,307 S 10/2018 Liu
 D834,520 S * 11/2018 Eshelman D13/139.7
 D844,566 S * 4/2019 Yu D13/139.7
 D845,902 S * 4/2019 Xu D13/137.4
 D846,498 S * 4/2019 Byrne H02J 7/0044
 D13/108
 D846,500 S * 4/2019 Xu D13/137.4
 D851,598 S * 6/2019 Liang D13/139.7
 2009/0156061 A1 * 6/2009 Bernstein H01R 13/652
 439/652

FOREIGN PATENT DOCUMENTS

CN 303287272 7/2015
 CN 303423238 10/2015
 CN 303428639 11/2015
 CN 303647455 4/2016
 CN 3034138612 5/2017

* cited by examiner




Fig. 2




Fig. 1




Fig. 4




Fig. 3




Fig. 6




Fig. 5




Fig. 8




Fig. 7




Fig. 10




Fig. 9




Fig. 12




Fig. 17




Fig. 14




Fig. 13