



US00D879726S

(12) **United States Design Patent**
Yui

(10) **Patent No.:** **US D879,726 S**
(45) **Date of Patent:** **** Mar. 31, 2020**

(54) **HIGH BREAKING CAPACITY STRIP FUSE WITH AXIAL TERMINALS**

(71) Applicant: **Chi Lick Schurter Ltd**, Hong Kong (HK)

(72) Inventor: **Leung Koon Yui**, Hong Kong (HK)

(73) Assignee: **Chi Lick Schurter Ltd**, Hong Kong (HK)

(**) Term: **15 Years**

(21) Appl. No.: **29/670,841**

(22) Filed: **Nov. 20, 2018**

(51) **LOC (12) Cl.** **13-03**

(52) **U.S. Cl.**
USPC **D13/161**

(58) **Field of Classification Search**
USPC D13/110, 118, 123, 133, 154, 158-161, D13/173, 178, 184, 199
CPC H01H 37/00; H01H 85/00; H01H 85/02; H01H 85/04; H01H 85/044; H01H 85/05; H01H 85/055; H01H 85/06; H01H 85/143; H01H 85/15; H01H 85/175; H01R 13/68

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D325,193 S * 4/1992 Kudo D13/161
5,229,739 A * 7/1993 Oh H01H 69/02
337/290
5,854,583 A * 12/1998 Falchetti H01H 85/044
337/290
D419,532 S * 1/2000 Hibayashi D13/161
6,067,004 A * 5/2000 Hibayashi H01H 85/044
337/186
6,448,882 B1 * 9/2002 Inaba H01H 85/044
337/159

D489,689 S * 5/2004 Koza D13/161
D518,792 S * 4/2006 Ohta D13/161
2007/0167085 A1 * 7/2007 Lopez H01R 31/02
439/709
2009/0189730 A1 * 7/2009 Oh H01H 85/10
337/186
2011/0267168 A1 * 11/2011 Tong H01H 85/044
337/187
2016/0141140 A1 * 5/2016 Schmidt H01H 69/02
337/187

(Continued)

OTHER PUBLICATIONS

MEGA Slo-Blo 32V Automotive Bolt-Down Fuse, dated Oct. 3, 2014, [online], [site visited Oct. 22, 2019]. Available from Internet, URL: <https://www.littelfuse.com/products/fuses/automotive-passenger-car/high-current-fuses/298.aspx> (Year: 2014).*

(Continued)

Primary Examiner — Angela J Lee
Assistant Examiner — Shawn T Gingrich
(74) *Attorney, Agent, or Firm* — Bay State IP, LLC


(57) **CLAIM**

The ornamental design for a high breaking capacity strip fuse with axial terminals, as shown and described.

DESCRIPTION

FIG. 1 is a front top perspective view of the high breaking capacity strip fuse with axial terminals showing my new design;
FIG. 2 is a top view thereof;
FIG. 3 is a bottom view thereof;
FIG. 4 is a left side view thereof;
FIG. 5 is a right side view thereof;
FIG. 6 is a front view thereof;
FIG. 7 is a back view thereof; and,
FIG. 8 is a bottom perspective view thereof.

1 Claim, 4 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

2019/0259556 A1* 8/2019 Schlaak H01H 85/0082

OTHER PUBLICATIONS

MTA Fuses, dated Feb. 22, 2014, [online], [site visited Oct. 22, 2019]. Available from Internet, URL: <http://www.mta.it/en/fuses> (Year: 2014).*

* cited by examiner




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8