US00D879836S

(12) United States Design Patent

Poindexter et al.

(10) Patent No.: US D879,836 S
(45) Date of Patent: ** Mar. 31, 2020

(54) **DISPLAY SCREEN WITH BLOOD PUMP ICON**

(71) Applicant: **Medtronic, Inc.**, Minneapolis, MN (US)

(72) Inventors: **Rebecca L. Poindexter**, Minneapolis, MN (US); **David Lura**, Maple Grove, MN (US); **Mahesh Parameswaran**, Karnataka (IN)

(73) Assignee: **Medtronic, Inc.**, Minneapolis, MN (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/602,318**

(22) Filed: **May 1, 2017**

(51) **LOC (12) Cl.** **14-04**

(52) **U.S. Cl.**
USPC **D14/492**

(58) **Field of Classification Search**
USPC D14/485–495; D20/10, 11, 22–33, 39, D20/40; D5/20, 26, 30, 40, 63–65
(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

5,524,196 A * 6/1996 Blades G06F 3/0482 715/834
D525,985 S * 8/2006 Gibson D14/488
(Continued)

OTHER PUBLICATIONS

Compass Icon, by Arcady, canstockphoto.ru [online], published on Oct. 1, 2014, [retrieved on Jun. 9, 2019], retrieved from the Internet [URL: https://www.canstockphoto.ru/compass-icon-22299539.html] (Year: 2014).*

(Continued)

Primary Examiner — Cathron C Brooks
Assistant Examiner — Ian F Whitmore

(74) *Attorney, Agent, or Firm* — Kenneth Collier; Roger Hahn

(57) **CLAIM**

We claim the ornamental design for a display screen with a blood pump icon, as shown and described.

DESCRIPTION

FIG. **1** is a front view of a first image in a sequence for a display screen with a blood pump icon;
FIG. **2** is a front view of a second image thereof with the blood pump icon rotated at 330°;
FIG. **3** is a front view of a third image thereof with the blood pump icon rotated at 300°;
FIG. **4** is a front view of a fourth image thereof with the blood pump icon rotated at 270°;
FIG. **5** is a front view of a fifth image thereof with the blood pump icon rotated at 240°;
FIG. **6** is a front view of a sixth image thereof with the blood pump icon rotated at 210°;
FIG. **7** is a front view of a seventh image thereof with the blood pump icon rotated at 180°;
FIG. **8** is a front view of an eighth image thereof with the blood pump icon rotated at 150°;
FIG. **9** is a front view of a ninth image thereof with the blood pump icon rotated at 120°;
FIG. **10** is a front view of a tenth image thereof with the blood pump icon rotated at 90°;
FIG. **11** is a front view of an eleventh image thereof with the blood pump icon rotated at 60°;
FIG. **12** is a front view of a twelfth image thereof with the blood pump icon rotated at 30°;
FIG. **13** is a front view of a display screen showing the first image in the sequence of the icon of FIGS. **1-12**, depicted in a differing broken-line context at the upper right-hand corner of the display screen;
FIG. **14** is a front view of a display screen showing the first image in the sequence of the icon of FIGS. **1-12**, depicted at the top-center of the display screen;
FIG. **15** is a front view of a display screen showing first image in the sequence of the icon of FIGS. **1-12**, depicted at the upper left-hand corner of the display screen;
(Continued)



FIG. **16** is a front view of a display screen showing the first image in the sequence of the icon of FIGS. **1-12**, depicted at the center position on the right side of the display screen;
FIG. **17** is a front view of a display screen showing the first image in the sequence of the icon of FIGS. **1-12**, depicted at the center position of the display screen;
FIG. **18** is a front view of a display screen showing the first image in the sequence of the icon of FIGS. **1-12**, depicted at the center position on the left side of the display screen;
FIG. **19** is a front view of a display screen showing the first image in the sequence of the icon of FIGS. **1-12**, depicted at the bottom right-hand corner of the display screen;
FIG. **20** is a front view of a display screen showing the first image in the sequence of the icon of FIGS. **1-12**, depicted at the bottom center of the display screen; and,
FIG. **21** is a front view of a display screen showing the first image in the sequence of the icon of FIGS. **1-12**, depicted at the bottom left-hand corner of the display screen.
The appearance of the transitional image sequentially transitions between the images shown in FIGS. **1-12**. The process or period in which one image transitions to another image forms no part of the claimed design.
The outermost broken-line rectangle illustrates the perimeter of a display screen. The remaining broken lines illustrate portions of a graphical user interface. The broken lines form no part of the claimed design.

1 Claim, 21 Drawing Sheets

(58) **Field of Classification Search**
CPC G06F 3/048–04897; G06F 19/3456; A61M 2205/33; A61M 2205/35; A61M 2205/507; A61M 1/00; A61M 5/003; A61B 5/02; A61B 5/4848; A61B 5/6866
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D591,305	S	*	4/2009	Shimoda	D14/485
D618,702	S	*	6/2010	Lee	D14/486
D640,273	S	*	6/2011	Arnold	D14/487
D667,430	S	*	9/2012	Ouilhet	D14/489
D667,842	S	*	9/2012	Ouilhet	D14/489
D681,052	S	*	4/2013	Woo	D14/492
D699,750	S	*	2/2014	Pearson	D14/488
D703,229	S	*	4/2014	Abratowski	D14/489
D714,336	S	*	9/2014	Cojuangco	D14/486
D724,618	S	*	3/2015	Shin	D14/487
D728,619	S	*	5/2015	Myung	D14/491
D737,278	S	*	8/2015	Shin	D14/485
D738,913	S	*	9/2015	Cabrera-Cordon	D14/491
D739,860	S	*	9/2015	Perez	D14/485
D750,130	S	*	2/2016	Baumann	D14/491
D754,182	S	*	4/2016	Kouthoofd	D14/487
D763,269	S	*	8/2016	Lee	D14/485
D768,718	S	*	10/2016	Shin	D14/492
D771,127	S	*	11/2016	Akana	D14/489
D771,696	S	*	11/2016	Chen	D14/489
D784,361	S	*	4/2017	Graham	D14/485
D802,020	S	*	11/2017	Kim	D14/492
D806,750	S	*	1/2018	Van Lancker	G06F 3/04815 D14/491
D807,380	S	*	1/2018	Chen	D14/485
D829,764	S	*	10/2018	Clapper	D14/489
D839,897	S	*	2/2019	Graham	D14/486
D844,028	S	*	3/2019	Dellinger	D14/492
D847,172	S	*	4/2019	Nishiura	D14/486
D854,572	S	*	7/2019	Naimark	D14/487
2009/0107335	A1		4/2009	Wilt	
2013/0086517	A1	*	4/2013	Van Lancker	G06F 3/04815 715/800
2014/0359522	A1	*	12/2014	Kim	G06F 3/0482 715/781

OTHER PUBLICATIONS

Gasket, by UI8, dribbble.com [online], published on Nov. 10, 2015, [retrieved on Jun. 9, 2019], retrieved from the Internet [URL: https://dribbble.com/shots/2345168-Gasket] (Year: 2015).*
Trademark Registration Serial No. 87458874, Sep. 7, 2016 (first use date), (Registrant) Urban Armor Gear, LLC, Limited Liability Company, California, Trademark Electronic Service System (TESS).*
Need vol. 3, by Chamestudio, iconfinder.com [online], published on Jan. 24, 2016, [retrieved on Jun. 9, 2019], retrieved from the Internet [URL: https://www.iconfinder.com/iconsets/need-vol-3] (Year: 2016).*
The Six-Cheese Nacho Cheese Fountain Build Blog: It All Started with the Pump, cheese-fountain.blogspot.com [online], published on Oct. 24, 2008, [retrieved on Dec. 18, 2019], retrieved from the Internet [URL:cheese-fountain.blogspot.com/2008/10/it-all-started-with-pump.html] (Year: 2008).*
U.S. Appl. No. 29/602,318 Blood Pump on Dialysis Graphical User Interface, Poindexter, filed May 1, 2017.

* cited by examiner



FIG. 1



FIG. 2



FIG. 3



FIG. 4


10:10 AM
8/15/2018
Saline
Dialysate Rate
5000
Heparin
1.5
STOP
Drain
Water
250
TIME REMAINING
01:20
TOTAL TIME
04:00
UF REMOVED
2300
UF GOAL
3500
UF RATE
700
STOP
243
46
120
37.3
14.8

FIG. 5



FIG. 6



FIG. 7



FIG. 8



FIG. 9



FIG. 10



FIG. 11



FIG. 12



FIG. 13



FIG. 14



FIG. 15



FIG. 16



FIG. 17



FIG. 18



FIG. 19



FIG. 20

FIG. 21