



US00D880015S

(12) **United States Design Patent**
Zulauf

(10) **Patent No.:** **US D880,015 S**
(45) **Date of Patent:** **** Mar. 31, 2020**

(54) **REFLECTOR FOR A LIGHT BULB**

(56) **References Cited**

(71) Applicant: **Besselink Licht Import B.V.**

U.S. PATENT DOCUMENTS

(72) Inventor: **Patrick Nicole Zulauf**, Basel (CH)

D530,836 S * 10/2006 Johnson D26/2
D545,457 S * 6/2007 Chen D26/2
D582,062 S * 12/2008 Van de Poel D26/2

(73) Assignee: **Besselink Licht Import B.V.**, Duiven (NL)

* cited by examiner

(**) Term: **15 Years**

Primary Examiner — Marcus A Jackson

(21) Appl. No.: **29/669,229**

(74) *Attorney, Agent, or Firm* — Kilpatrick Townsend and Stockton LLP

(22) Filed: **Nov. 6, 2018**

(57) **CLAIM**

(30) **Foreign Application Priority Data**

The ornamental design for a reflector for a light bulb, as shown and described.

Oct. 31, 2018 (EM) 005813649

(51) **LOC (12) Cl.** **26-04**

(52) **U.S. Cl.**
USPC **D26/2**

DESCRIPTION

(58) **Field of Classification Search**

USPC D26/1-4

CPC H01R 5/00; H01R 13/46; H01R 13/514;

H01R 31/048; H01R 31/02; H01J 5/00;

H01J 5/16; H01J 1/02; H01J 15/00; H01J


5/48; H01J 5/50; H01J 19/54; F21V 5/00;

F21V 29/004; F21K 9/00; F21K 13/00

See application file for complete search history.

FIG. 1 is a top perspective view of a reflector for a light bulb, showing my new design;
FIG. 2 is a bottom perspective view thereof;
FIG. 3 is a front view thereof;
FIG. 4 is a top view thereof; and,
FIG. 5 is a bottom view thereof.

1 Claim, 5 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5