



US00D880120S

(12) **United States Design Patent**
Fick et al.

(10) **Patent No.:** **US D880,120 S**

(45) **Date of Patent:** **** Apr. 7, 2020**

(54) **SOLE**

(71) Applicant: **adidas AG**, Herzogenaurach (DE)

(72) Inventors: **Florian Josel Fick**, Nuremberg (DE);
Pradeepan Indrakumar, Portland, OR
(US); **Yuehong Tu**, Portland, OR (US)

(73) Assignee: **adidas AG**, Herzogenaurach (DE)

(**) Term: **15 Years**

(21) Appl. No.: **29/637,344**

(22) Filed: **Feb. 15, 2018**

(51) **LOC (12) Cl.** **02-04**

(52) **U.S. Cl.**
USPC **D2/951**; D2/947; D2/953; D2/957;
D2/960

(58) **Field of Classification Search**
USPC D2/902, 906, 908, 916, 918, 925,
D2/946-962, 977; 36/3 B, 22 R, 24.5,
36/25 R, 28, 32 R, 34 R, 59 C, 67 A, 103
CPC A43B 13/00; A43B 13/02; A43B 13/023;
A43B 13/026; A43B 13/04; A43B 13/08;
A43B 13/10; A43B 13/12; A43B 13/14;
A43B 13/141; A43B 13/143; A43B
13/16; A43B 13/18; A43B 13/181; A43B
13/187; A43B 13/189; A43B 13/20; A43B
13/22; A43B 13/223; A43B 13/24; A43B
13/28; A43B 13/30; A43B 13/32; A43B
13/34; A43B 13/36

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

354,693 A * 12/1886 Dick A43B 17/006
36/3 B
D29,749 S 11/1898 Bunker
1,111,437 A 9/1914 Butterfield
D90,057 S * 5/1933 Van Cleef D2/949

D107,977 S 1/1938 Tousley
D113,620 S * 3/1939 Cairns D2/955
D115,636 S 7/1939 Sperry
2,205,356 A * 6/1940 Gruensfelder A43B 1/02
36/51
D123,898 S 12/1940 Tousley
D138,517 S * 8/1944 Meltzer D2/947
2,853,809 A 9/1958 Bianchi
D196,491 S 10/1963 Papoutsy

(Continued)

FOREIGN PATENT DOCUMENTS

CN 101611953 A 12/2009
CN 102578760 A 7/2012

(Continued)

OTHER PUBLICATIONS

“adidas Breaks the Mould With 3D-Printed Performance Footwear,”
adidas Group, dated Oct. 7, 2015, < <http://www.adidas-group.com/en/media/news-archive/press-releases/2015/adidas-breaks-mould-3d-printed-performance-footwear/>>.

(Continued)

Primary Examiner — T Chase Nelson
(74) *Attorney, Agent, or Firm* — Sterne, Kessler,
Goldstein & Fox P.L.L.C.


(57) **CLAIM**

The ornamental design for a sole, as shown and described.

DESCRIPTION

FIG. 1 is a bottom rear perspective view of a sole showing
the claimed design;
FIG. 2 is a front view thereof;
FIG. 3 is a rear view thereof;
FIG. 4 is a left side view thereof;
FIG. 5 is a right side view thereof;
FIG. 6 is a top view thereof; and,
FIG. 7 is a bottom view thereof.

1 Claim, 5 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D802,896 S * 11/2017 Rademacher A43B 3/128
D2/953
D804,792 S * 12/2017 de Montgolfier A43B 1/0072
D2/955
9,930,929 B2 4/2018 Cooper et al.
D816,961 S * 5/2018 Bardea A43B 13/223
D2/947
D822,351 S 7/2018 DeAlmeida
10,010,133 B2 7/2018 Guyan
10,010,134 B2 7/2018 Guyan
10,016,013 B2 7/2018 Kormann et al.
D825,163 S 8/2018 Montross et al.
D825,165 S * 8/2018 Gibson D2/960
10,039,343 B2 8/2018 Guyan
10,104,934 B2 10/2018 Guyan
D841,299 S * 2/2019 Nikolic D2/953
10,231,511 B2 * 3/2019 Guyan A43B 7/32
D844,953 S * 4/2019 Chen D2/947
D850,083 S * 6/2019 Jenkins D2/959
D854,300 S * 7/2019 Evans D2/957
D855,957 S * 8/2019 Evans D2/959
D857,360 S * 8/2019 Hardy D2/953
D859,801 S * 9/2019 Jenkins D2/959
D860,614 S * 9/2019 Bishoff D2/959
2002/0078598 A1 6/2002 Bell
2006/0201028 A1 9/2006 Chan et al.
2007/0011914 A1 * 1/2007 Keen A43B 1/14
36/50.1
2007/0043582 A1 * 2/2007 Peveto A43B 3/26
705/1.1
2008/0289218 A1 11/2008 Nakano
2009/0126225 A1 5/2009 Jarvis
2009/0139112 A1 6/2009 Garneau
2009/0183392 A1 7/2009 Shane
2010/0122471 A1 * 5/2010 Edington A43B 7/144
36/28
2010/0170106 A1 7/2010 Brewer et al.
2010/0251565 A1 10/2010 Litchfield et al.
2010/0281714 A1 11/2010 Carboy et al.
2011/0099855 A1 5/2011 Cho
2012/0117825 A9 5/2012 Jarvis
2012/0180335 A1 7/2012 Mahoney
2012/0186107 A1 * 7/2012 Crary A43B 3/0078
36/103
2013/0118036 A1 5/2013 Gibson
2013/0145653 A1 * 6/2013 Bradford A43B 13/145
36/103
2014/0020191 A1 1/2014 Jones et al.
2014/0026773 A1 1/2014 Miller
2014/0029030 A1 1/2014 Miller
2014/0109441 A1 4/2014 McDowell et al.
2014/0150297 A1 6/2014 Holmes et al.
2014/0182170 A1 7/2014 Wawrousek et al.
2014/0223783 A1 8/2014 Wardlaw et al.
2014/0226773 A1 8/2014 Toth et al.
2014/0259779 A1 * 9/2014 Hashish A43B 3/246
36/100
2014/0259787 A1 9/2014 Guyan et al.
2014/0259788 A1 9/2014 Dojan et al.
2014/0259789 A1 9/2014 Dojan et al.

2014/0299009 A1 10/2014 Miller et al.
2014/0300675 A1 10/2014 Miller et al.
2014/0300676 A1 10/2014 Miller et al.
2014/0310991 A1 10/2014 Greene et al.
2015/0033577 A1 2/2015 Dahl et al.
2015/0089841 A1 * 4/2015 Smaldone A43B 5/00
36/103
2015/0181976 A1 7/2015 Cooper et al.
2015/0223560 A1 8/2015 Wawrousek et al.
2015/0351493 A1 12/2015 Ashcroft et al.
2016/0051009 A1 * 2/2016 Kormann B22F 3/1055
36/103
2016/0122493 A1 5/2016 Farris et al.
2016/0137839 A1 5/2016 Rolland et al.
2016/0160077 A1 6/2016 Rolland et al.
2016/0180440 A1 6/2016 Dibenedetto et al.
2016/0295971 A1 * 10/2016 Arnese B29D 35/0009
2016/0324260 A1 11/2016 Guyan
2016/0374428 A1 12/2016 Kormann et al.
2017/0150778 A1 * 6/2017 Youngs A43B 7/20
2018/0014606 A1 * 1/2018 Mokos A43B 13/223
2018/0103719 A1 * 4/2018 Chen A43B 13/181
2018/0271211 A1 * 9/2018 Perrault A43B 13/186
2018/0271213 A1 * 9/2018 Perrault A43B 13/186
2019/0069632 A1 * 3/2019 Meschter A43B 13/223
2019/0098960 A1 * 4/2019 Weisskopf A43B 13/32
2019/0289960 A1 * 9/2019 Loveder A43B 13/183

FOREIGN PATENT DOCUMENTS

CN 203378623 U 1/2014
EP 2 564 719 A1 3/2013
EP 2 424 398 B1 12/2015
ES 2 442 448 A1 2/2014
ES 2 578 730 A1 7/2016
JP 2014-151201 U 8/2014
JP 3192899 U 9/2014
WO 2010/126708 A2 11/2010
WO 2014/008331 A2 1/2014
WO 2014/015037 A2 1/2014
WO 2014/100462 A1 6/2014
WO 2015/169941 A1 11/2015
WO 2015/169942 A1 11/2015
WO 2016/066750 A1 5/2016

OTHER PUBLICATIONS

Extended European Search Report for European Application No. 18164189, dated Aug. 3, 2018, 9 pages.
Reebok Flexagon, Reebok.com, [online], [site visited Sep. 26, 2018]. <URL: <https://www.reebok.com/us/reebok-flexagon/CN2583.html>> (Year: 2018).
Reebok Flexagon Training Shoes, Behance.net, Ilija Nikolic, Published: Aug. 11, 2018, [online], [site visited Sep. 26, 2018]. <URL: https://www.behance.net/gallery/68953047/REEBOK-FLEXAGON-Training-Shoes?tracking_source=curated_galleries_list> (Year: 2018).
Top Tennis Shoes Featuring a 6-Month Outsole Warranty, TennisExpress.com, Chris Worman, Feb. 19, 2018, [online], [site visited Sep. 26, 2018]. <URL: <https://blogs.tennisexpress.com/blogs/top-tennis-shoes-featuring-a-6-month-outsole-warranty/>> (Year: 2018).

* cited by examiner



FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5



FIG. 6



FIG. 7

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : D880,120 S
APPLICATION NO. : 29/637344
DATED : April 7, 2020
INVENTOR(S) : Fick et al.

Page 1 of 5

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:


On the Title Page

Delete the title page and substitute therefore with the attached title page consisting of the corrected illustrative figure(s).

In the Drawings

Please replace FIGS. 2-6 with FIGS. 2-6 as shown on the attached pages.

Signed and Sealed this
Twentieth Day of October, 2020



Andrei Iancu
Director of the United States Patent and Trademark Office

(12) **United States Design Patent** (10) **Patent No.:** **US D880,120 S**
Fick et al. (45) **Date of Patent:** **** Apr. 7, 2020**

(54) **SOLE**
 (71) Applicant: **adidas AG**, Herzogenaurach (DE)
 (72) Inventors: **Florian Josel Fick**, Nuremberg (DE);
Pradeepan Indrakumar, Portland, OR
 (US); **Yuehong Tu**, Portland, OR (US)
 (73) Assignee: **adidas AG**, Herzogenaurach (DE)

D107,977 S 1/1938 Tousley
 D113,620 S * 3/1939 Cairns D2/955
 D115,636 S 7/1939 Sperry
 2,205,356 A * 6/1940 Gruensfelder A43B 1/02
 36/51
 D123,898 S 12/1940 Tousley
 D138,517 S * 8/1944 Meltzer D2/947
 2,853,809 A 9/1958 Bianchi
 D196,491 S 10/1963 Papoutsy
 (Continued)

(**) Term: **15 Years**

FOREIGN PATENT DOCUMENTS

(21) Appl. No.: **29/637,344**

CN 101611953 A 12/2009
 CN 102578760 A 7/2012
 (Continued)

(22) Filed: **Feb. 15, 2018**

(51) **LOC (12) CL.** **02-04**
 (52) **U.S. CL.**
 USPC **D2/951; D2/947; D2/953; D2/957;**
D2/960

OTHER PUBLICATIONS

(58) **Field of Classification Search**
 USPC D2/902, 906, 908, 916, 918, 925,
 D2/946-962, 977; 36/3 B, 22 R, 24.5,
 36/25 R, 28, 32 R, 34 R, 59 C, 67 A, 103
 CPC A43B 13/00; A43B 13/02; A43B 13/023;
 A43B 13/026; A43B 13/04; A43B 13/08;
 A43B 13/10; A43B 13/12; A43B 13/14;
 A43B 13/141; A43B 13/143; A43B
 13/16; A43B 13/18; A43B 13/181; A43B
 13/187; A43B 13/189; A43B 13/20; A43B
 13/22; A43B 13/223; A43B 13/24; A43B
 13/28; A43B 13/30; A43B 13/32; A43B
 13/34; A43B 13/36

"adidas Breaks the Mould With 3D-Printed Performance Footwear,"
 adidas Group, dated Oct. 7, 2015, < <http://www.adidas-group.com/en/media/news-archive/press-releases/2015/adidas-breaks-mould-3d-printed-performance-footwear/>>.
 (Continued)

See application file for complete search history.

Primary Examiner — T Chase Nelson
 (74) *Attorney, Agent, or Firm* — Sterne, Kessler,
 Goldstein & Fox P.L.L.C.

(56) **References Cited**

(57) **CLAIM**
 The ornamental design for a sole, as shown and described.


U.S. PATENT DOCUMENTS

354,693 A * 12/1886 Dick A43B 17/006
 36/3 B
 D29,749 S 11/1898 Bunker
 1,111,437 A 9/1914 Butterfield
 D90,057 S * 5/1933 Van Cleef D2/949

DESCRIPTION

FIG. 1 is a bottom rear perspective view of a sole showing the claimed design;
 FIG. 2 is a front view thereof;
 FIG. 3 is a rear view thereof;
 FIG. 4 is a left side view thereof;
 FIG. 5 is a right side view thereof;
 FIG. 6 is a top view thereof; and,
 FIG. 7 is a bottom view thereof.

1 Claim, 5 Drawing Sheets






FIG. 2




FIG. 3




FIG. 4




FIG. 5



FIG. 6