



US00D880407S

(12) **United States Design Patent** (10) **Patent No.:** **US D880,407 S**
Schultz et al. (45) **Date of Patent:** **** Apr. 7, 2020**

(54) **TIRE**
(71) Applicant: **Bridgestone Americas Tire Operations, LLC**, Nashville, TN (US)
(72) Inventors: **David E. Schultz**, Stow, OH (US);
Brandon P. Nelson, Stow, OH (US)
(73) Assignee: **Bridgestone Americas Tire Operations, LLC**, Nashville, TN (US)
(**) Term: **15 Years**

D641,684 S 7/2011 Cerny
D645,398 S * 9/2011 Kiwaki D12/602
D645,399 S * 9/2011 Kiwaki D12/602
D651,968 S 1/2012 Westaway
D660,224 S 5/2012 Takahashi
D675,559 S 2/2013 Yamada
D710,296 S * 8/2014 Bani Hani D12/583
D718,226 S 11/2014 Cerny
D742,812 S 11/2015 Hutz et al.
D744,414 S * 12/2015 Hutz D12/583
D744,939 S 12/2015 Hutz et al.
D751,975 S 3/2016 Cerny et al.

(Continued)

(21) Appl. No.: **29/656,957**
(22) Filed: **Jul. 18, 2018**
(51) **LOC (12) Cl.** **12-15**
(52) **U.S. Cl.**
USPC **D12/583**
(58) **Field of Classification Search**
USPC D12/568, 574-604
CPC Y10T 152/10027; B60C 1/0016; B60C
11/0306; B60C 11/0302; B60C 3/06;
B60C 9/17
See application file for complete search history.

OTHER PUBLICATIONS

Photograph of Bridgestone M860 tire, Bennett Garfield, Bridgestone M860, 2012 Tread Design Guide, Tire Guides, Inc., vol. 47, p. 90, Boca Raton, Florida.

(Continued)

Primary Examiner — Lakiya G Rogers
Assistant Examiner — John A Voytek

(57) CLAIM

The ornamental design for a tire, as shown and described.

DESCRIPTION



FIG. 1 is a side perspective view of a tire showing our new design, the pattern repeating uniformly around the circumference of the tire;
FIG. 2 is a front elevational view thereof;
FIG. 3 is an enlarged fragmentary view showing the details of our new design; and,
FIG. 4 is a left side view thereof, the right side being a mirror image.
The broken lines defining the tread lug walls, sidewall, inner bead, and the tread shoulder ribs depict environmental subject matter that forms no part of the claimed design.

1 Claim, 4 Drawing Sheets

(56) References Cited

U.S. PATENT DOCUMENTS

D380,999 S 7/1997 Lurois et al.
D444,740 S 7/2001 Le et al.
D455,117 S 4/2002 Guspodin et al.
D493,415 S 7/2004 Noailly
D500,472 S * 1/2005 Campana D12/583
D548,174 S 8/2007 Souchet
D585,815 S 2/2009 Jeromin
D598,369 S 8/2009 Beha
D609,167 S 2/2010 Regallis et al.
D624,490 S 9/2010 Kaji
D633,032 S * 2/2011 Su D12/583
D637,152 S 5/2011 Maus et al.
D641,314 S * 7/2011 Strader D12/583



(56) **References Cited**

U.S. PATENT DOCUMENTS

D753,055 S 4/2016 Sato et al.
D768,561 S * 10/2016 Brown D12/583
D780,105 S * 2/2017 Renis D12/596
D833,966 S * 11/2018 Louzri D12/596
D834,511 S * 11/2018 Wang D12/602
D845,222 S * 4/2019 Wu D12/596

OTHER PUBLICATIONS

Schultz, David E. et al., Design U.S. Appl. No. 29/656,958, filed Jul. 18, 2018 entitled “Tire”.

* cited by examiner




Fig. 1




Fig. 2




Fig. 3




Fig. 4