



US00D880415S

(12) **United States Design Patent** (10) **Patent No.:** **US D880,415 S**  
**Kamada** (45) **Date of Patent:** **\*\* Apr. 7, 2020**

(54) **TIRE SIDEWALL**  
(71) Applicant: **Bridgestone Corporation**, Tokyo (JP)  
(72) Inventor: **Shiho Kamada**, Tokyo (JP)  
(73) Assignee: **Bridgestone Corporation**, Chuo-ku,  
Tokyo (JP)

D700,886 S \* 3/2014 Matsumoto ..... D12/605  
D701,826 S \* 4/2014 Morito ..... D12/605  
D708,121 S \* 7/2014 Iwabuchi ..... D12/605  
D711,816 S \* 8/2014 Iwabuchi ..... D12/605  
D726,645 S \* 4/2015 Scheifele ..... D12/605  
D768,067 S \* 10/2016 Kuwano ..... D12/605  
D792,340 S \* 7/2017 Iwabuchi ..... D12/605  
D800,646 S \* 10/2017 Sato ..... D12/605  
D800,647 S \* 10/2017 Morito ..... D12/605

(Continued)

(\*\*) Term: **15 Years**  
(21) Appl. No.: **29/672,070**  
(22) Filed: **Dec. 3, 2018**

FOREIGN PATENT DOCUMENTS

JP 1369035 S 9/2009  
JP 1369171 S 9/2009  
JP 1368780 S 1/2010

(Continued)

(30) **Foreign Application Priority Data**

Jun. 5, 2018 (JP) ..... 2018-012353

(51) **LOC (12) Cl.** ..... **12-15**  
(52) **U.S. Cl.**  
USPC ..... **D12/605**  
(58) **Field of Classification Search**  
USPC ..... D12/604, 605  
CPC ..... B60C 13/00; B60C 1/00  
See application file for complete search history.

Primary Examiner — Michelle E. Wilson

Assistant Examiner — Clese Moore, Jr.

(74) *Attorney, Agent, or Firm* — Sughrue Mion, PLLC

(57) **CLAIM**

The ornamental design for a tire sidewall, as shown and described.

**DESCRIPTION**


FIG. 1 is a perspective view of a tire sidewall showing my new design;  
FIG. 2 is a front view thereof;  
FIG. 3 is a top view thereof;  
FIG. 4 is a right side view thereof;  
FIG. 5 is a rear view thereof;  
FIG. 6 is a fragmentary enlarged front view taken along line 6-6 in FIG. 2; and,  
FIG. 7 is a fragmentary enlarged view taken along line 7-7 in FIG. 6.  
Broken lines in the drawing figures are intended to show portions of the tire sidewall that are not being claimed, and thus form no part of the claimed invention.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D543,933 S \* 6/2007 Shondel ..... D12/605  
D569,337 S \* 5/2008 Iwabuchi  
D569,792 S \* 5/2008 Holden ..... D12/605  
D588,532 S \* 3/2009 Shondel ..... D12/605  
D596,119 S \* 7/2009 Fujita  
D606,013 S \* 12/2009 Reese ..... D12/605  
D608,273 S \* 1/2010 Scheifele ..... D12/605  
D610,978 S \* 3/2010 Harvey ..... D12/605  
D656,090 S \* 3/2012 Sato ..... D12/605  
D671,066 S \* 11/2012 Morito ..... D12/605  
D681,546 S \* 5/2013 Sato ..... D12/605  
D681,547 S \* 5/2013 Sato ..... D12/605  
D683,695 S \* 6/2013 Takeshima ..... D12/605  
D695,211 S \* 12/2013 Yasunaga ..... D12/605

**1 Claim, 7 Drawing Sheets**



(56)

**References Cited**

U.S. PATENT DOCUMENTS


D829,644 S \* 10/2018 Morita ..... D12/605  
D829,645 S \* 10/2018 Morita ..... D12/605

FOREIGN PATENT DOCUMENTS


JP           1446572 S       7/2012  
JP           1483694 S       11/2014  
KR           30-0571022 S      8/2010

\* cited by examiner

*FIG. 1*




*FIG. 2*




*FIG. 3*




*FIG. 4*



*FIG. 5*



*FIG. 6*





*FIG. 7*

