



US00D880689S

(12) **United States Design Patent**
Formica et al.

(10) **Patent No.:** **US D880,689 S**

(45) **Date of Patent:** **** Apr. 7, 2020**

(54) **CADDY FOR POSITIVE AIRWAY PRESSURE BREATHING DEVICE**

D495,056 S * 8/2004 Watanabe D24/189
D547,863 S 7/2007 Heinsch
D605,299 S * 12/2009 Iwahashi D24/189
D616,564 S * 5/2010 Galano D24/224

(71) Applicant: **ResMed Pty Ltd**, Bella Vista, New South Wales (AU)

(Continued)

(72) Inventors: **Justin John Formica**, Sydney (AU);
Max William Andrew Kabilafkas, Sydney (AU)

OTHER PUBLICATIONS

Formica et al., U.S. Appl. No. 29/610,202, filed Apr. 20, 2018, entitled "Caddy for Positive Airway Pressure Breathing Device," (parent application).

(73) Assignee: **ResMed Pty Ltd**, Bella Vista (AU)

Primary Examiner — Nathan M Johnston

(**) Term: **15 Years**

(74) *Attorney, Agent, or Firm* — Nixon & Vanderhye P.C.

(21) Appl. No.: **29/689,342**

(57) **CLAIM**

(22) Filed: **Apr. 29, 2019**

The ornamental design for a caddy for positive airway pressure breathing device, as shown and described.

Related U.S. Application Data

DESCRIPTION

(62) Division of application No. 29/601,202, filed on Apr. 20, 2017, now Pat. No. Des. 853,557.

(51) **LOC (12) Cl.** **24-01**

(52) **U.S. Cl.**
USPC **D24/128**

(58) **Field of Classification Search**
USPC D24/128, 108, 111, 112, 114, 127, 129, D24/130, 133, 141, 146, 147, 152, 186, D24/214, 215; D8/93, 97, 300, 310, 311; D23/223, 262
CPC A61M 16/0488; A61M 16/06; A61M 16/0683; A61M 16/0633; A61M 16/0816; A61M 16/0833

See application file for complete search history.

FIG. 1 is a front perspective view of a caddy for positive airway pressure breathing device showing our new design in a sample environmental setting;
FIG. 2 is an enlarged perspective view thereof, showing the caddy in isolation;
FIG. 3 is a reverse perspective view thereof;
FIG. 4 is another perspective view thereof, without the cradle and positive airway pressure breathing device;
FIG. 5 is a right side view thereof;
FIG. 6 is a left side view thereof;
FIG. 7 is a top view thereof;
FIG. 8 is a bottom view thereof;
FIG. 9 is a rear view thereof; and,
FIG. 10 is a front view thereof.

(56) **References Cited**


U.S. PATENT DOCUMENTS

D220,606 S * 4/1971 Larson D20/22
D221,908 S * 9/1971 Berkowitz D24/227
4,571,245 A 2/1986 Hubbard
5,498,242 A 3/1996 Cooke
D433,133 S * 10/2000 Dyer D24/128

One or more views (e.g., bottom view) may not be shown as those views are unornamented or simply not claimed in a given embodiment.

The broken line showing of parts of the drawings is included for the purpose of illustrating use and environment and forms no part of the claimed design.

1 Claim, 8 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D618,792 S	6/2010	Bierman	
D625,017 S *	10/2010	Iwahashi	D24/189
D657,055 S	4/2012	Damber	
D708,347 S *	7/2014	Lober	D24/227
D712,205 S *	9/2014	Yoder	D7/600.1
D721,805 S	1/2015	Hilliard	
D726,326 S *	4/2015	Schrammel	D24/189
D737,986 S	9/2015	Arbesman	
D738,526 S	9/2015	Huang	
D746,479 S	12/2015	Arefieg	
D793,549 S	8/2017	Defusco	
D802,757 S	11/2017	Snyder	
D804,659 S	12/2017	Hood	
D808,538 S *	1/2018	Li	D24/207
D814,644 S *	4/2018	Hensley	D24/186
D817,486 S	5/2018	Corato	
D848,622 S *	5/2019	Zuckerman-Stark	D24/186

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4



FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9



FIG. 10