



US00D880689S

(12) **United States Design Patent** (10) **Patent No.:** **US D880,689 S**  
**Formica et al.** (45) **Date of Patent:** **\*\* Apr. 7, 2020**

(54) **CADDY FOR POSITIVE AIRWAY PRESSURE BREATHING DEVICE**

D495,056 S \* 8/2004 Watanabe ..... D24/189  
D547,863 S 7/2007 Heinsch  
D605,299 S \* 12/2009 Iwahashi ..... D24/189  
D616,564 S \* 5/2010 Galano ..... D24/224

(71) Applicant: **ResMed Pty Ltd**, Bella Vista, New South Wales (AU)

(Continued)

(72) Inventors: **Justin John Formica**, Sydney (AU);  
**Max William Andrew Kabilafkas**, Sydney (AU)

**OTHER PUBLICATIONS**

Formica et al., U.S. Appl. No. 29/610,202, filed Apr. 20, 2018, entitled "Caddy for Positive Airway Pressure Breathing Device," (parent application).

(73) Assignee: **ResMed Pty Ltd**, Bella Vista (AU)

*Primary Examiner* — Nathan M Johnston

(\*\*) Term: **15 Years**

(74) *Attorney, Agent, or Firm* — Nixon & Vanderhye P.C.

(21) Appl. No.: **29/689,342**

(57) **CLAIM**

(22) Filed: **Apr. 29, 2019**

The ornamental design for a caddy for positive airway pressure breathing device, as shown and described.

**Related U.S. Application Data**

**DESCRIPTION**

(62) Division of application No. 29/601,202, filed on Apr. 20, 2017, now Pat. No. Des. 853,557.

(51) **LOC (12) Cl.** ..... **24-01**

(52) **U.S. Cl.**  
USPC ..... **D24/128**

(58) **Field of Classification Search**  
USPC ..... D24/128, 108, 111, 112, 114, 127, 129, D24/130, 133, 141, 146, 147, 152, 186, D24/214, 215; D8/93, 97, 300, 310, 311; D23/223, 262  
CPC ..... A61M 16/0488; A61M 16/06; A61M 16/0683; A61M 16/0633; A61M 16/0816; A61M 16/0833  
See application file for complete search history.

FIG. 1 is a front perspective view of a caddy for positive airway pressure breathing device showing our new design in a sample environmental setting;  
FIG. 2 is an enlarged perspective view thereof, showing the caddy in isolation;  
FIG. 3 is a reverse perspective view thereof;  
FIG. 4 is another perspective view thereof, without the cradle and positive airway pressure breathing device;  
FIG. 5 is a right side view thereof;  
FIG. 6 is a left side view thereof;  
FIG. 7 is a top view thereof;  
FIG. 8 is a bottom view thereof;  
FIG. 9 is a rear view thereof; and,  
FIG. 10 is a front view thereof.

(56) **References Cited**


**U.S. PATENT DOCUMENTS**

D220,606 S \* 4/1971 Larson ..... D20/22  
D221,908 S \* 9/1971 Berkowitz ..... D24/227  
4,571,245 A 2/1986 Hubbard  
5,498,242 A 3/1996 Cooke  
D433,133 S \* 10/2000 Dyer ..... D24/128

One or more views (e.g., bottom view) may not be shown as those views are unornamented or simply not claimed in a given embodiment.

The broken line showing of parts of the drawings is included for the purpose of illustrating use and environment and forms no part of the claimed design.

**1 Claim, 8 Drawing Sheets**



(56)

**References Cited**

U.S. PATENT DOCUMENTS

D618,792	S	6/2010	Bierman	
D625,017	S	* 10/2010	Iwahashi .....	D24/189
D657,055	S	4/2012	Damber	
D708,347	S	* 7/2014	Lober .....	D24/227
D712,205	S	* 9/2014	Yoder .....	D7/600.1
D721,805	S	1/2015	Hilliard	
D726,326	S	* 4/2015	Schrammel .....	D24/189
D737,986	S	9/2015	Arbesman	
D738,526	S	9/2015	Huang	
D746,479	S	12/2015	Arefieg	
D793,549	S	8/2017	Defusco	
D802,757	S	11/2017	Snyder	
D804,659	S	12/2017	Hood	
D808,538	S	* 1/2018	Li .....	D24/207
D814,644	S	* 4/2018	Hensley .....	D24/186
D817,486	S	5/2018	Corato	
D848,622	S	* 5/2019	Zuckerman-Stark .....	D24/186

\* cited by examiner




FIG. 1






FIG. 2




FIG. 3






FIG. 4



FIG. 5




FIG. 6




FIG. 7







FIG. 8



**FIG. 9**



**FIG. 10**