

US00D880721S

(12)

United States Design Patent

Banes et al.

(10) Patent No.: US D880,721 S

(45) Date of Patent: ** Apr. 7, 2020

(54) APPARATUS FOR PATTERNING CELLS

(71) Applicant: MedTrain Technologies, LLC,
Hillsborough, NC (US)

(72) Inventors: Albert J. Banes, Hillsborough, NC
(US); Colin Patrick Frazier, Raleigh,
NC (US); Christopher James
Wimmer, Raleigh, NC (US)

(73) Assignee: MedTrain Technologies, LLC,
Burlington, NC (US)

(**) Term: 15 Years

(21) Appl. No.: 29/607,853

(22) Filed: Jun. 16, 2017

Related U.S. Application Data

(63) Continuation of application No. 13/921,887, filed on
Jun. 19, 2013, now abandoned.

(51) LOC (12) Cl. 24-02

(52) U.S. Cl.
USPC D24/224

(58) Field of Classification Search
USPC D24/101, 103, 181, 224, 226, 229, 231;
D7/672

See application file for complete search history.

(56) References Cited

U.S. PATENT DOCUMENTS

2,521,475	A	9/1950	Nickolas
4,087,327	A	5/1978	Feder et al.
4,228,243	A	10/1980	Iizuka
4,623,355	A	11/1986	Sawruk
4,642,220	A	2/1987	Bjorkman
4,695,547	A	9/1987	Hilliard et al.
4,831,869	A	5/1989	Fowler et al.
4,839,280	A	6/1989	Banes
4,839,292	A	6/1989	Cremonese
4,851,354	A	7/1989	Winston et al.
4,908,319	A	3/1990	Smyczek et al.
4,940,853	A	7/1990	Vandenburgh

4,974,952	A	12/1990	Focht	
5,153,136	A	10/1992	Vandenburgh	
5,240,854	A	8/1993	Berry et al.	
5,273,905	A	12/1993	Muller et al.	
5,348,879	A	9/1994	Shapiro et al.	
5,414,556	A	5/1995	Focht	
5,460,945	A	10/1995	Springer et al.	
5,496,697	A	3/1996	Parce et al.	
5,518,909	A	5/1996	Banes	
5,686,303	A	11/1997	Korman	
5,843,766	A	12/1998	Applegate et al.	
D411,308	S *	6/1999	Pandey	D24/216
5,958,760	A	9/1999	Freeman	
6,015,590	A	1/2000	Suntola et al.	
6,037,141	A	3/2000	Banes	
6,048,723	A *	4/2000	Banes	C12M 23/12 435/288.3
6,207,451	B1	3/2001	Dennis et al.	
6,218,178	B1	4/2001	Banes	
6,472,202	B1	10/2002	Banes	
6,586,235	B1	7/2003	Banes	
6,645,759	B2	11/2003	Banes	
6,998,265	B2	2/2006	Banes	
D522,145	S *	5/2006	Best	D10/81
7,186,548	B2	3/2007	Li	
7,738,682	B2	6/2010	Banes et al.	
D632,386	S *	2/2011	Chang	D24/101
D697,073	S *	1/2014	Andersson	D14/485
D708,760	S *	7/2014	Smeja	D24/229
D720,844	S *	1/2015	Wells	D24/101
D736,403	S *	8/2015	Hudson	D24/216
D754,840	S *	4/2016	Waldman	D24/101
D767,163	S *	9/2016	Schimmel	D24/226
D793,258	S *	8/2017	Buber	D10/81
D828,122	S *	9/2018	Levine	D7/675
2004/0142411	A1	7/2004	Kirk et al.	
2005/0153273	A1	7/2005	Wikswow et al.	
2006/0270023	A1	11/2006	LeDuc et al.	
2007/0077653	A1	4/2007	Banes	
2013/0337565	A1 *	12/2013	Banes	C12M 35/04 435/401



FOREIGN PATENT DOCUMENTS

GB 2155948 A 10/1985

OTHER PUBLICATIONS

Andarawis-Puri et al. "Rotator cuff tendon strain correlates with tear propagation," J. Biomech, Jan. 9, 2009, pp. 158-163, vol. 42, No. 2.

Banes et al., "Mechanical forces and signaling in connective tissue cells: cellular mechanisms of detection, transduction, and responses



to mechanical deformation,” *Current Opinion in Orthopaedics*, 2001, pp. 389-396, vol. 12.

Clark et al., “Integrins and signal transduction pathways: the road taken,” *Science*, 1995, 6 pages, vol. 268.

Di Carlo et al. “Single-Cell Enzyme Concentrations, Kinetics, and Inhibition Analysis Using High-Density Hydrodynamic Cell Isolation Arrays,” *Anal. Chem.* Jul. 15 2006, pp. 4925-4930, vol. 78, No. 14.

Discher et al., “Tissue Cells Feel and Respond to the Stiffness of Their Substrate,” *Science*, Nov. 18 2005, pp. 1139-1143, vol. 310, No. 5751.

Duncan et al., “Mechanotransduction and the Functional Response of Bone to Mechanical Strain,” *Calcif Tissue Int*, 1995, pp. 344-358, vol. 57.

Howard et al., “Mechanoelectrical Transduction by Hair Cells,” *Ann. Rev. Biophys. Biophys. Chem.*, 1988, pp. 99-124, vol. 17.

Hellmich et al., “Single cell manipulation, analytics and label-free protein detection in microfluidic devices for systems nanobiology,” *Electrophoresis*, 2005, pp. 3689-3696, vol. 26.

Irimia et al. “Cell Handling using microstructured membranes,” *Lab Chip*, 2006, pp. 345-352, vol. 6.

Irimia et al., “Single-Cell Chemical Lysis in Picoliter-Scale Closed Volumes Using a Microfabricated Device,” *Anal. Chem.*, Oct. 1, 2004, pp. 6137-6143, vol. 76, No. 20.

Li et al., “Biology on a chip: Microfabrication for Studying the Behavior of Cultured Cells,” *Critical Reviews in Biomedical Engineering*, 2003, pp. 423-488, vol. 31, Nos. 5&6.

Long et al., “Low magnitude of tensile strain inhibits IL-1beta-dependent induction of pro-inflammatory cytokines and induces synthesis of IL-10 in human periodontal ligament cells in vitro,” *J Dent Res*. 2001, pp. 1416-1420, vol. 80, No. 5.

Long et al., “Tumor Necrosis Factor alpha-dependent Proinflammatory Gene Induction Is Inhibited by Cyclic Tensile Strain in Articular Chondrocytes in Vitro.” *Arthritis & Rheumatism*, Oct. 2001, pp. 2311-2319, vol. 44, No. 10.

Martini et al., “Systems Nanobiology: From Quantitative Single Molecule Biophysics to Microfluidic-based Single Cell Analysis,” *Subcellular Proteomics*, 2007, Chapter 14, pp. 301-321.

McClain et al., “Microfluidic Devices for the High-Throughput Chemical Analysis of Cells,” *Anal. Chem.*, Nov. 1, 2003, pp. 5646-5655, vol. 75, No. 21.

Mijatovic et al., “Technologies for nanofluidic systems: top-down vs. bottom-up—a review,” *Lab Chip*, 2005, 5, pp. 492-500.

Munce et al., “Microfabricated System for Parallel Single-Cell Capillary Electrophoresis,” *Anal Chem.*, Sep. 1, 2004, pp. 4983-4989, vol. 76, No. 17.

Munoz-Pinedo et al., “Confocal restricted-height imaging of suspension cells (CRISC) in a PDMS microdevice during apoptosis,” *Lab Chip*, 2005, pp. 628-633, vol. 5.

Nevill et al. “Integrated microfluidic cell culture and lysis on a chip,” *Lab Chip*, 2007, pp. 1689-1695, vol. 7, No. 12.

Ostuni et al., “Patterning Mammalian Cells Using Elastomeric Membranes,” *Langmuir*, 2000, pp. 7811-7819, vol. 16.

Reyes et al., “Micro Total Analysis Systems. 1. Introduction, Theory, and Technology,” *Anal. Chem.*, Jun. 15, 2002, pp. 2623-2636, vol. 74, No. 12.

Riveline et al., “Focal Contacts as Mechanosensors: Externally applied Local Mechanical Force Induces Growth of Focal Contacts by an mDial1-dependent and Rock-independent Mechanism,” *Journal of Cell Biology*, Jun. 11, 2001, pp. 1175-1185, vol. 153, No. 6.

Ros et al., “Bioanalysis in structured microfluidic systems,” *Electrophoresis*, 2006, pp. 2651-2658, vol. 27.

Sims et al., “Analysis of single mammalian cells on-chip,” *Lab Chip*, 2007, pp. 423-440, vol. 7.

Svahn et al., “Single cells or large populations?,” *Lab Chip*, 2007, 544-546, vol. 7.

Tourovskaya et al., “Differentiation-on-a-chip: A microfluidic platform for long-term cell culture studies,” *Lab Chip*, 2005, pp. 14-19, vol. 5.

Unger et al., “Monolithic Microfabricated Valves and Pumps by Multilayer Soft Lithography,” *Science*, Apr. 7, 2000, pp. 113-116, vol. 288.

Voleti et al., “Tendon healing: repair and regeneration.” *Annu. Rev. Biomed. Eng.*, 2012, pp. 47-71, vol. 14.

Wall et al., “Comparison of cellular strain with applied substrate strain in vitro,” *Journal of Biomechanics*, 2007, pp. 173-181, vol. 40.

Whitesides et al., “Soft Lithography in Biology and Biochemistry,” *Annu. Rev. Biomed. Eng.*, 2001, pp. 335-373, vol. 3.

Yang et al., “Hydrodynamic simulation of cell docking in microfluidic channels with different dam structures,” *Lab Chip*, 2004, pp. 53-59, vol. 4.

Yang et al. “Cell Docking and On-Chip Monitoring of Cellular Reactions with a Controlled Concentration Gradient on a Microfluidic Device,” *Anal. Chem.*, Aug. 15, 2002, pp. 3991-4001, vol. 74 No. 16.

* cited by examiner

Primary Examiner — Vy N Koenig

(74) *Attorney, Agent, or Firm* — The Webb Law Firm

(57)

CLAIM

The ornamental design for an apparatus for patterning cells, as shown and described.

DESCRIPTION

FIG. 1 shows a top view of an apparatus for patterning cells showing our new design, according to a first tricuspid embodiment of the present invention.

FIG. 2 shows a top perspective view thereof.

FIG. 3 shows a bottom view thereof.

FIG. 4 shows a bottom perspective view thereof.

FIG. 5 shows a top view of an apparatus for patterning cells showing our new design, according to a second tricuspid embodiment of the present invention.

FIG. 6 shows a top perspective view of a tricuspid embodiment of the present invention.

FIG. 7 shows a bottom view thereof.

FIG. 8 shows a bottom perspective view thereof.

FIG. 9 shows a top view of an apparatus for patterning cells showing our new design, according to a third tricuspid embodiment of the present invention.

FIG. 10 shows a top perspective view thereof.

FIG. 11 shows a bottom view thereof.

FIG. 12 shows a bottom perspective view thereof.

FIG. 13 shows a top view of an apparatus for patterning cells showing our new design, according to a fourth tricuspid embodiment of the present invention.

FIG. 14 shows a top perspective view thereof.

FIG. 15 shows a bottom view thereof.

FIG. 16 shows a bottom perspective view thereof.

FIG. 17 shows a top view of an apparatus for patterning cells showing our new design, according to a fifth tricuspid embodiment of the present invention.

FIG. 18 shows a top perspective view thereof.

FIG. 19 shows a bottom view thereof.

FIG. 20 shows a bottom perspective view thereof.

FIG. 21 shows a top view of a tricuspid embodiment of the present invention.

FIG. 22 shows a top perspective view of an apparatus for patterning cells showing our new design, according to a sixth tricuspid embodiment of the present invention.

FIG. 23 shows a bottom view thereof; and,

FIG. 24 shows a bottom perspective view thereof.

The broken lines in FIGS. 1-24 show portions of the invention which form no part of the claimed design. The

broken lines in FIGS. 1-24 are environmental only and are not part of the claimed design.

1 Claim, 12 Drawing Sheets




FIG. 1






FIG. 2

**FIG. 3****FIG. 4**




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15






FIG. 16

**FIG. 17****FIG. 18**




FIG. 19




FIG. 20




FIG. 21




FIG. 22




FIG. 23




FIG. 24