



US00D880763S

(12) **United States Design Patent** (10) **Patent No.:** **US D880,763 S**
McNamara (45) **Date of Patent:** **** Apr. 7, 2020**

(54) **GLASS SHADE MOUNT FOR A CONTAINED CANDLE**

(71) Applicant: **Paul McNamara**, Northampton, MA (US)

(72) Inventor: **Paul McNamara**, Northampton, MA (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/675,313**

(22) Filed: **Dec. 31, 2018**

(51) **LOC (12) Cl.** **26-05**

(52) **U.S. Cl.**
USPC **D26/138**

(58) **Field of Classification Search**

USPC D26/61, 72, 74, 76, 78–83, 85, 86, 88,
D26/90, 93, 111, 113, 118, 119, 120, 121,
D26/122, 138, 139, 140, 141, 142, 152
CPC F21S 2/00; F21S 4/00; F21S 4/003; F21S
4/005; F21S 4/006; F21S 4/007; F21S
4/008; F21S 6/00; F21S 8/00; F21S
8/024; F21S 8/026; F21S 8/031; F21S
8/033; F21S 8/035–037; F21S 8/04; F21S
8/043; F21S 8/063

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D84,912 S * 8/1931 Allen D26/142
D232,321 S * 8/1974 Boissevain D26/141
D377,843 S * 2/1997 Schering D26/138
D465,061 S * 10/2002 Guthrie D23/269
D589,207 S * 3/2009 Fujiwara D26/138
D604,896 S * 11/2009 Chen D26/142
7,614,876 B1 * 11/2009 Ward-Kubik F23D 3/16
248/511

D654,214 S * 2/2012 Huang D26/139
D681,867 S * 5/2013 Wegger D26/124
D741,538 S * 10/2015 Ghasabi D26/138
D745,210 S * 12/2015 Serwacki D26/138
D770,084 S * 10/2016 Salomon D26/138
D785,852 S * 5/2017 Rashidi Doust D26/138
D806,309 S * 12/2017 Amato D26/142
D811,001 S * 2/2018 Fitzwater, II D26/142
D818,185 S * 5/2018 Wilson D26/138
D818,192 S * 5/2018 Price D26/138
D859,732 S * 9/2019 Robinson D26/138

* cited by examiner

Primary Examiner — Natasha Vujcic

(74) *Attorney, Agent, or Firm* — Keeley DeAngelo LLP;
W Scott Keeley

(57) **CLAIM**

The ornamental design for a glass shade mount for a contained candle, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a glass shade mount for a contained candle showing the new design;

FIG. 2 is a front bottom perspective view thereof;

FIG. 3 is a front perspective view shown in a position of use thereof;

FIG. 4 is an exploded perspective view shown in a position of use thereof;

FIG. 5 is a front elevation view, the rear view being a mirror image thereof;


FIG. 6 is a left side elevation view the right side view being a mirror image thereof;

FIG. 7 is a top plan view; and,

FIG. 8 is a bottom plan view thereof.

The broken lines in the drawings illustrates the environment of the glass shade mount for a contained candle which forms no part of the claimed design.

1 Claim, 4 Drawing Sheets






Figure 1




Figure 2




Figure 3




Figure 4




Figure 5




Figure 6




Figure 7




Figure 8