



US00D880989S

(12) **United States Design Patent**
Hashimoto et al.

(10) **Patent No.:** **US D880,989 S**
(45) **Date of Patent:** **** Apr. 14, 2020**

- (54) **SHAFT COUPLING**
- (71) Applicant: **Miki Pulley Co., Ltd.**, Kanagawa (JP)
- (72) Inventors: **Takeshi Hashimoto**, Sagamihara (JP);
Ryota Chiba, Yamato (JP)
- (73) Assignee: **MIKI PULLEY CO., LTD.**,
Kawasaki-shi, Kanagawa (JP)
- (**) Term: **15 Years**
- (21) Appl. No.: **29/608,021**
- (22) Filed: **Jun. 19, 2017**
- (51) **LOC (12) Cl.** **08-05**
- (52) **U.S. Cl.**
USPC **D8/360**
- (58) **Field of Classification Search**
USPC D15/28, 148, 149; D8/382, 360, 356,
D8/354, 349; D23/262; D18/43
CPC F16H 55/36; F16H 55/52; A63B 21/00
See application file for complete search history.

| | | | | |
|-------------------|--------|--------|-------|----------------------|
| D678,939 S * | 3/2013 | Huck | | F16D 1/101 D18/43 |
| D678,940 S * | 3/2013 | Huck | | F16D 1/101 D18/43 |
| D679,751 S * | 4/2013 | Huck | | F16D 1/101 D18/43 |
| D680,159 S * | 4/2013 | Huck | | F16D 1/101 D18/43 |
| D702,286 S * | 4/2014 | Huck | | F16D 1/101 D18/43 |
| D706,340 S * | 6/2014 | Lee | | D18/43 |
| D767,375 S * | 9/2016 | Nakano | | D8/360 |
| D783,135 S * | 4/2017 | Sato | | D23/262 |
| D788,271 S * | 5/2017 | Sato | | D23/262 |
| D812,725 S * | 3/2018 | Sato | | D23/262 |
| D816,192 S * | 4/2018 | Sato | | D23/262 |
| 2014/0116608 A1 * | 5/2014 | Sato | | F16D 3/68 156/245 |

* cited by examiner

Primary Examiner — Mark A Goodwin
(74) *Attorney, Agent, or Firm* — Dority & Manning, P.A.

(57) **CLAIM**

We claim the ornamental design for a shaft coupling, as shown and described.

(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | | | |
|--------------|---------|-----------|-------|----------------------|
| D529,527 S * | 10/2006 | Kinoshita | | D15/148 |
| D533,204 S * | 12/2006 | Kinoshita | | D15/149 |
| D618,721 S * | 6/2010 | Wasai | | D18/43 |
| D677,718 S * | 3/2013 | Huck | | F16D 1/101 D18/43 |
| D678,398 S * | 3/2013 | Huck | | F16D 1/101 D18/43 |
| D678,399 S * | 3/2013 | Huck | | F16D 1/101 D18/43 |
| D678,400 S * | 3/2013 | Huck | | F16D 1/101 D18/43 |
| D678,401 S * | 3/2013 | Huck | | F16D 1/101 D18/43 |

DESCRIPTION

FIG. 1 is a front perspective view of a shaft coupling;
FIG. 2 is a front view thereof;
FIG. 3 is a back view thereof;
FIG. 4 is a left side view thereof;
FIG. 5 is a right side view thereof;
FIG. 6 is a top view thereof; and,
FIG. 7 is a bottom view thereof.
The broken lines represent environment and form no part of the claimed design.

1 Claim, 7 Drawing Sheets




Fig.1




Fig.2




Fig.3




Fig.4




Fig.5




Fig. 6




Fig. 7

