



US00D881288S

(12) **United States Design Patent**  
**Katayama et al.**

(10) **Patent No.:** **US D881,288 S**  
(45) **Date of Patent:** **\*\* Apr. 14, 2020**

(54) **ROBOT TOY**

(56) **References Cited**

(71) Applicant: **TOMY COMPANY, LTD.**, Tokyo (JP)

U.S. PATENT DOCUMENTS

(72) Inventors: **Shu Katayama**, Tokyo (JP); **Akiko Ikoma**, Tokyo (JP); **Mitsutoshi Tokuyama**, Tokyo (JP); **Shigeru Kanauchi**, Tokyo (JP); **Tomoyuki Tanaka**, Tokyo (JP)

D286,901 S	*	11/1986	Ohno .....	D21/584
D294,611 S	*	3/1988	Shinohara .....	D21/584
D478,362 S	*	8/2003	Nakase .....	D21/578
D479,862 S	*	9/2003	Takahashi .....	D21/578
D481,081 S	*	10/2003	Okutsu .....	D21/578
D510,963 S	*	10/2005	Nakase .....	D21/578
D555,214 S	*	11/2007	Wong .....	D21/578
D663,792 S	*	7/2012	Wong .....	D21/578

(73) Assignee: **TOMY COMPANY, LTD.**, Tokyo (JP)

\* cited by examiner

(\*\*) Term: **15 Years**

*Primary Examiner* — Sandra L Morris

(21) Appl. No.: **29/671,720**

(74) *Attorney, Agent, or Firm* — Oliff PLC

(22) Filed: **Nov. 29, 2018**

(57) **CLAIM**

The ornamental design for a robot toy, as shown and described.

(30) **Foreign Application Priority Data**

**DESCRIPTION**

Jun. 22, 2018 (JP) ..... 2018-013776

(51) **LOC (12) Cl.** ..... **21-01**


(52) **U.S. Cl.**  
USPC ..... **D21/578**; D21/615

(58) **Field of Classification Search**  
USPC ..... D6/598; D11/158, 162; D21/576–596,  
D21/604–605, 611–613, 615, 617–618,  
D21/621; 446/99, 268, 368–369, 376,  
446/428, 487; 180/8.6; D30/160  
CPC ... A63H 3/00; A63H 3/02; A63H 3/04; A63H  
3/16; A63H 3/28; A63H 3/36; A63H  
7/06; A63H 11/00; A63H 11/10; A63H  
11/20; A63H 11/205; A63H 13/00; A63H  
33/04; A63H 33/08; A63H 33/042; A63H  
23/10

FIG. 1 is a right-side elevational view of the robot toy;  
FIG. 2 is a left-side elevational view thereof;  
FIG. 3 is a front elevational view thereof;  
FIG. 4 is a rear elevational view thereof;  
FIG. 5 is a top plan view thereof;  
FIG. 6 is a bottom plan view thereof;  
FIG. 7 is a front, right-side, top perspective view thereof;  
FIG. 8 is a rear, left-side, bottom perspective view thereof;  
FIG. 9 is a front, right-side, top perspective view of a first alternative configuration thereof;  
FIG. 10 is a rear, left-side, bottom perspective view of the first alternative configuration thereof;  
FIG. 11 is a front, right-side, top perspective view of a second alternative configuration thereof; and,  
FIG. 12 is a rear, left-side, bottom perspective view of the second alternative configuration thereof.

See application file for complete search history.

**1 Claim, 12 Drawing Sheets**








FIG. 1






FIG. 2






FIG. 3




FIG. 4






FIG. 5






FIG. 6






FIG. 7






FIG. 8






FIG. 9






FIG. 10






FIG. 11






FIG. 12