



US00D881402S

(12) **United States Design Patent**
Broyles

(10) **Patent No.:** **US D881,402 S**
(45) **Date of Patent:** **** Apr. 14, 2020**

(54) **TEMPORARY TATTOO COVER**
(71) Applicant: **Beekley Corporation**, Bristol, CT (US)
(72) Inventor: **Mark Broyles**, Plainville, CT (US)
(73) Assignee: **BEEKLEY CORPORATION**, Bristol, CT (US)
(**) Term: **15 Years**

Primary Examiner — Michelle E. Wilson
(74) *Attorney, Agent, or Firm* — McCarter & English, LLP

(21) Appl. No.: **29/634,223**

(57) **CLAIM**

The ornamental design for a temporary tattoo cover, as shown and described.

(22) Filed: **Jan. 19, 2018**

DESCRIPTION

Related U.S. Application Data

This application contains subject matter similar to that disclosed in U.S. application Ser. No. 11/121,253, which was filed May 3, 2005, and is hereby incorporated by reference in its entirety.

(62) Division of application No. 29/335,700, filed on Apr. 20, 2009, now Pat. No. Des. 812,235, which is a
(Continued)

FIG. 1 is a top plan view of a temporary tattoo cover, illustrating an opaque layer and a contrasting transparent or translucent layer underneath the opaque layer, wherein one-half of the opaque layer is removed;

(51) **LOC (12) Cl.** **24-04**
(52) **U.S. Cl.**
USPC **D24/189**

FIG. 2 is a left side elevational view of the temporary tattoo cover of FIG. 1, the right side elevational view is a mirror image of FIG. 2;

(58) **Field of Classification Search**
USPC D24/188–189; 428/40–42, 343, 352,
428/354; 156/556, 542, 521, 256, 95,
156/100; D20/11
(Continued)

FIG. 3 is a front elevational view of the temporary tattoo cover of FIG. 1, the back elevational view is identical to FIG. 3;

(56) **References Cited**

FIG. 4 is a top plan view of an alternative embodiment of a temporary tattoo cover;

U.S. PATENT DOCUMENTS

FIG. 5 is left side elevational view of the temporary tattoo cover of FIG. 4, the right side elevational view is identical to FIG. 5;

168,063 A * 9/1875 Taylor B65D 1/225
220/62
2,304,787 A * 12/1942 Avery B31D 1/021
156/248

FIG. 6 is a front elevational view of the temporary tattoo cover of FIG. 4, the back elevational view is identical to FIG. 6; and,

(Continued)

FIG. 7 is a bottom plan view of the temporary tattoo cover of FIG. 4.

FOREIGN PATENT DOCUMENTS

EP 1225208 A1 7/2002


The broken lines in the figures show structure or boundaries that are not part of the claimed design, but rather show the environment in which the design is associated, or show portions of the article in which the design is embodied or applied to that are not considered part of the claimed design. The vertical shading lines indicate opaque surfaces, and the oblique shading lines indicate contrasting transparent or translucent surfaces.

OTHER PUBLICATIONS

Deviant Art, "Shapeset 04 Crosshairs," Accessed Aug. 24, 2017, <https://www.deviantart.com/art/Shapeset-04-Crosshairs-36547539>, dated Jul. 19, 2006, 3 pages.

(Continued)

1 Claim, 1 Drawing Sheet



US D881,402 S

Related U.S. Application Data
 division of application No. 29/233,284, filed on Jun. 30, 2005, now Pat. No. Des. 590,949.
 (58) **Field of Classification Search**
 CPC A61K 9/0014; A61K 47/00; A61L 26/00; A61F 13/0203; A61F 13/0206; A61F 13/0209; A61F 13/023; A61F 13/0233; G09F 2003/0201; G09F 2003/0208
 See application file for complete search history.

(56) **References Cited**
 U.S. PATENT DOCUMENTS

2,532,011 A * 11/1950 Hendricks C09J 7/38
 428/40.1
 2,905,174 A * 9/1959 Smith A61F 13/0206
 602/42
 RE24,906 E * 12/1960 Ulrich A61F 13/0233
 526/328.5
 3,169,895 A * 2/1965 Sohn B65C 9/1896
 156/361
 3,203,125 A * 8/1965 Stoessel G09F 1/06
 40/124.13
 3,267,623 A * 8/1966 Block B24D 11/008
 451/538
 3,389,827 A * 6/1968 Abere B65D 17/502
 220/359.1
 3,487,832 A * 1/1970 Spence A61F 13/063
 128/894
 3,655,494 A * 4/1972 Buzzell B32B 27/00
 430/10
 3,895,456 A * 7/1975 Fabre A63H 33/062
 446/109
 4,044,708 A 8/1977 Klein
 4,112,213 A * 9/1978 Waldman C09J 7/0217
 427/208.4
 4,131,226 A * 12/1978 Breiter H01M 2/0252
 220/612
 4,217,164 A * 8/1980 La Mers B65C 9/1884
 156/495
 4,310,509 A * 1/1982 Berglund A01N 47/44
 424/448
 4,323,557 A * 4/1982 Rosso A01N 59/12
 424/448
 4,372,303 A * 2/1983 Grossmann A61F 15/005
 128/851
 4,454,180 A * 6/1984 La Mers B65C 9/1884
 156/252
 4,464,834 A * 8/1984 Simms H01R 31/00
 29/854
 4,499,896 A * 2/1985 Heinecke A61F 13/00063
 602/47
 4,506,676 A 3/1985 Duska
 4,545,371 A * 10/1985 Grossmann A61F 15/005
 602/52
 4,558,980 A * 12/1985 Sturdivan B42D 15/042
 229/92.8
 4,597,206 A * 7/1986 Benson A44C 3/001
 24/103
 4,646,731 A * 3/1987 Brower A61B 17/085
 602/57
 4,664,106 A * 5/1987 Snedeker A61F 13/023
 602/52
 4,737,410 A * 4/1988 Kantner C09J 133/062
 428/343
 4,741,793 A * 5/1988 Jones B44C 3/12
 156/249
 4,787,158 A * 11/1988 Vitol G09F 3/02
 156/289
 4,807,755 A * 2/1989 Jones B44C 3/12
 156/299
 4,822,017 A * 4/1989 Griesmyer B41J 13/24
 271/2

4,884,563 A * 12/1989 Sessions A61F 13/023
 602/57
 4,987,019 A * 1/1991 Jones B44C 3/12
 428/131
 5,000,172 A * 3/1991 Ward A61F 13/023
 128/888
 5,018,516 A * 5/1991 Gilman A61F 13/023
 602/52
 D319,669 S * 9/1991 Kronberg D20/18
 RE33,721 E 10/1991 Sims
 RE33,727 E * 10/1991 Sims A61F 15/005
 128/851
 5,061,334 A * 10/1991 Paules B65C 1/021
 156/235
 5,088,483 A * 2/1992 Heinecke A61F 13/023
 128/849
 5,106,629 A * 4/1992 Cartmell A61F 13/0203
 424/443
 5,127,676 A 7/1992 Bockairo
 5,153,040 A * 10/1992 Faasse, Jr. A61F 13/023
 428/131
 5,160,315 A * 11/1992 Heinecke A61F 13/023
 602/57
 D331,575 S * 12/1992 Pike D14/456
 5,188,424 A * 2/1993 Herron A47C 9/10
 248/410
 5,193,106 A * 3/1993 DeSena A61B 90/39
 378/163
 5,264,218 A * 11/1993 Rogozinski A61F 13/023
 424/443
 5,306,271 A * 4/1994 Zinreich A61N 5/1049
 378/162
 5,310,402 A * 5/1994 Rollband A61F 13/0269
 602/42
 5,336,162 A 9/1994 Ota et al.
 5,372,589 A * 12/1994 Davis A61M 25/02
 604/174
 5,395,675 A * 3/1995 Altholz A61F 15/008
 428/195.1
 5,407,440 A 4/1995 Zinreich et al.
 5,411,167 A * 5/1995 Weder A01G 5/04
 220/485
 5,450,046 A * 9/1995 Kosugi H01L 23/552
 333/246
 5,470,351 A * 11/1995 Ross A61N 5/06
 132/319
 5,489,262 A * 2/1996 Cartmell A61F 13/023
 602/57
 5,514,442 A * 5/1996 Galda B65D 51/20
 215/232
 5,520,629 A 5/1996 Heinecke et al.
 5,531,855 A * 7/1996 Heinecke A61F 13/023
 156/248
 5,573,621 A * 11/1996 Boreali B26D 7/088
 156/256
 5,603,197 A 2/1997 Weder
 5,657,198 A * 8/1997 Flener H05F 1/00
 361/212
 5,712,767 A * 1/1998 Koizumi H01L 23/04
 361/761
 5,722,943 A 3/1998 Sessions
 5,738,642 A 4/1998 Heinecke et al.
 5,743,899 A 4/1998 Zinreich
 5,752,967 A 5/1998 Kritzinger et al.
 5,755,681 A * 5/1998 Plews A61F 13/023
 602/52
 5,788,284 A * 8/1998 Hirst G09F 3/10
 283/100
 5,792,092 A * 8/1998 Turngren A61F 15/001
 602/58
 5,800,894 A * 9/1998 Navis B65H 35/004
 428/41.7
 5,830,550 A 11/1998 Treleaven et al.
 5,846,623 A 12/1998 Denny
 5,863,628 A 1/1999 Barry
 D405,116 S * 2/1999 Anderson, II D20/22

(56)

References Cited

U.S. PATENT DOCUMENTS

5,887,590 A * 3/1999 Price A61F 9/04
128/858
D408,541 S * 4/1999 Dunshee D24/189
5,891,078 A * 4/1999 Turngren
5,931,800 A * 8/1999 Rasmussen A61F 13/023
206/441
5,951,505 A * 9/1999 Gilman A61F 13/0253
128/888
6,008,429 A * 12/1999 Ritger A61L 15/58
206/441
6,043,406 A * 3/2000 Sessions A61F 13/023
602/41
D430,674 S * 9/2000 Dunshee D24/189
6,124,522 A * 9/2000 Schroeder A61F 15/001
602/57
6,149,614 A * 11/2000 Dunshee A61F 13/023
206/440
6,169,224 B1 1/2001 Heinecke et al.
6,237,913 B1 * 5/2001 Kamille A63F 3/065
273/139
D444,010 S * 6/2001 Ambrosio D6/716.4
6,269,148 B1 * 7/2001 Jessop G01N 23/04
378/162
6,280,549 B1 * 8/2001 Langan B31D 1/021
156/152
6,315,480 B1 * 11/2001 Martel A45D 34/04
401/132
6,316,073 B1 * 11/2001 Hiscock G09F 3/10
40/710
6,350,339 B1 2/2002 Sessions
D454,910 S * 3/2002 Smith D19/9
D454,955 S * 3/2002 Dunshee D24/189
6,379,790 B1 4/2002 Langan
6,408,916 B1 * 6/2002 Anderson B65C 3/00
156/351
6,440,513 B1 * 8/2002 Kibele A61F 13/023
428/40.1
6,543,809 B1 * 4/2003 Kistner B42D 15/00
206/38
6,622,728 B2 9/2003 Rusin
6,635,004 B2 * 10/2003 Conger B26D 7/1863
225/93
D483,959 S * 12/2003 Howard D6/364

6,656,558 B1 * 12/2003 Sarajian B05B 12/24
428/42.2
6,685,682 B1 * 2/2004 Heinecke A61F 13/023
602/41
6,706,940 B2 3/2004 Worthley
6,833,128 B2 12/2004 Kamimoto
6,945,936 B1 * 9/2005 Kerr A61B 3/16
374/158
D517,122 S * 3/2006 Milliorn G09F 3/10
D20/28
7,342,850 B2 * 3/2008 Martens G11B 7/1369
369/112.23
7,559,669 B2 7/2009 Lin
D599,849 S * 9/2009 Halbur D19/10
7,625,619 B2 * 12/2009 Hodson B32B 7/06
428/40.1
7,781,041 B2 8/2010 Broyles
D624,814 S * 10/2010 Hoppner D9/415
D642,936 S * 8/2011 Hoppner D9/415
D653,286 S * 1/2012 Haas D19/1
8,669,827 B2 * 3/2014 Popelka H01P 1/387
333/1.1
9,750,652 B1 9/2017 Broyles
2002/0107466 A1 * 8/2002 Faasse, Jr. A61F 13/0259
602/57
2002/0115954 A1 * 8/2002 Worthley A61F 13/0259
602/57
2003/0182815 A1 * 10/2003 Carlson, II G06K 19/04
33/566
2004/0116802 A1 * 6/2004 Jessop A61B 90/39
600/414
2004/0127838 A1 * 7/2004 Jeziak A61F 15/008
602/43
2005/0000133 A1 1/2005 Russell
2006/0111656 A1 * 5/2006 Broyles A61F 15/00
602/42
2006/0139118 A1 * 6/2006 Vaughn H01P 1/387
333/1.1
2010/0047510 A1 2/2010 Couvillion

OTHER PUBLICATIONS

3M Health Care, 3M Tegaderm Transparent Dressings-Dressing Application Instructions, Literature file #:70-2008-8120, St. Paul, MN, USA.

* cited by examiner

FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

