



US00D881404S

(12) **United States Design Patent**  
**Wang**

(10) **Patent No.:** **US D881,404 S**

(45) **Date of Patent:** **\*\* Apr. 14, 2020**

- (54) **BELT**
- (71) Applicant: **Lingchuan Wang**, Shanghai (CN)
- (72) Inventor: **Lingchuan Wang**, Shanghai (CN)
- (\*\*) Term: **15 Years**
- (21) Appl. No.: **29/635,833**
- (22) Filed: **Feb. 2, 2018**
- (51) **LOC (12) Cl.** ..... **30-04**
- (52) **U.S. Cl.**  
USPC ..... **D24/190; D29/101.3**
- (58) **Field of Classification Search**  
USPC ..... D2/624-629, 631, 633-640, 701, 859,  
D2/861; D3/224, 226; D24/186, 190;  
D29/101.1, 101.3, 101.5; D21/805  
CPC ..... A41F 11/00; A41F 11/02; A41F 11/04;  
A41F 11/06; A41F 11/14; A41F 11/16;  
A41F 11/18; A41F 17/02; A41F 17/04;  
A41F 19/00; A41F 3/00; A41F 3/02;  
A41F 5/00; A41F 7/00; A41F 9/002;  
A62B 35/00; B60R 2022/006; B60R  
2022/008; B60R 22/00; B60R 22/10;  
A45F 2003/144; A61F 5/02; A61F 5/028;  
A41C 1/08; A41C 1/10  
See application file for complete search history.

- 5,762,619 A \* 6/1998 Simon ..... A61F 5/028  
2/312
  - D403,422 S \* 12/1998 Affholter ..... A45F 3/14  
D24/188
  - D451,605 S \* 12/2001 Snider ..... A45F 3/14  
D24/190
  - D499,846 S \* 12/2004 Cesko ..... A45F 3/14  
D29/101.3
  - D607,572 S \* 1/2010 Jang ..... A61F 5/028  
D24/190
  - D608,008 S \* 1/2010 Jang ..... A61F 5/028  
D24/190
  - D635,682 S \* 4/2011 Chiang ..... A61F 5/02  
D24/190
  - D657,062 S \* 4/2012 Chiang ..... A41C 1/10  
D24/190
  - D657,063 S \* 4/2012 Chiang ..... A61F 5/028  
D24/190
  - 8,795,214 B1 \* 8/2014 Conti ..... A61F 5/02  
602/19
  - D865,978 S \* 11/2019 Watabe ..... D24/190
- (Continued)

*Primary Examiner* — Kevin K Rudzinski  
*Assistant Examiner* — Clare Ann Gannon  
 (74) *Attorney, Agent, or Firm* — Hayes Soloway P.C.

(57) **CLAIM**

The ornamental design for a belt, as shown and described.

**DESCRIPTION**


FIG. 1 is top plan view of the belt in accordance with my design;  
 FIG. 2 is a bottom plan view thereof;  
 FIG. 3 is a right elevational view thereof;  
 FIG. 4 is a left elevational view thereof;  
 FIG. 5 is rear elevational view of the belt;  
 FIG. 6 is a front elevational view thereof; and,  
 FIG. 7 is a perspective view thereof.  
 The broken lines depict portions of the belt that forms no part of the claimed design.

**1 Claim, 3 Drawing Sheets**

(56) **References Cited**

U.S. PATENT DOCUMENTS

- 1,245,602 A \* 11/1917 Lowry ..... A41C 1/10  
450/125
- D156,106 S \* 11/1949 Holly ..... A41F 9/002  
D2/634
- 4,472,839 A \* 9/1984 Johansen ..... A41F 9/002  
128/DIG. 15
- 5,179,942 A \* 1/1993 Drulias ..... A61F 5/028  
128/101.1
- 5,290,307 A \* 3/1994 Choy ..... A61H 39/04  
128/101.1



(56)

**References Cited**

U.S. PATENT DOCUMENTS

2008/0179369 A1\* 7/2008 Marques ..... A45F 3/14  
224/682  
2009/0204042 A1\* 8/2009 Park ..... A61F 5/028  
602/19  
2013/0303956 A1\* 11/2013 Anglada ..... A61F 5/028  
602/19  
2014/0058306 A1\* 2/2014 Bannister ..... A61F 5/02  
602/19  
2014/0303536 A1\* 10/2014 Guldalian ..... A61F 5/028  
602/19  
2015/0141891 A1\* 5/2015 Wang ..... A61F 5/028  
602/19  
2015/0157486 A1\* 6/2015 Wolanske ..... A61F 5/028  
602/19  
2015/0328036 A1\* 11/2015 Frangi ..... A41D 13/0525  
602/19

\* cited by examiner




FIG. 1




FIG. 2



FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7