



US00D881502S

(12) **United States Design Patent**
Field

(10) **Patent No.:** **US D881,502 S**
(45) **Date of Patent:** **** Apr. 14, 2020**

(54) **FLAG HEADSTONE**
(71) Applicant: **John Eric Field**, Sacramento, CA (US)
(72) Inventor: **John Eric Field**, Sacramento, CA (US)
(73) Assignee: **John Eric Field**, Sacramento, CA (US)
(**) Term: **15 Years**
(21) Appl. No.: **29/655,494**
(22) Filed: **Jul. 3, 2018**
(51) **LOC (12) Cl.** **99-00**
(52) **U.S. Cl.**
USPC **D99/17**
(58) **Field of Classification Search**
USPC D99/17, 19, 24, 20, 21; 27/1, 2, 19;
52/103, 136, 104; 40/124.5, 633, 739,
40/740, 790, 792, 794, 604; D11/153,
D11/121, 132, 133; D25/115; D6/661.1;
362/641; 206/213, 216, 494; 428/14, 38;
312/114
CPC A61G 17/00; A61G 17/08; A61G 17/02;
E04H 13/003; E04H 13/00; E04H 13/001;
A47F 3/005; A47G 1/12
See application file for complete search history.

2,841,272 A * 7/1958 Dreier A47F 3/005
206/213
3,420,730 A * 1/1969 Ellefson C03C 17/02
428/38
4,304,076 A * 12/1981 Splendora E04H 13/003
241/DIG. 37
D267,686 S * 1/1983 Dawson D11/131
4,879,145 A * 11/1989 McLellan A47G 1/12
428/14
5,014,472 A * 5/1991 Svensson E04H 13/003
52/103
5,118,171 A * 6/1992 Ortiz A47G 1/12
312/114
D346,520 S * 5/1994 Barfield D6/552
5,546,710 A * 8/1996 Barry E04H 13/003
52/104
5,843,546 A * 12/1998 Eichhorn B24B 19/03
428/38
D422,442 S * 4/2000 Fry D6/559
D430,755 S * 9/2000 Simmons D6/661
D459,566 S * 6/2002 Spencer D99/17
D465,109 S * 11/2002 Bannister D6/661.1
D471,342 S * 3/2003 Spencer D99/17

(Continued)

Primary Examiner — Paula Allen Greene

(57) **CLAIM**

The ornamental design for flag headstone, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of a flag headstone showing my new design

FIG. 2 is a rear elevational view thereof; and,

FIG. 3 is a side elevational view thereof; the opposite side is plain and unornamented.

The design is a unique style of headstone characterized by the imbedded triangular flag-in-case at the top-front of the stone and the etched American flag on the back.

The broken lines depict environment that forms no part of the claimed design.

1 Claim, 1 Drawing Sheet

(56) **References Cited**

U.S. PATENT DOCUMENTS

214,339 A * 4/1879 Wimer 52/104
1,500,870 A * 7/1924 Holdredge E02D 27/02
52/155
1,727,463 A * 9/1929 Cannon G09F 7/18
40/124.5
2,084,521 A * 6/1937 Compton E04H 13/003
52/103
D140,626 S * 3/1945 Olay D6/661
2,535,149 A * 12/1950 McBride B65D 85/00
206/216



(56)

References Cited

U.S. PATENT DOCUMENTS

D471,690 S * 3/2003 Spencer D99/17
D496,876 S * 10/2004 Kalas D11/132
7,207,635 B2 * 4/2007 Simmons A47F 3/002
206/6.1
D544,252 S * 6/2007 Grandstaff D6/559
D591,196 S * 4/2009 LaBlanc D11/132
7,665,881 B2 * 2/2010 Elam E04H 13/003
27/1
D683,105 S * 5/2013 Victor D99/17
8,510,921 B2 * 8/2013 Florea A61G 17/04
27/1
D734,201 S * 7/2015 Eickhof D11/131
9,284,745 B2 * 3/2016 Marco G09F 7/18
D770,721 S * 11/2016 Johnson D99/17
D835,379 S * 12/2018 Singh D99/17

* cited by examiner

Fig. 3




Fig. 2




Fig. 1

