



US00D881665S

(12) **United States Design Patent**  
**Zemel et al.**

(10) **Patent No.:** **US D881,665 S**  
(45) **Date of Patent:** **\*\* Apr. 21, 2020**

- (54) **WEDGE**
- (71) Applicant: **Mr. Bar-B-Q Products LLC**, Melville, NY (US)
- (72) Inventors: **Marc Zemel**, Melville, NY (US);  
**Joanne Rudis**, Melville, NY (US)
- (73) Assignee: **MR. BAR-B-Q PRODUCTS LLC**, Melville, NY (US)
- (\*\*) Term: **15 Years**
- (21) Appl. No.: **29/676,964**
- (22) Filed: **Jan. 16, 2019**
- (51) **LOC (12) Cl.** ..... **08-05**
- (52) **U.S. Cl.**  
USPC ..... **D8/47; D8/402**
- (58) **Field of Classification Search**  
USPC ..... D8/14, 45, 47, 402, 349  
CPC ..... F16M 7/00; A47B 91/00; A47B 91/02;  
A47B 91/112; A47B 91/16  
See application file for complete search history.

- D821,838 S \* 7/2018 Castellanos ..... D8/47
- D856,128 S \* 8/2019 Kazutaka ..... D8/402
- D860,775 S \* 9/2019 Kazutaka ..... D8/402

**OTHER PUBLICATIONS**

<https://www.homedepot.com/p/Shepherd-Wedge-It-White-Plastic-Shims-6-per-Pack-9435/100180016>; retrieved Apr. 16, 2019.  
[https://www.amazon.com/dp/B0785JNYXZ/ref=sspa\\_dk\\_detail\\_1?psc=1&pd\\_rd\\_i=B0785JNYXZ&pd\\_rd\\_wg=nxmHw&pd\\_rd\\_r=J2VQXBC7Z7D553MC37TW&pd\\_rd\\_w=M7aIR](https://www.amazon.com/dp/B0785JNYXZ/ref=sspa_dk_detail_1?psc=1&pd_rd_i=B0785JNYXZ&pd_rd_wg=nxmHw&pd_rd_r=J2VQXBC7Z7D553MC37TW&pd_rd_w=M7aIR); retrieved Apr. 16, 2019.  
[https://www.amazon.com/dp/B01EN6HUHW/ref=sspa\\_dk\\_detail\\_1?psc=1&pd\\_rd\\_i=B01EN6HUHW&pd\\_rd\\_wg=F811K&pd\\_rd\\_r=MDWW0Z8PN0CRR3PFXEE1&pd\\_rd\\_w=LbDtY](https://www.amazon.com/dp/B01EN6HUHW/ref=sspa_dk_detail_1?psc=1&pd_rd_i=B01EN6HUHW&pd_rd_wg=F811K&pd_rd_r=MDWW0Z8PN0CRR3PFXEE1&pd_rd_w=LbDtY); retrieved Apr. 16, 2019.

\* cited by examiner

*Primary Examiner* — Philip S Hyder  
 (74) *Attorney, Agent, or Firm* — Carter, DeLuca & Farrell LLP

(57) **CLAIM**

The ornamental design for a wedge, as shown and described.

(56) **References Cited**


**U.S. PATENT DOCUMENTS**

- D238,745 S \* 2/1976 Bedard ..... D8/47
- 4,135,335 A \* 1/1979 Jensen ..... E04G 25/00  
52/126.1
- 4,830,320 A \* 5/1989 Bellows ..... A47B 91/12  
248/188.2
- 5,249,767 A \* 10/1993 Mellen ..... F16M 7/00  
248/188.2
- D406,028 S \* 2/1999 Montgomery ..... D8/402
- D421,374 S \* 3/2000 Montgomery ..... D8/47
- 6,616,128 B2 \* 9/2003 Selzer ..... A62B 3/005  
254/104
- 6,793,041 B1 \* 9/2004 Taylor ..... E06C 7/44  
182/121
- D538,150 S \* 3/2007 Burns ..... D8/402
- 7,784,751 B1 8/2010 Bellows et al.
- 8,297,567 B1 10/2012 Bellows et al.

**DESCRIPTION**

FIG. 1 is a bottom perspective view of a wedge in accordance with the present design;  
 FIG. 2 is a top perspective view thereof;  
 FIG. 3 is right side elevational view thereof;  
 FIG. 4 is a left side elevational view thereof;  
 FIG. 5 is a rear elevational view thereof;  
 FIG. 6 is a front elevational view thereof;  
 FIG. 7 is a bottom plan view thereof; and,  
 FIG. 8 is a top plan view thereof.  
 The broken lines shown in the drawings illustrate portions of the wedge that form no part of the claimed design.

**1 Claim, 4 Drawing Sheets**








FIG. 1




FIG. 2




FIG. 3



FIG. 4




FIG. 5




FIG. 6






FIG. 7




FIG. 8