



US00D881678S

(12) **United States Design Patent**
Huang et al.

(10) **Patent No.: US D881,678 S**
(45) **Date of Patent: ** Apr. 21, 2020**

(54) **LOCK ESCUTCHEON ASSEMBLY**
(71) Applicant: **TAIWAN FU HSING INDUSTRIAL CO., LTD.,** Kaohsiung (TW)
(72) Inventors: **Chao-Ming Huang,** Kaohsiung (TW);
Chi-Ming Chen, Kaohsiung (TW)
(73) Assignee: **Taiwan Fu Hsing Industrial Co., Ltd.,**
Kaohsiung (TW)
(**) Term: **15 Years**
(21) Appl. No.: **29/673,459**
(22) Filed: **Dec. 14, 2018**
(30) **Foreign Application Priority Data**

D365,744 S * 1/1996 Leung D8/331
D381,253 S * 7/1997 Guidotti D8/331
5,987,945 A * 11/1999 Ruano Aramburu
E05B 47/0692
70/107
D533,047 S * 12/2006 Wright D8/330
D533,762 S * 12/2006 Wright D8/330
D533,763 S * 12/2006 Wright D8/330
D553,953 S * 10/2007 Roberts D8/330
D595,109 S * 6/2009 Doucet D8/330
D607,303 S * 1/2010 Kim D8/331
D626,633 S * 11/2010 Montgomery D23/254
D682,657 S * 5/2013 Roberts, III D8/331
D682,658 S * 5/2013 Cramer D8/331
D736,591 S * 8/2015 Groleski D8/330
D736,596 S * 8/2015 Warmenhoven D8/350
D737,661 S * 9/2015 Chan D8/330
D772,691 S * 11/2016 Han D8/330
D790,951 S * 7/2017 Ferreira Sanchez D8/331
D792,192 S * 7/2017 Huang D8/331

(Continued)

Oct. 11, 2018 (TW) 107306011
(51) **LOC (12) Cl.** **11-05**
(52) **U.S. Cl.**
USPC **D8/350**
(58) **Field of Classification Search**
USPC D8/350, 351, 352, 353, 330, 331, 336,
D8/338, 339, 340, 343, 300, 301;
D10/108, 123, 125, 156, 158, 162, 169,
D10/171, 174, 177, 184
CPC G05B 19/00; G05B 15/00; E05B 49/00;
E05B 49/02; E05B 9/00; E05B 17/00;
E05B 37/00; E05B 3/00; E05B 13/103;
E05B 1/00; E05B 47/00; Y10T 70/8324;
Y10T 70/8459; Y10T 70/8514; Y10T
70/8568
See application file for complete search history.

Primary Examiner — Mark A Goodwin
Assistant Examiner — Benjamin M Weeks
(74) *Attorney, Agent, or Firm* — Rosenberg, Klein & Lee

(57) **CLAIM**

The ornamental design for a lock escutcheon assembly, as shown and described.


DESCRIPTION

FIG. 1 is a perspective view of the lock escutcheon assembly showing our new design;
FIG. 2 is a front elevational view thereof;
FIG. 3 is a rear front elevational view thereof;
FIG. 4 is a left side elevational view thereof;
FIG. 5 is a right side elevational view thereof;
FIG. 6 is a top plan view thereof;
FIG. 7 is a bottom plan view thereof; and,
FIG. 8 is another perspective view thereof.
The broken lines represent portions of the lock escutcheon assembly that form no part of the claimed design.

(56) **References Cited**
U.S. PATENT DOCUMENTS

D349,037 S * 7/1994 Carsello D8/350
D351,982 S * 11/1994 Chen D8/301

1 Claim, 8 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D803,027 S * 11/2017 Huang D8/331

* cited by examiner




FIG.1




FIG.2




FIG.3




FIG.4




FIG.5




FIG.6




FIG.7




FIG.8