



US00D881908S

(12) **United States Design Patent**
Sunil et al.

(10) **Patent No.:** **US D881,908 S**
(45) **Date of Patent:** **** Apr. 21, 2020**

(54) **DISPLAY SCREEN WITH GRAPHICAL USER INTERFACE FOR NETWORK STATUS**

(71) Applicants: **Rinu Sunil**, Bangalore (IN); **Rajesh Kallollikar**, Bangalore (IN)

(72) Inventors: **Rinu Sunil**, Bangalore (IN); **Rajesh Kallollikar**, Bangalore (IN)

(73) Assignee: **Unisys Corporation**, Blue Bell, PA (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/607,234**

(22) Filed: **Jun. 12, 2017**

(51) **LOC (12) Cl.** **14-04**

(52) **U.S. Cl.**
USPC **D14/486**

(58) **Field of Classification Search**
USPC **D14/485-495**

(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

D574,390 S * 8/2008 Lee D14/486
D616,450 S * 5/2010 Simons D14/486

(Continued)

OTHER PUBLICATIONS

“現行システムを Wagby に移行するためのストーリー” Nov. 24, 2015, Hatena Blog, site visited Feb. 7, 2019: <http://yoshinorinie.hatenablog.com/entry/2015/11/24/103225>.*

(Continued)

Primary Examiner — Jack Reickel

(57) **CLAIM**

The ornamental design for a display screen with graphical user interface for network status, as shown and described.

DESCRIPTION

FIG. 1 is a display screen with a graphical user interface for network status

FIG. 2 is an enlarged partial view of the display screen with a graphical user interface for network status of FIG. 1 for clarity.

FIG. 3 is an enlarged partial view of the display screen with a graphical user interface for network status of FIG. 1 for clarity.

FIG. 4 is an enlarged partial view of the display screen with a graphical user interface for network status of FIG. 1 for clarity.

FIG. 5 is an enlarged partial view of the display screen with a graphical user interface for network status of FIG. 1 for clarity.

FIG. 6 is an enlarged partial view of the display screen with a graphical user interface for network status of FIG. 1 for clarity.

FIG. 7 is an enlarged partial view of the display screen with a graphical user interface for network status of FIG. 1 for clarity.

FIG. 8 is an enlarged partial view of the display screen with a graphical user interface for network status of FIG. 1 for clarity.

FIG. 9 is an enlarged partial view of the display screen with a graphical user interface for network status of FIG. 1 for clarity.

FIG. 10 is an enlarged partial view of the display screen with a graphical user interface for network status of FIG. 1 for clarity.

FIG. 11 is an enlarged partial view of the display screen with a graphical user interface for network status of FIG. 1 for clarity.

FIG. 12 is an enlarged partial view of the display screen with a graphical user interface for network status of FIG. 1 for clarity.

FIG. 13 is an enlarged partial view of the display screen with a graphical user interface for network status of FIG. 1 for clarity.

FIG. 14 is an enlarged partial view of the display screen with a graphical user interface for network status of FIG. 1 for clarity.

FIG. 15 is an enlarged partial view of the display screen with a graphical user interface for network status of FIG. 1 for clarity.

(Continued)




FIG. 16 is an enlarged partial view of the display screen with a graphical user interface for network status of FIG. 1 for clarity.

FIG. 17 is an enlarged partial view of the display screen with a graphical user interface for network status of FIG. 1 for clarity; and,

FIG. 18 is an enlarged partial view of the display screen with a graphical user interface for network status of FIG. 1 for clarity.

The evenly spaced broken lines in the FIGS. 1-18 depict portions of the graphical user interface for network status and are part of the claimed design.

The dot dash lines represent a boundary of the claimed design, and form no part of the claimed design.

1 Claim, 4 Drawing Sheets

(58) **Field of Classification Search**

CPC G06F 3/048; G06F 3/0481; G06F 3/04817;
G06F 3/0482; G06F 3/0483; G06F
3/04842; G06F 3/0485; G06F 3/04855;
G06F 3/0486; G06F 3/0488; G06F
3/04886; G06F 9/4443; G06F 17/211;
G06F 17/212

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D619,602 S * 7/2010 Ehrler D14/486
7,818,689 B2 * 10/2010 Wada G06F 16/58
715/853

D640,264 S * 6/2011 Fujii D14/486
D642,187 S * 7/2011 Pearson D14/486
D642,190 S * 7/2011 Pearson D14/486
8,028,243 B1 * 9/2011 O’Riordan G06F 9/451
715/765
D656,508 S * 3/2012 Makhlof D14/486
D661,313 S * 6/2012 Nenoki D14/487
D681,048 S * 4/2013 Freiburger D14/486
D691,626 S * 10/2013 Philopoulos D14/486
D704,721 S * 5/2014 Sassoon D14/486
2004/0250211 A1 * 12/2004 Wakita G11B 27/034
715/723
2009/0043907 A1 * 2/2009 Peterson G06F 3/0236
709/231
2011/0191688 A1 * 8/2011 Hasegawa G06F 15/00
715/738
2014/0282256 A1 * 9/2014 Fish G06F 3/04886
715/835

OTHER PUBLICATIONS

“TortoiseSVN’s Settings” Nov. 28, 2015, Wayback Machine, site visited Dec. 4, 2019: http://web.archive.org/web/20151128210043/http://tortoisesvn.net/docs/release/TortoiseSVN_en/tsvn-dug-settings.html (Year: 2015).*

“Amiga Workbench 3.1 Customisation Guide” Jul. 21, 2018, devtty.io, site visited Dec. 4, 2019: <https://devtty.io/2018/07/computing/how-to-setup-commodore-amiga-workbench-os/> (Year: 2018).*

* cited by examiner




FIG. 1




FIG. 2




FIG. 5




FIG. 3




FIG. 6




FIG. 4




FIG. 7




FIG. 8




FIG. 11




FIG. 9




FIG. 12




FIG. 10




FIG. 13




FIG. 14




FIG. 17




FIG. 15




FIG. 18




FIG. 16