



US00D881973S

(12) **United States Design Patent** (10) **Patent No.:** **US D881,973 S**
Yajima et al. (45) **Date of Patent:** **** Apr. 21, 2020**

(54) **INTERCHANGEABLE LENS FOR CAMERA**

(71) Applicant: **CANON DENSHI KABUSHIKI KAISHA**, Chichibu-shi, Saitama-ken (JP)

(72) Inventors: **Satoru Yajima**, Chichibu-gun (JP);
Yoshiyuki Koyama, Tokyo (JP);
Yasutaka Morikoshi, Tokyo (JP)

(73) Assignee: **Canon Denshi Kabushiki Kaisha**, Chichibu (JP)

(**) Term: **15 Years**

(21) Appl. No.: **29/552,442**

(22) Filed: **Jan. 22, 2016**

(30) **Foreign Application Priority Data**

Jul. 24, 2015 (JP) 2015-016546

Jul. 24, 2015 (JP) 2015-016547

(Continued)

(51) **LOC (12) Cl.** **16-05**

(52) **U.S. Cl.**
USPC **D16/219**

(58) **Field of Classification Search**

USPC D16/219, 134, 136, 200–202, 218, 235,
D16/242; 348/373–376; 359/826–828;
396/529–532, 535, 539–541

(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,214,250 A * 1/1917 Wollensakk G03B 9/22
396/476

1,547,658 A * 7/1925 Kunze G03B 9/08
396/510

(Continued)

Primary Examiner — Ian Simmons

Assistant Examiner — Yolanda Robinson

(74) *Attorney, Agent, or Firm* — Venable LLP

(57) **CLAIM**

The ornamental design for an interchangeable lens for camera, as shown and described.

DESCRIPTION

FIG. 1 is a front view of the interchangeable lens for camera showing the first embodiment of our new design;

FIG. 2 is a rear view thereof;

FIG. 3 is a plan view thereof;

FIG. 4 is a right side view thereof;

FIG. 5 is a front perspective view thereof;

FIG. 6 is a front view thereof, showing the diaphragm adjuster in a transition state;

FIG. 7 is a front view thereof, showing the diaphragm adjuster in a full opening state;

FIG. 8 is a reference 8-8 end view thereof with an internal mechanism omitted;

FIG. 9 is an enlarged front perspective view of the diaphragm adjuster;

FIG. 10 is a front view of the interchangeable lens for camera showing the second embodiment of our new design;

FIG. 11 is a rear view thereof;

FIG. 12 is a plan view thereof;

FIG. 13 is a right side view thereof;

FIG. 14 is a front perspective view;

FIG. 15 is a front view thereof, showing the diaphragm adjuster in a transition state;


FIG. 16 is a front view thereof, showing the diaphragm adjuster in a full opening state;

FIG. 17 is a reference 17-17 end view thereof with an internal mechanism omitted; and,

FIG. 18 is an enlarged front perspective view of the diaphragm adjuster.

The broken lines depict environmental subject matter only and form no part of the claimed design.

1 Claim, 18 Drawing Sheets



(30) Foreign Application Priority Data

Jul. 24, 2015 (JP) 2015-016548
Jul. 24, 2015 (JP) 2015-016549

(58) Field of Classification Search

CPC G03B 9/22; G03B 17/02; G03B 19/04;
G03B 17/56; G03B 17/04; G03B 15/03;
G03B 17/14; H04N 5/2251; H04N
5/2252; H04N 5/2253; H04N 5/2254;
G02B 7/02; G02B 7/04; G02B 7/14

See application file for complete search history.

(56) References Cited

U.S. PATENT DOCUMENTS

2,388,609 A * 11/1945 Ericsson G03B 7/085
250/206
4,408,859 A * 10/1983 Fukahori G03B 9/08
396/246
4,712,900 A * 12/1987 Hamano G02B 7/08
396/133
D315,743 S * 3/1991 Martin D16/219
D440,997 S * 4/2001 Watanabe D16/134
D550,745 S * 9/2007 Watanabe D16/134
D583,847 S * 12/2008 Watanabe D16/134
D665,837 S * 8/2012 Tainaka D16/134
8,475,064 B2 * 7/2013 Bai G03B 9/06
396/463
D715,810 S * 10/2014 Tsukamoto D14/485
D717,356 S * 11/2014 Nikaido D16/134
D726,239 S * 4/2015 So D16/219
9,063,388 B1 * 6/2015 Weber G03B 9/02
D741,937 S * 10/2015 Park D16/219
D756,440 S * 5/2016 Yoshizawa D16/219
9,658,515 B2 * 5/2017 Nakano G03B 9/06
9,715,104 B2 * 7/2017 Kozu G02B 5/005
D800,203 S * 10/2017 Yoshizawa D16/219
D826,307 S * 8/2018 Yoshizawa D16/219
D838,766 S * 1/2019 Tokiwa D16/219
2004/0207931 A1 * 10/2004 Lee G02B 7/102
359/704
2004/0246371 A1 * 12/2004 Cho H04N 5/2254
348/375
2005/0238348 A1 * 10/2005 Oh G03B 9/06
396/451

2005/0264770 A1 * 12/2005 Hara H04N 5/74
353/97
2006/0033974 A1 * 2/2006 Sato G03B 9/06
359/227
2006/0216023 A1 * 9/2006 Tokiwa G03B 17/02
396/532
2009/0051806 A1 * 2/2009 Haubmann G03B 17/14
348/347
2009/0091827 A1 * 4/2009 Gauger G02B 23/16
359/511
2010/0110283 A1 * 5/2010 Shin H04N 5/2251
348/374
2010/0166403 A1 * 7/2010 Neil G03B 17/14
396/79
2010/0238569 A1 * 9/2010 Chang G02B 7/08
359/824
2011/0286117 A1 * 11/2011 Wang G01B 11/02
359/808
2011/0317274 A1 * 12/2011 Faber A61B 1/00128
359/643
2012/0076486 A1 * 3/2012 Bai G03B 9/06
396/463
2012/0120235 A1 * 5/2012 Kwon G03B 17/08
348/143
2014/0212123 A1 * 7/2014 Sato G03B 9/06
396/510
2015/0015773 A1 * 1/2015 Tulyakov H04N 5/238
348/362
2015/0160533 A1 * 6/2015 Yoshizawa G03B 9/06
396/510
2015/0177594 A1 * 6/2015 Weber G03B 9/02
396/505
2015/0198862 A1 * 7/2015 Murakami G03B 11/043
396/501
2015/0260947 A1 * 9/2015 Noguchi G03B 9/06
348/357
2016/0139490 A1 * 5/2016 Nakano G03B 9/06
396/505
2016/0139491 A1 * 5/2016 Nakano G03B 9/06
396/510
2017/0102554 A1 * 4/2017 Yagi G02B 7/021
2017/0313288 A1 * 11/2017 Tippy B60R 11/04
2018/0210314 A1 * 7/2018 Martin G02B 5/005
2018/0231737 A1 * 8/2018 Adamczyk G02B 7/023

* cited by examiner

Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8




Fig. 9




Fig. 10




Fig. 11




Fig. 12




Fig. 13




Fig. 14




Fig. 15




Fig. 16




Fig. 17




Fig. 18

