



US00D882018S

(12) **United States Design Patent** (10) **Patent No.:** **US D882,018 S**
Hamilton et al. (45) **Date of Patent:** **** *Apr. 21, 2020**

- (54) **RETICLE PATTERN**
- (71) Applicant: **Sheltered Wings, Inc.**, Barneveld, WI (US)
- (72) Inventors: **David M. Hamilton**, Barneveld, WI (US); **Michael Rosen**, Barneveld, WI (US)
- (73) Assignee: **SHELTERED WINGS, INC.**, Barneveld, WI (US)
- (*) Notice: This patent is subject to a terminal disclaimer.
- (**) Term: **15 Years**
- (21) Appl. No.: **29/656,696**
- (22) Filed: **Jul. 16, 2018**
- (51) **LOC (12) Cl.** **22-01**
- (52) **U.S. Cl.**
USPC **D22/109**
- (58) **Field of Classification Search**
USPC D22/100–111, 115–116, 119–120, 199;
D21/300, 301, 573–575
CPC . F41G 1/02; F41G 1/027; F41G 1/033; F41G 1/06; F41G 3/26; F41C 23/10; F41C 23/16; F41J 1/00
See application file for complete search history.

- D767,077 S * 9/2016 Mikroulis D22/109
- D767,659 S * 9/2016 Mikroulis D16/134
- D767,660 S * 9/2016 Mikroulis D16/134
- D785,128 S * 4/2017 Kobayashi D22/109
- D803,973 S * 11/2017 Kedairy D22/109
- D814,601 S * 4/2018 Hamilton D22/109

(Continued)

OTHER PUBLICATIONS

“Choosing the Best Red Dot Sight for Your Pistol, Rifle or Shotgun” [online]. hixmagazine.com. [Retrieved on May 13, 2019]. Retrieved from the Internet: <https://www.hixmagazine.com/choosing-the-best-red-dot-sight-for-your-pistol-rifle-or-shotgun/>.*

Primary Examiner — Khawaja Anwar
Assistant Examiner — Mojtaba Tehrani

(74) *Attorney, Agent, or Firm* — Husch Blackwell LLP

(57) **CLAIM**

The ornamental design for a reticle pattern, as shown and described.

DESCRIPTION


FIG. 1 is a front perspective view of a first embodiment of a reticle pattern showing my new design;
 FIG. 2 is a front elevation view thereof;
 FIG. 3 is a rear elevation view thereof;
 FIG. 4 is a right elevation view thereof, being the same as a left elevation view, a top plan view, and a bottom plan view thereof;
 FIG. 5 is a front perspective view of a second embodiment of a reticle pattern showing my new design;
 FIG. 6 is a front elevation view thereof;
 FIG. 7 is a rear elevation view thereof; and,
 FIG. 8 is a right elevation view thereof, being the same as a left elevation view, a top plan view, and a bottom plan view thereof.
 The broken lines depicting portions of an optical sight reticle for environment in the drawings are for illustrative purposes only, and form no part of the claimed design.

1 Claim, 8 Drawing Sheets

(56) **References Cited**

U.S. PATENT DOCUMENTS

- D684,653 S * 6/2013 Smith D22/109
- D700,944 S * 3/2014 Mikroulis D22/109
- D700,945 S * 3/2014 Mikroulis D22/109
- D720,033 S * 12/2014 Mikroulis D22/109
- D726,280 S * 4/2015 Mikroulis D22/109
- D730,476 S * 5/2015 Dommett D22/109
- 9,068,799 B1 * 6/2015 Wu F41G 1/473
- D745,105 S * 12/2015 Mikroulis D22/109
- D753,785 S * 4/2016 Silvers D22/109
- D758,523 S * 6/2016 Mikroulis D22/109



(56)

References Cited

U.S. PATENT DOCUMENTS

D824,480	S *	7/2018	Izumi	D22/109
D834,629	S *	11/2018	Mikroulis	D16/136
2005/0188601	A1 *	9/2005	Verdugo	F41G 1/345 42/130
2006/0026887	A1 *	2/2006	Verdugo	F41G 1/345 42/130
2007/0022651	A1 *	2/2007	Verdugo	F41G 1/345 42/130
2014/0068993	A1 *	3/2014	Mikroulis	F41G 1/473 42/122
2015/0267998	A1 *	9/2015	Grace, Jr.	F41G 1/345 42/117

* cited by examiner




FIG. 1




FIG. 2




FIG. 3



FIG. 4




FIG. 5




FIG. 6




FIG. 7



FIG. 8