



US00D882245S

(12) **United States Design Patent** (10) **Patent No.:** **US D882,245 S**
Natsume et al. (45) **Date of Patent:** **** Apr. 28, 2020**

(54) **STRAP YOKE**

- (71) Applicant: **MAGIC LEAP, INC.**, Plantation, FL (US)
- (72) Inventors: **Shigeru Natsume**, Weston, FL (US); **Haney Awad**, Fort Lauderdale, FL (US); **Bradley Fraser**, Miami Beach, FL (US); **William Wheeler**, Fort Lauderdale, FL (US); **Masamune Kaji**, Plantation, FL (US); **Sebastian Gonzalo Arrieta Gunther**, Fort Lauderdale, FL (US)
- (73) Assignee: **MAGIC LEAP, INC.**, Plantation, FL (US)
- (**) Term: **15 Years**
- (21) Appl. No.: **29/650,959**
- (22) Filed: **Jun. 11, 2018**

Related U.S. Application Data

- (63) Continuation of application No. 29/650,954, filed on Jun. 11, 2018.
- (51) **LOC (12) Cl.** **03-01**
- (52) **U.S. Cl.**
USPC **D3/215**
- (58) **Field of Classification Search**
USPC D3/207–212, 215, 218–219, 228, 229; 224/258, 268, 910; D11/3, 7; D32/53, D32/53.1, 54; 70/457–458; 24/115 G, 24/115 H, 129 R, 163 R, 169–171, 173, 24/598.2, 3.6, 3.13; 119/792, 799, 816; 54/34; 63/21
CPC A01K 1/00; A01K 1/064; A01K 27/002; A01K 15/04
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

677,831 A *	7/1901	Whiting	A01K 27/002 119/792
2,218,932 A *	10/1940	Collins	A44B 15/00 24/3.6
2,297,661 A *	9/1942	Okun	A44B 15/00 24/3.13
2,356,209 A *	8/1944	Brilhart	G10G 5/005 224/258
2,650,400 A *	9/1953	Kellems	H01B 17/22 24/115 H
D418,774 S *	1/2000	Kalbach	D11/26

(Continued)

OTHER PUBLICATIONS

Notice of Allowance for Chinese Appln. No. 201830677359.1 dated Mar. 4, 2019 (1 page).
(Continued)

Primary Examiner — Catherine R Oliver-Garcia
(74) *Attorney, Agent, or Firm* — Vista IP Law Group LLP


(57) **CLAIM**

We claim the ornamental design for a strap yoke, as shown and described.

DESCRIPTION

FIG. 1 is a left rear perspective view of a strap yoke showing our design;
FIG. 2 is a left view thereof;
FIG. 3 is a right view thereof;
FIG. 4 is a front view thereof;
FIG. 5 is a rear view thereof;
FIG. 6 is a top view thereof; and,
FIG. 7 is a bottom view thereof.
The broken lines shown in the figures show portions of the strap yoke and a strap that form no part of the claimed design.

1 Claim, 7 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D819,957 S * 6/2018 Fina D3/207
D822,300 S * 7/2018 Lundquist D3/215

OTHER PUBLICATIONS

Notice of Allowance for U.S. Appl. No. 29/650,954 dated Jan. 22,
2020.

York End, Adjustable Steel, 3/4, Grainger.com, 1994-2019 (2 Pages).

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4



FIG. 5




FIG. 6




FIG. 7