



US00D882373S

(12) **United States Design Patent** (10) **Patent No.:** **US D882,373 S**
Baum (45) **Date of Patent:** **** Apr. 28, 2020**

(54) **SAFETY LOCK FOR BICYCLES**

DESCRIPTION

- (71) Applicant: **Texlock GmbH**, Leipzig (DE)
- (72) Inventor: **Alexandra Baum**, Leipzig (DE)
- (**) Term: **15 Years**
- (21) Appl. No.: **35/506,417**
- (22) Filed: **Sep. 11, 2018**

The patent or application file contains at least one drawing executed in color. Copies of this patent or patent application publication with color drawing(s) will be provided by the Office upon request and payment of the necessary fee.

(80) **Hague Agreement Data**

Int. Filing Date: **Sep. 11, 2018**
 Int. Reg. No.: **DM/200318**
 Int. Reg. Date: **Sep. 11, 2018**
 Int. Reg. Pub. Date: **Mar. 15, 2019**

1.-6. Safety lock for bicycles
1.1 is a perspective view of the safety lock for bicycle with its cable straighten and uncoiled showing my new design in accordance to a first embodiment;
1.2 is a perspective view thereof with its cable curved; and
1.3 is a perspective view thereof with its cable coiled up.
2.1 is a perspective view of the safety lock for bicycle with its cable straighten and uncoiled showing my new design in accordance to a second embodiment;
2.2 is a perspective view thereof with its cable curved; and
2.3 is a perspective view thereof with its cable coiled up.
3.1 is a perspective view of the safety lock for bicycle with its cable straighten and uncoiled showing my new design in accordance to a third embodiment;
3.2 is a perspective view thereof with its cable curved; and
3.3 is a perspective view thereof with its cable coiled up.
4.1 is a perspective view of the safety lock for bicycle with its cable straighten and uncoiled showing my new design in accordance to a fourth embodiment;
4.2 is a perspective view thereof with its cable curved; and
4.3 is a perspective view thereof with its cable coiled up.
5.1 is a perspective view of the safety lock for bicycle with its cable straighten and uncoiled showing my new design in accordance to a fifth embodiment;
5.2 is a perspective view thereof with its cable curved; and
5.3 is a perspective view thereof with its cable coiled up.
6.1 is a perspective view of the safety lock for bicycle with its cable coiled up showing my new design in accordance to a sixth embodiment;
6.2 is a perspective view thereof with its cable straighten and uncoiled; and
6.3 is a perspective view thereof with its cable curved.

- (51) **LOC (12) Cl.** **08-07**
- (52) **U.S. Cl.**
USPC **D8/333**
- (58) **Field of Classification Search**
USPC D8/330, 331, 333, 339, 343, 345, 349;
D12/115
CPC E05B 15/00; E05B 17/00; E05B 37/002;
E05B 69/00; E05B 73/00; E05B 73/0029;
E05N 73/0017

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

- D267,470 S * 1/1983 Scherbing D8/333
- D295,721 S * 5/1988 Marshall D8/333

(Continued)

Primary Examiner — Darlington Ly

(57) **CLAIM**

The ornamental design for a safety lock for bicycles, as shown and described.

1 Claim, 18 Drawing Sheets
(15 of 18 Drawing Sheet(s) Filed in Color)



(56)

References Cited

U.S. PATENT DOCUMENTS

D356,763 S * 3/1995 Herrick D12/162
D390,771 S * 2/1998 Egger D8/333
7,299,668 B1 * 11/2007 Lu E05B 73/0082
70/14
7,302,816 B1 * 12/2007 Lu E05B 73/0082
70/14
D731,288 S * 6/2015 McKechnie D8/330
D786,046 S * 5/2017 Mack D8/330
D786,047 S * 5/2017 Mack D8/330
D795,042 S * 8/2017 Burns D8/333
9,816,296 B2 * 11/2017 Denny E05B 73/0005
10,053,889 B1 * 8/2018 Maratos E05B 45/06
2013/0174616 A1 * 7/2013 Allen, Jr. E05B 37/025
70/30

* cited by examiner

1.1



1.2



1.3



2.1



2.2



2.3



3.1




3.2



3.3



4.1




4.2



4.3



5.1




5.2




5.3



6.1



6.2



6.3

