



US00D882430S

(12) **United States Design Patent** (10) **Patent No.:** **US D882,430 S**
Haban et al. (45) **Date of Patent:** **** Apr. 28, 2020**

(54) **LIDAR SENSOR**

(71) Applicant: **Uber Technologies, Inc.**, San Francisco, CA (US)

(72) Inventors: **Philipp Haban**, Pittsburgh, PA (US);
Daniel Kanitz, Pittsburgh, PA (US)

(73) Assignee: **Uber Technologies, Inc.**, San Francisco, CA (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/692,678**

(22) Filed: **May 28, 2019**

Related U.S. Application Data

(62) Division of application No. 29/614,834, filed on Aug. 23, 2017, now Pat. No. Des. 849,573.

(51) **LOC (12) Cl.** **10-04**

(52) **U.S. Cl.**
USPC **D10/70**

(58) **Field of Classification Search**

USPC D10/65, 70

CPC G01F 23/0038; G01F 23/04; G01F 23/05;
G01F 23/30; G01F 23/303; G01F 23/306;
G01F 23/32; G01F 23/34; G01F 23/345;
G01F 23/36; G01F 23/363; G01F 23/366;
G01F 23/38; G01F 23/40; G01F 23/42;
G01F 23/425; G01F 23/44; G01F 23/443;
G01F 23/446; G01F 23/46; G01F 23/48;
G01F 23/50; G01F 23/505; G01F 23/52;
G01F 23/523; G01F 23/526; G01F 23/54;
G01F 23/543; G01F 23/546; G01F 23/56;
G01F 23/58; G01F 23/585; G01F 23/60;
G01F 23/603; G01F 23/606; G01F 23/62;
G01F 23/64; G01F 23/66; G01F 23/665;
G01F 23/68; G01F 23/683; G01F 23/686;

G01F 23/70; G01F 23/703; G01F 23/706;
G01F 23/72; G01F 23/74; G01F 23/76
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

7,961,301 B2 * 6/2011 Earhart G01S 3/7867
356/4.01
8,767,190 B2 * 7/2014 Hall G01S 17/89
356/3.01
D752,998 S * 4/2016 Robinson G01S 3/7867
D10/65

(Continued)

Primary Examiner — Antoine Duval Davis

(74) *Attorney, Agent, or Firm* — Dority & Manning, P.A.


(57) **CLAIM**

The ornamental design for a lidar sensor, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view according to the present design.
FIG. 2 is a front view of the design of FIG. 1.
FIG. 3 is a rear view of the design of FIG. 1.
FIG. 4 is a right side view of the design of FIG. 1.
FIG. 5 is a left side view of the design of FIG. 1.
FIG. 6 is a top view of the design of FIG. 1.
FIG. 7 is a bottom view of the design of FIG. 1.
FIG. 8 is a perspective view according to a second example embodiment of the design.
FIG. 9 is a front view of the design of FIG. 8.
FIG. 10 is a rear view of the design of FIG. 8.
FIG. 11 is a right side view of the design of FIG. 8.
FIG. 12 is a left side view of the design of FIG. 8.
FIG. 13 is a top view of the design of FIG. 8; and,
FIG. 14 is a bottom view of the design of FIG. 8.
The claimed design comprises the elements shown in solid lines. The broken lines form no part of the claimed design.

1 Claim, 14 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D772,737	S	*	11/2016	Robinson		G01S 17/89
						D10/65
9,582,987	B2	*	2/2017	Eskildsen		G01F 23/64
9,639,935	B1	*	5/2017	Douady-Pleven		H04N 5/247
10,036,803	B2	*	7/2018	Pacala		G01S 17/42

* cited by examiner




FIG.1




FIG.2




FIG.3




FIG.4




FIG.5




FIG.6




FIG.7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14